Costa Rica

Naturetrek Tour Report 3 - 17 February 2013

Bare-throated Tiger Heron by James Gloyn

Chestnut-mandibled Toucan by Reagan Smith

Magnificent Hummingbird by James Gloyn

Green & Black Poison Dart Frog by Reagan Smith

Report compiled by Chris Kehoe
Images Courtesy of Reagan Smith & James Gloyn

Naturetrek

Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051 F: +44 (0)1962 736426

E: info@naturetrek.co.uk W: www.naturetrek.co.uk

Tour Leaders:	Chris Kehoe	Naturetrek Naturalist
	Santiago	Driver/guide
	Jorge	Guide at Paraiso del Quetzales
	Bernal	Guide at Monteverde
	Demetrio	Guide at Hacienda Solimar
	Rodolfo	Guide at Selve Verde

Participants:

James Gloyn
Mary Edmans
Reagan Smith
William Nicoll
Ron Cooke
Barbara Cooke
Peter Ross
Marcia Ross
Ian Harris
Denise Harris
Paul Cullington
Penny Cullington

Day 1 Sunday 3rd February

Outbound to San Jose via Miami

Everyone gathered at London Heathrow for a 09.40 BA flight to Miami. An onward flight to the Costa Rican capital of San Jose arrived a little ahead of time at 22.05 (local) and after collecting bags we made our way to the nearby El Rodeo Country Inn for some welcome rest.

Day 2 Monday 4th February

Paraiso del Quetzales, Savegre Mountain Lodge

Weather: sunny and warm after a chilly start at Paraiso del Quetzal, overcast with sunny spells and some light drizzle at Savegre; a little breezy at times

Hot drinks and cake at 05.45 preceded a journey of just over 90 minutes into the mountains to the south of San Jose. Arriving at Paraiso del Quetzales we immediately made our way to the small veranda where masses of Fiery-throated and Magnificent Hummingbirds were congregated at the feeders. In the 15 minutes before breakfast was served we also found a few Green Violetears and a Volcano Hummingbird with Yellow-thighed Finches, Sooty-capped Bush tanagers and a few other bits and pieces in the nearby shrubs. After breakfast we set off with local guide Jorge on an exploration of the immediate area. A small feeding flock held Ruddy Treerunner, Hairy Woodpecker, Olive-striped Flycatcher and a couple of exquisite Collared Whitestarts; some also saw Golden-browed Chlorophonia before we pressed on, stopping to admire some splendid Long-tailed Silky-flycatchers and Sooty Thrushes in the lodge gardens.

Resplendent Quetzal is always a major target here and soon enough we were treated to prolonged scope views of two females and a young male, while watching them we also came across a few Wilson's Warblers, Black-capped Flycatchers and others. Further exploration gave us rare Peg-billed Finches, Black-billed Nightingale-thrush, better views of Volcano Hummingbird, Slaty Flowerpiercers, Black-and-yellow Phainoptila, Mountain Thrush, Northern Tufted Flycatcher and others.

After lunch a 40 minute drive took us to Savegre Hotel where the Hummingbird feeders attracted Grey-tailed Mountaingems, Scintillant and Stripe-tailed Hummingbirds. A short walk nearby gave us Acorn Woodpeckers, Spangle-cheeked Tanagers, Dark Pewee, Flame-coloured Tanagers, Sulphur-winged Parakeets and others as Red-tailed Hawk and Swallow-tailed Kite appeared overhead. All too soon it was time to return to San Jose for dinner and a beer or three.

Day 3 Tuesday 5th February

En route to Villa Lapas; Tarcoles Estuary

Weather: sunny and warm/hot, quite humid on the Pacific coast, a little breezy at times.

Early risers enjoyed a few new species in the hotel grounds before breakfast, Great Kiskadees and Rufous-backed Wrens were conspicuous while Inca and White-winged Doves and Red-billed Pigeons posed for the scope and our only Greysih Saltators were seen.

By 07.45 the bus was loaded up and we were on our way west towards the Pacific coast. A stop for 40 minutes at Rio Garita Reservoir produced Least Grebe and Blue-winged Teals on the water, a few Boat-billed Herons along the shore, a fine pair of Blue-diademed Motmots in the trees and a surprise Plain-capped Starthroat. Following news that a pair of Black-and-white Owls had just returned to their former haunt at Orotina after an extended absence we made our way there and soon found these obliging birds roosting in the centre of the busy town square, a slumbering Hoffman's Two-toed Sloth was also present. Soon afterwards we reached Tarcoles where a stop for refreshments preceded an action-packed walk across the road bridge there. Highlights here included a pair of Bat Falcons, Southern Lapwings, Yellow-headed Caracara, fly-by Scarlet Macaws and masses of huge American Crocodiles. Just around the corner was Villa Lapas, our base for the next two nights. After dropping off our bags we were soon sitting down for lunch or seeing our first Social and Grey-capped Flycatchers near the restaurant.

Everyone opted to join the afternoon cruise around the Tarcoles Estuary. New birds came thick and fast and included four species of Kingfisher, including very close views of the diminutive American Pygmy, Common Black Hawks, Anhingas, Bare-throated Tiger Herons, Yellow-crowned Night Herons, Orange-fronted Parakeets and numerous others. Scarlet Macaws put on a good show as Magnificent Frigatebirds patrolled overhead and Ospreys sat on prominent perches. As we returned to shore Macaws were squabbling in the trees above us, a couple of rare Mangrove Hummingbirds were found, as was a Turquoise-browed Motmot and, as the light began to fade, several Lesser Nighthawks appeared overhead. After dinner a noisy pair of Spectacled Owls put on a good show above the restaurant to round off an excellent day.

Day 4 Wednesday 6th February

Villa Lapas; Carara NP

Weather: fine, mostly sunny, warm/hot and humid

Birding in the Villa Lapas grounds before breakfast produced an array of new species with top billing going to a pair of Fiery-billed Aracaris while the supporting cast included Gartered Trogons and Boat-billed and Streaked Flycatchers.

By 07.15 we were on our way to the Oxbow Trail at nearby Carara National Park where the rest of the morning was spent slowly working our way along the trail. A pair of Northern Royal Flycatchers showed briefly early on, as did a slumbering Boa Constrictor. Further along the trail we connected with Black-hooded Antshrikes, Dot-winged Antwrens and Dusky Antbirds and some saw a furtive Black-bellied Wren and a Northern Bentbill. A Plain Xenops put on a good show near our turning around point, where a troop of White-faced Capuchins showed well, while the return trip gave us Barred Antshrikes and several others. During our lunch break back at Villa Lapas the avian highlights included Black-mandibled Toucana and Lineated Woodpecker.

Those who opted to return to the forest in the afternoon found spectacular Red-capped Manakins, a Great Tinamou, Kentucky Warbler and three Black-faced Antthrushes plus a Muscovy Duck and a couple of Central American Agoutis. Back at Villa Lapas Rose-breasted Grosbeaks and both White-collared and Costa Rican Swifts were found as the light began to fade.

Day 5 Thursday 7th February

En route to Monteverde, Monteverde Hummingbird Gallery

Weather: Fine and warm at Villa Lapas, sunny spells at Monteverde where there was a stiff breeze.

Birding in the hotel grounds either side of a 07.00 breakfast produced a host of good birds with Slaty-tailed Trogon, Long-tailed Manakin, Painted Bunting and others found.

The journey to Monteverde commenced at 09.00 but we stopped after 40 minutes for coffee at Caldera where a wide coastal lagoon is fed by the Pacific Ocean just across the road. A large flock of Laughing Gulls, several Royal Terns and a handful of Brown Pelicans were roosting on the lagoon as Magnificent Frigatebirds glided overhead. Ninety minutes later we arrived at the Hotel Montana in Monteverde and settled in to our comfortable rooms before lunch.

Around the hotel we found Yellow-faced Grassquits and others but by 14.45 we were on our way to the famous Monteverde Hummingbird Gallery. On arrival 20 minutes later we were immediately surrounded by hummers with Green-crowned Brilliants, Purple-throated Mountaingems and Violet Sabrewings all common and endemic Coppery-headed Emeralds, Green Violetears and Stripe-tailed Hummingbirds present in smaller numbers; scarcer still, but still seen regularly were Magenta-throated Woodstars and eventually a Green Hermit put in a couple of appearances.

We also saw our first Bananaquits at the feeders while some took advantage of the shopping or coffee and cake opportunities here. Back at the rather windswept hotel a pre-roost gathering of Bronzed Cowbirds was noted and a Canivet's Emerald was feeding along a flowering hedge.

Day 6 Friday 8th February

Monteverde

Weather: fine, a little breezy at times

A quick look around the hotel garden before breakfast gave us Blue-diademed Motmot and a Yellow-bellied Sapsucker but most of the morning was spent at Monteverede Cloudforest Preserve in the company of local guide Bernal. Many excellent birds were found in the attractive mossy forest with Scale-crowned Pygmy Tyrants, Blue-throated Toucanets, Spotted Barbtail, Lineated Foliage-gleaner, Slaty Antwren, Brown-hooded Parrots and Collared Trogon just some of the highlights.

Returning towards the forest after lunch back at the hotel gave us a surprise in the shape of a splendid Sunbittern at a small river crossing. In the forest Black-breasted Wood Quails, Olivaceous Woodcreeper, Green Lancebill and a brief Black Guan were found while back at the car park the feeders held a nice selection of, by now, familiar hummers as Common Bush Tanagers flitted about and a Black-faced Solitaire was found feeding in a fruiting tree above the bus.

Day 7 Saturday 9th February

En route to Hacienda Solimar

Weather: a little overcast and breezy at Monteverde, hot and sunny with a stiff breeze at Hacienda Solimar

The highlight in the grounds of the Hotel Montana either side of breakfast was a superb Elegant Euphonia but also seen were White-fronted Parrots, Orange-chinned Parakeets, Steely-vented Hummingbird and Canivet's Emerald.

After a stop at the nearby supermarket to pick up vital provisions for a three night stay at Hacienda Solimar we were on our way there and arrived soon after noon. Shortly after lunch a quick look around the Hacienda area produced a couple of White-lored Gnatcatcher and a roosting Pacific Screech Owl as Mantled Howler Monkeys slumbered nearby.

As the midday heat began to subside we set off in the bus to explore some of the wetter areas of the huge ranch. Highlights before we returned at sunset included Double-striped Thick-knees, Laughing Falcon, Northern Harrier, Snail Kites, masses of Black-bellied Whistling-ducks being harassed by a Peregrine, Harris's Hawk, Limpkins and Jabirus amongst the masses of Herons and Egrets. A more wooded area gave us roosting Lesser Nighthawks, Scissor-tailed Flycatchers and a very obliging Ferruginous Pygmy Owl. After dinner some saw a Nine-banded Armadillo rummaging about near our rooms!

Day 8 Sunday 10th February

Hacienda Solimar

Weather: fine, a little breezy at times

Early risers were rewarded with White-throated Magpie-jays, White-fronted and Yellow-naped Amazons, Solitary Sandpipers, Turquoise-browed Motmot and Black-headed Trogons in the immediate vicinity of the Hacienda.

After breakfast we made our way to an area of dry forest where a couple of hours of strolling along the shady road produced Orchard Orioles, Banded Wren, Green-breasted Mangos, Long-tailed Manakins, Northern Barred Woodcreeper, more Ferruginous Pygmy Owls, Scrub Euphonia and plenty of Howler Monkeys. Back at the Hacienda, Spot-breasted and Streak-backed Orioles were found.

Our evening excursion took us to another area of dry forest where Nutting's Flycatchers were the highlight before a King Vulture was watched in flight just as we were leaving. Nearby wetlands held a good collection of species, including several Muscovy Ducks, another Northern Harrier was seen and a large gathering of White-nosed Coatis foraged in the open.

Day 9 Monday 11th February

Hacienda Solimar

Weather: fine, hot

Pre-breakfast birding gave us several previously seen species while our main morning excursion took us to an area of Gallery Forest where we found two Lesser Ground Cuckoos, one of which sat in the open at close range for five minutes, White-collared Seedeaters, Orange-fronted Parakeets, Scissor-tailed Flycatchers, all three species of Ground-dove and several other bits and pieces including Brown-crested Flycatchers and Squirrel Cuckoo.

At 14.45 we set off on the 30 minute drive to Colorado Salinas to see what had assembled at the high tide roost there. On arrival it was immediately obvious that a large and varied selection of species was present and we spent the next couple of hours sifting through them. Black Skimmers were a particular highlight and we quickly located several Grey Plovers and a handful of Semipalmated and Wilson's Plovers. Hundred's of Semipalmated and Western Sandpipers lined the banks of the saltings while several Least Sandpipers crept about; Stilt Sandpipers and Short-billed Dowitchers plus a few Lesser Yellowlegs were sprinkled about, and we found up to 15 Surfbirds and a few Red Knot mixed in with them. Larger shorebirds were represented by numerous Willets, 'Hudsonian' Whimbrels and Marbled Godwits. At the mangrove edge a couple of Mangrove Warblers appeared briefly as Magnificent Frigatebirds soared overhead.

Day 10 Tuesday 12th February

En route to Arenal; Arenal Observatory Lodge

Weather: mostly fine but a little overcast during the evening at Arenal, hot then warm.

After saying goodbye to the friendly staff at Hacienda Solimar we set off inland towards Lake Arenal, stopping after 90 minutes for refreshments at the German bakery in Nuevo Arenal.

As we drove along the lakeshore Arenal Volcano was clearly visible in the distance and a group of Crested Guans were watched in a roadside tree. We ate our picnic lunch along the Old Tabacon Road where a Keel-billed Motmot was the undoubted avian highlight. Forty minutes later we reached our overnight base at Arenal Observatory Lodge.

On arrival we made our way to the platform overlooking the feeding station where, over the next hour or so, we enjoyed excellent views of several new species such as Passerini's and Double-toothed Tanagers plus Green Honeycreeper while spectacular Montezuma Oropendolas were ever present and put on a fine show. The clouds cleared to reveal the summit of the volcano again and a nearby fruiting tree was found to contain some exquisite Tawny-capped Euphonias as a pair of Black-mandibled Toucans bounced around in the trees above. After settling into our rooms a stroll around the grounds produced Violet-headed Hummingbird and White-necked Jacobin while another fruiting tree near the feeders held a superb Emerald Tanager and a couple of Bay-headed Tanagers and our first Olive-backed Euphonia was found.

Day 11 Wednesday 13th February

Arenal; en route to Selve Verde; Selve Verde

Weather: overcast at Arenal, sunnier, warmer and quite humid at Selve Verde.

Dawn at the feeding station revealed a similar cast of characters to yesterday plus Black-striped Sparrows and a Grey-chested Dove. The nearby fruiting tree attracted an excellent collection of tanagers including Emerald and Bay-headed again plus a White-throated Thrush and several other choice species such as Red-legged Honeycreepers and Golden-hooded Tanagers.

After breakfast we explored the parkland and forested habitats near our rooms where Band-backed Wrens and a Bronze-tailed Plumeleteer were new but the major highlight was a pair of spectacular Great Curassows that strutted about along the edge of the forest. By 09.00 we were loaded up and on our way eastwards towards the Caribbean lowlands. A 30 minute coffee stop at Muelle gave the opportunity for photos of the many Green Iguanas gathered in the roadside trees. By 12.15 we were at Selve Verde for a three-night stay.

After lunch and, for some, a short rest we explored the area around the lodge where Orange-billed Sparrows and Red-throated Ant-tanagers showed well and Shining Honeycreepers appeared in a distant treetop. Better still was a pair of spectacular Pale-billed Woodpeckers near the swimming pool, a busy group of Collared Aracaris, a scoped Keel-billed Toucan and a Fasciated Tiger-heron that fed along the rapids in the river where Black Phoebes were also found.

Day 12 Thursday 14th February

Virgen de Socorro, El Tapir, near La Selva

Weather: overcast and damp initially at Virgen de Socorro then dry and mostly bright with a few light showers later in the day, hot and humid after a fresh start

By 06.10 we were on our way to the Caribbean foothills at Virgen de Socorro and arrived there in steady light rain at 07.00.

Walking slowly into the valley we found a few commoner species but with perseverance eventually found a few Tropical Parulas, Black-throated Green Warblers, a Blackburnian Warbler and a Scale-crested Pygmy-tyrant. At the river an American Dipper put in a brief appearance while the walk back in drier weather gave us Collared Trogons, Crimson-collared Tanagers and a distantly perched White Hawk. A short drive then delivered us to a small roadside cafe where feeders attracted a few mid-elevation hummers plus several Silver-throated Tanagers and a pair of very obliging Emerald Toucanets.

After lunch and a short rest we drove for 45 minutes to the abandoned butterfly farm at El Tapir where the flowering Porterweed attracted an excellent collection of Hummingbirds including three new species in the shape of a marvellous male Snowcap, a very obliging Black-crested Coquette and a couple of similarly well behaved Green Thorntails. A small flock of Tanager in the trees here contained a couple of Black-faced Grosbeaks and a Blue Morpho butterfly put on a good show.

Returning towards Selve Verde we diverted to explore the open country on the edge of the La Selva reserve. Long-tailed Tyrants performed nicely here, as did a Slaty-tailed Trogon and after a little while three Great Green Macaws flew over. Setting off in pursuit of the Macaws we found White-ringed Flycatchers, a Three-toed Sloth in a distant tree (but showing quite well in the scope), and numerous Red-lored and a few Mealy Parrots plus a couple of Olive-throated Parakeets and a perched Bat Falcon. Eventually the Great Green Macaws reappeared and gave some decent scope views in a fairly distant tree.

Day 13 Friday 15th February

La Selva

Weather: fine and dry after a misty dawn, then warm and quite humid with a brief shower after lunch.

After another early breakfast we were on our way to nearby La Selva by 06.00. Reaching the clearings near the reserve's offices we concentrated on that rich area for over 90 minutes seeing Chestnut-coloured and Cinnamon Woodpeckers, Black-headed Saltators, Plain-coloured and Dusky-faced Tanagers and we also managed better views than previously of White-ringed Flycatchers, Black-faced Grosbeaks and many others. Moving on to the denser woodland nearby we found several more new species with a fine male White-collared Manakin, Rufous Motmot, Rufous-tailed Jacamars and Pied Puffbirds all showing well while a Little Tinamou and both Bay and Black-bellied Wrens more seen more briefly.

During our lunch break at Selve Verde Chestnut-backed Antbirds and a Stripe-throated Wren put on a good show but after a short rest we returned to La Selva where our evening walk gave us a couple of Hoffman's Two-toed Sloths, more Pied Puffbirds, a Blue-chested Hummingbird and a furtive Slaty-breasted Tinamou. Back at the reserve offices we found Chestnut-headed Oropendolas feeding in a large fruiting tree and Collared Aracaris showed well. At Selve Verde a Short-tailed Nighthawk was feeding over the swimming pool at dusk.

Day 14 Saturday 16th February

En route to San Jose; inbound to London via Miami

Weather: fine

Early risers enjoyed some final looks at the birdlife around Selve Verde including our first perched views of Mealy Parrots and a single Green Ibis. By 07.45 we were on our way to San Jose and after a coffee stop in the hills on the edge of the Central Valley we arrived at the airport at 10.30. Our flights to Miami and London were roughly on time and we settled down for a night in the air over the Atlantic…

Day 15 Sunday 17th February

Arrival in UK

We reached Heathrow a few minutes ahead of schedule at 10.15.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The Naturetrek Facebook page is now live; do please pay us a visit!

Scintillant Hummingbird by James Gloyn

Red-legged Honeycreeper by Reagan Smith

Species Lists

Birds (H = heard only)

			February												
	Common name	**Scientific name**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**	**16**
1	Great Tinamou	*Tinamus major*			1							H	H	H	H
2	Little Tinamou	*Crypturellus soui*												1	
3	Slaty-breasted Tinamou	*Crypturellus boucardi*												1	
4	Grey-headed Chachalaca	*Ortalis cinereiceps*									1	1	8		
5	Crested Guan	*Penelope purpurascens*									4	1		2	
6	Black Guan	*Chamaepetes unicolor*					1								
7	Great Curassow	*Crax rubra*										2			
8	Black-breasted Wood Quail	*Odontophorus leucolaemus*					5								
9	Black-bellied Whistling Duck	*Dendrocygna autumnalis*						3000	3000						
10	Muscovy Duck	*Cairina moschata*			1	1			20	8					
11	Blue-winged Teal	*Anas discors*		15				1000	50						
12	Northern Shoveler	*Anas clypeata*						6							
13	Least Grebe	*Tachybaptus dominicus*		1											
14	Wood Stork	*Mycteria americana*		10	2			200	1000	50	10		1		
15	Jabiru	*Jabiru mycteria*						4	4						
16	Green Ibis	*Mesembrinibis cayennensis*													1
17	American White Ibis	*Eudocimus albus*		50	50	30		100	10	10					
18	Roseate Spoonbill	*Platalea ajaja*		6					20	1					
19	Fasciated Tiger Heron	*Tigrisoma fasciatum*										1	1		
20	Bare-throated Tiger Heron	*Tigrisoma mexicanum*		10	2	3		30	20		4	1			
21	Boat-billed Heron	*Cochlearius cochlearius*		8	3			2							
22	Black-crowned Night Heron	*Nycticorax nycticorax*						10							
23	Yellow-crowned Night Heron	*Nyctanassa violacea*		20											
24	Green Heron	*Butorides virescens*		6				20	20	8	4				

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
25	Western Cattle Egret	*Bubulcus ibis*	10	50		10		1000	50	10	30	50	30	10	
26	Great Blue Heron	*Ardea herodias*		10				40	100	2					
27	Great Egret	*Ardea alba*	2	30				100	200	7	100	1	4	2	
28	Tricolored Heron	*Egretta tricolor*		20				1	2	2					
29	Little Blue Heron	*Egretta caerulea*		30				8	10	4		1	1	1	
30	Snowy Egret	*Egretta thula*		20				6	20	6	100	1	4		
31	Brown Pelican	*Pelecanus occidentalis*				4				1					
32	Magnificent Frigatebird	*Fregata magnificens*		15	1	15				20					
33	Neotropic Cormorant	*Phalacrocorax brasilianus*		2				1							
34	Anhinga	*Anhinga anhinga*		6				20							
35	Turkey Vulture	*Cathartes aura*	20	100	00's	00's	00's	00's	00's	00's	00'e	00's	50	50	10
36	Black Vulture	*Coragyps atratus*	50	200	00's	00's	00's	00's	00's	00's	00's	00's	00's	100	20
37	King Vulture	*Sarcoramphus papa*							1						
38	Western Osprey	*Pandion haliaetus*	1	10	2	1		2	4	1				1	
39	Hook-billed Kite	*Chondrohierax uncinatus*					1								
40	Swallow-tailed Kite	*Elanoides forficatus*	1								1	1			
41	White-tailed Kite	*Elanus leucurus*						1	1		1		1		
42	Snail Kite	*Rostrhamus sociabilis*						3	1						
43	Double-toothed Kite	*Harpagus bidentatus*											1		
44	Northern Harrier	*Circus hudsonius*						1	1						
45	Sharp-shinned Hawk	*Accipiter striatus*					1								
46	Barred Hawk	*Leucopternis princeps*									1				
47	White Hawk	*Leucopternis albicollis*											1		
48	Common Black Hawk	*Buteogallus anthracinus*		3		1									
49	Harris's Hawk	*Parabuteo unicinctus*		1				1	1	1					
50	Grey Hawk	*Buteo nitidus*		1	1	1				1	1	2	1		
51	Roadside Hawk	*Buteo magnirostris*		1										1	

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
52	Broad-winged Hawk	*Buteo platypterus*		4	1	1		1	1		1		2		
53	Red-tailed Hawk	*Buteo jamaicensis*	2	1		1									
54	Northern Crested Caracara	*Caracara cheriway*		3				10	30	20	20		1		
55	Yellow-headed Caracara	*Milvago chimachima*		4		5									
56	Laughing Falcon	*Herpetotheres cachinnans*						1		1	1	1	1		
57	American Kestrel	*Falco sparverius*						1	1						
58	Bat Falcon	*Falco rufigularis*		2									1		
59	Peregrine Falcon	*Falco peregrinus*		2				2	1			2			
60	Sunbittern	*Eurypyga helias*					1								
61	Common Gallinule	*Gallinula gallineata*							1						
62	American Coot	*Fulica americana*							10						
63	Purple Gallinule	*Porphyrio martinicus*		2				1							
64	Limpkin	*Aramus guarauna*						15	30						
65	Double-striped Thick-Knee	*Burhinus bistriatus*						3	6	2					
66	Black-necked Stilt	*Himantopus mexicanus*		20				1	4	20					
67	Southern Lapwing	*Vanellus chilensis*		15											
68	Grey Plover	*Pluvialis squatarola*		3						40					
69	Semipalmated Plover	*Charadrius semipalmatus*								15					
70	Wilson's Plover	*Charadrius wilsonia*								6					
71	Killdeer	*Charadrius vociferus*		6											
72	Northern Jacana	*Jacana spinosa*		10				300	100	2					
73	Short-billed Dowitcher	*Limnodromus griseus*								50					
74	Marbled Godwit	*Limosa fedoa*								10					
75	Whimbrel	*Numenius phaeopus*		10						100					
76	Lesser Yellowlegs	*Tringa flavipes*								8					
77	Solitary Sandpiper	*Tringa solitaria*						1	2		2				
78	Willet	*Tringa semipalmata*		1						100					

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
79	Spotted Sandpiper	*Actitis macularius*		10				10	4	8		4	1	1	
80	Ruddy Turnstone	*Arenaria interpres*		3						30					
81	Surfbird	*Aphriza virgata*								15					
82	Red Knot	*Calidris canutus*								10					
83	Semipalmated Sandpiper	*Calidris pusilla*								500					
84	Western Sandpiper	*Calidris mauri*								500					
85	Least Sandpiper	*Calidris minutilla*		30				10	4						
86	Stilt Sandpiper	*Calidris himantopus*								25					
87	Black Skimmer	*Rynchops niger*								40					
88	Laughing Gull	*Leucophaeus atricilla*		1		200				40					
89	Royal Tern	*Thalasseus maximus*				20				10					
90	Scaled Pigeon	*Patagioenas speciosa*											1		
91	Band-tailed Pigeon	*Patagioenas fasciata*	20												
92	Red-billed Pigeon	*Patagioenas flavirostris*	2	8	1	10	10	10				10	2		
93	Short-billed Pigeon	*Patagioenas nigrirostris*			H							1	H	H	
94	White-winged Dove	*Zenaida asiatica*	4	6				1		1					
95	Inca Dove	*Columbina inca*	2	20	2			10	20	20	20				
96	Common Ground Dove	*Columbina passerina*							10	10	4				
97	Plain-breasted Ground Dove	*Columbina minuta*						1		4					
98	Ruddy Ground Dove	*Columbina talpacoti*		50				30	30	4	2	1		2	
99	White-tipped Dove	*Leptotila verreauxi*		2	3	1			1	4	2		1	1	
100	Grey-chested Dove	*Leptotila cassinii*			2							1			
101	Great Green Macaw	*Ara ambiguus*											3	H	
102	Scarlet Macaw	*Ara macao*		20	6	4									
103	Finsch's Parakeet	*Aratinga finschi*	10	10											
104	Olive-throated Parakeet	*Aratinga nana*											2	10	
105	Orange-fronted Parakeet	*Aratinga canicularis*		4				3		8					

			February												
	Common name	**Scientific name**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**	**16**
106	Sulphur-winged Parakeet	*Pyrrhura hoffmanni*	20												
107	Orange-chinned Parakeet	*Brotogeris jugularis*		H			2		20	10				10	
108	Brown-hooded Parrot	*Pyrilia haematotis*					2								
109	White-crowned Parrot	*Pionus senilis*									1	4	30	1	
110	White-fronted Amazon	*Amazona albifrons*		4		4	4	2	30	40	30	4	H		
111	Red-lored Amazon	*Amazona autumnalis*										10	20	6	
112	Yellow-naped Amazon	*Amazona auropalliata*		1				6	20	6	10				
113	Mealy Amazon	*Amazona farinosa*											2	2	
114	Groove-billed Ani	*Crotophaga sulcirostris*		20				40	50	50	50	10	4		
115	Lesser Ground Cuckoo	*Morococcyx erythropygus*								2					
116	Squirrel Cuckoo	*Piaya cayana*		1					3	2				2	
117	Pacific Screech Owl	*Megascops cooperi*						1		1	H				
118	Black-and-white Owl	*Strix nigrolineata*		2											
119	Spectacled Owl	*Pulsatrix perspicillata*		2											
120	Ferruginous Pygmy Owl	*Glaucidium brasilianum*						1	1	1	H				
121	Short-tailed Nighthawk	*Lurocalis semitorquatus*												1	
122	Lesser Nighthawk	*Chordeiles acutipennis*		15				6	1	1	1				
123	Pauraque	*Nyctidromus albicollis*				H		H	H	H	2	H			
124	White-collared Swift	*Streptoprocne zonaris*			20						100		400		
125	Costa Rican Swift	*Chaetura fumosa*			10	1									
126	Grey-rumped Swift	*Chaetura cinereiventris*											10	20	
127	Vaux's Swift	*Chaetura vauxi*	4												
128	Green Hermit	*Phaethornis guy*				3	2						1		
129	Long-billed Hermit	*Phaethornis longirostris*										1			
130	Stripe-throated Hermit	*Phaethornis striigularis*		1	1				1			1	1		
131	Green-fronted Lancebill	*Doryfera ludovicae*					2								
132	Scaly-breasted Hummingbird	*Phaeochroa cuvierii*		2	2	2									

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
133	Violet Sabrewing	*Campylopterus hemileucurus*				40	10						10		
134	White-necked Jacobin	*Florisuga mellivora*									1	3		1	
135	Green Violetear	*Colibri thalassinus*	20			20	10								
136	Green-breasted Mango	*Anthracothorax prevostii*							6		2				
137	Violet-headed Hummingbird	*Klais guimeti*									4	4	10		
138	Black-crested Coquette	*Lophornis helenae*									1		2		
139	Green Thorntail	*Discosura conversii*											2		
140	Canivet's Emerald	*Chlorostilbon canivetii*				1		1							
141	Fiery-throated Hummingbird	*Panterpe insignis*	50												
142	Coppery-headed Emerald	*Elvira cupreiceps*				10	4								
143	Stripe-tailed Hummingbird	*Eupherusa eximia*	1			5	4								
144	Violet-crowned Woodnymph	*Thalurania colombica*									3	2	6		
145	Cinnamon Hummingbird	*Amazilia rutila*		1				1	2	2	1				
146	Rufous-tailed Hummingbird	*Amazilia tzacatl*		4	4	4					15	10	10	4	
147	Blue-chested Hummingbird	*Amazilia amabilis*												1	
148	Mangrove Hummingbird	*Amazilia boucardi*		2											
149	Steely-vented Hummingbird	*Amazilia saucerrottei*			1	2			1						
150	Snowcap	*Microchera albocoronata*											1		
151	Bronze-tailed Plumeleteer	*Chalybura urochrysia*										1	1		
152	Purple-throated Mountaingem	*Lampornis calolaemus*				10	20								
153	Grey-tailed Mountaingem	*Lampornis cinereicauda*	4												
154	Green-crowned Brilliant	*Heliodoxa jacula*				50	40						10		
155	Magnificent Hummingbird	*Eugenes fulgens*	30												
156	Purple-crowned Fairy	*Heliothryx barroti*		1											
157	Plain-capped Starthroat	*Heliomaster constantii*		1											
158	Magenta-throated Woodstar	*Calliphlox bryantae*				2	2								
159	Ruby-throated Hummingbird	*Archilochus colubris*				1	1	1	1						

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
160	Volcano Hummingbird	*Selasphorus flammula*	6												
161	Scintillant Hummingbird	*Selasphorus scintilla*	6												
162	Resplendent Quetzal	*Pharomachrus mocinno*	3												
163	Slaty-tailed Trogon	*Trogon massena*			1								1	1	
164	Black-headed Trogon	*Trogon melanocephalus*		1		1		H	3	4	2				
165	Gartered Trogon	*Trogon caligatus*			2	2			2	1	1			3	
166	Collared Trogon	*Trogon collaris*					1				1	2	2		
167	American Pygmy Kingfisher	*Chloroceryle aenea*		1						1					
168	Green Kingfisher	*Chloroceryle americana*		3	2					1	1	1	1		
169	Amazon Kingfisher	*Chloroceryle amazona*										2	2		
170	Ringed Kingfisher	*Megaceryle torquata*		3	1			2							
171	Belted Kingfisher	*Megaceryle alcyon*		1				1	2	1					
172	Blue-diademed Motmot	*Momotus lessonii*		2		1	2	1							
173	Rufous Motmot	*Baryphthengus martii*											1	1	
174	Turquoise-browed Motmot	*Eumomota superciliosa*		1	1				4	2	1				
175	Rufous-tailed Jacamar	*Galbula ruficauda*			H						H			3	
176	Pied Puffbird	*Notharchus tectus*												2	
177	White-whiskered Puffbird	*Malacoptila panamensis*												H	
178	Prong-billed Barbet	*Semnornis frantzii*					3								
179	Blue-throated Toucanet	*Aulacorhynchus caeruleogularis*					4						2		
180	Collared Aracari	*Pteroglossus torquatus*										4		3	
181	Fiery-billed Aracari	*Pteroglossus frantzii*			2										
182	Keel-billed Toucan	*Ramphastos sulfuratus*									1	2		1	
183	Black-mandibled Toucan	*Ramphastos ambiguus*		2	2	2					2	2	4	1	
184	Acorn Woodpecker	*Melanerpes formicivorus*	4												
185	Black-cheeked Woodpecker	*Melanerpes pucherani*									2	4	2	4	
186	Hoffmann's Woodpecker	*Melanerpes hoffmannii*		4	4	4	2	6	10	10	4				

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
187	Yellow-bellied Sapsucker	*Sphyrapicus varius*						1							
188	Hairy Woodpecker	*Picoides villosus*	2												
189	Golden-olive Woodpecker	*Colaptes rubiginosus*					H								
190	Cinnamon Woodpecker	*Celeus loricatus*												1	
191	Chestnut-colored Woodpecker	*Celeus castaneus*												1	
192	Lineated Woodpecker	*Dryocopus lineatus*			1					1	H				
193	Pale-billed Woodpecker	*Campephilus guatemalensis*			H	H						2			
194	Red-faced Spinetail	*Cranioleuca erythrops*					4								
195	Spotted Barbtail	*Premnoplex brunnescens*					2								
196	Ruddy Treerunner	*Margarornis rubiginosus*	1				1								
197	Lineated Foliage-gleaner	*Syndactyla subalaris*					3								
198	Plain Xenops	*Xenops minutus*			1										
199	Olivaceous Woodcreeper	*Sittasomus griseicapillus*					1								
200	Plain Brown Woodcreeper	*Dendrocincla fuliginosa*												2	
201	Northern Barred Woodcreeper	*Dendrocolaptes sanctithomae*							1				1	3	
202	Cocoa Woodcreeper	*Xiphorhynchus susurrans*			H								H	1	
203	Streak-headed Woodcreeper	*Lepidocolaptes souleyetii*		1	2	3			1	2			3	3	
204	Spot-crowned Woodcreeper	*Lepidocolaptes affinis*	2												
205	Fasciated Antshrike	*Cymbilaimus lineatus*												1	
206	Barred Antshrike	*Thamnophilus doliatus*			2				3	H				H	
207	Black-hooded Antshrike	*Thamnophilus bridgesi*			3	2									
208	Plain Antvireo	*Dysithamnus mentalis*					1								
209	Slaty Antwren	*Myrmotherula schisticolor*					2								
210	Dot-winged Antwren	*Microrhopias quixensis*			2										
211	Dusky Antbird	*Cercomacra tyrannina*			3	5					2				
212	Chestnut-backed Antbird	*Myrmeciza exsul*										1		2	
213	Black-faced Antthrush	*Formicarius analis*			3										

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
214	Silvery-fronted Tapaculo	*Scytalopus argentifrons*					1								
215	Yellow-bellied Elaenia	*Elaenia flavogaster*										1			
216	Mountain Elaenia	*Elaenia frantzii*	3			3	2	1							
217	Northern Beardless Tyrannulet	*Camptostoma imberbe*							1	1					
218	Paltry Tyrannulet	*Zimmerius vilissimus*	1				1						1	2	
219	Olive-striped Flycatcher	*Mionectes olivaceus*	1										1		
220	Ochre-bellied Flycatcher	*Mionectes oleagineus*			1									1	
221	Northern Scrub Flycatcher	*Sublegatus arenarum*								1					
222	Northern Bentbill	*Oncostoma cinereigulare*			1				1						
223	Scale-crested Pygmy Tyrant	*Lophotriccus pileatus*					1								
224	Common Tody-Flycatcher	*Todirostrum cinereum*		3	2	2			2	2	4	2			
225	Eye-ringed Flatbill	*Rhynchocyclus brevirostris*				1						1			
226	Yellow-olive Flatbill	*Tolmomyias sulphurescens*		1	1	1			1	1					
227	White-throated Spadebill	*Platyrinchus mystaceus*					1								
228	Black Phoebe	*Sayornis nigricans*										2	2	1	
229	Northern Tufted Flycatcher	*Mitrephanes phaeocercus*	1												
230	Tropical Pewee	*Contopus cinereus*				1									
231	Dark Pewee	*Contopus lugubris*	1												
232	Yellow-bellied Flycatcher	*Empidonax flaviventris*		2	2	2				1			1		
233	Yellowish Flycatcher	*Empidonax flavescens*					3								
234	Black-capped Flycatcher	*Empidonax atriceps*	6												
235	Long-tailed Tyrant	*Colonia colonus*											2	4	
236	Piratic Flycatcher	*Legatus leucophaius*				1							H	1	
237	Social Flycatcher	*Myiozetetes similis*		4	10	10	10	10			1	6	10	6	
238	Grey-capped Flycatcher	*Myiozetetes granadensis*		2	2	4						3	2		
239	Great Kiskadee	*Pitangus sulphuratus*	2	15	10	20	4	20	4	6	4	4	10	6	
240	White-ringed Flycatcher	*Conopias albovittatus*									H		2	2	

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
241	Streaked Flycatcher	*Myiodynastes maculatus*		1	2	3			1	1					
242	Boat-billed Flycatcher	*Megarynchus pitangua*		1	4	6			2	H	1	4	2	4	
243	Tropical Kingbird	*Tyrannus melancholicus*	1	20	10	10	10	50	30	20	10	20	20	10	
244	Scissor-tailed Flycatcher	*Tyrannus forficatus*						8	3	6	1				
245	Dusky-capped Flycatcher	*Myiarchus tuberculifer*												1	
246	Nutting's Flycatcher	*Myiarchus nuttingi*							2						
247	Great Crested Flycatcher	*Myiarchus crinitus*			1		1							2	
248	Brown-crested Flycatcher	*Myiarchus tyrannulus*			2								1		
249	Bright-rumped Attila	*Attila spadiceus*											1	2	
250	White-collared Manakin	*Manacus candei*												3	
251	Orange-collared Manakin	*Manacus aurantiacus*			H										
252	Long-tailed Manakin	*Chiroxiphia linearis*				1			3						
253	Red-capped Manakin	*Dixiphia mentalis*			3										
254	Northern Royal Flycatcher	*Onychorhynchus mexicanus*			2	1									
255	Black-crowned Tityra	*Tityra inquisitor*							3		3			4	
256	Masked Tityra	*Tityra semifasciata*			1	4	1					2	4	3	
257	Thrushlike Schiffornis	*Schiffornis turdina*			1										
258	Barred Becard	*Pachyramphus versicolor*											1		
259	Cinnamon Becard	*Pachyramphus cinnamomeus*											2	3	
260	Rose-throated Becard	*Pachyramphus aglaiae*			4	2		1	1						
261	Yellow-throated Vireo	*Vireo flavifrons*							2						
262	Philadelphia Vireo	*Vireo philadelphicus*	2	1	2	2			1				1		
263	Lesser Greenlet	*Hylophilus decurtatus*		1		1	3		2		1	1	1	1	
264	Brown Jay	*Psilorhinus morio*				2	4				10	10			
265	White-throated Magpie-Jay	*Calocitta formosa*						2	6	4	6	1			
266	Black-and-yellow Phainoptila	*Phainoptila melanoxantha*	6												
267	Long-tailed Silky-flycatcher	*Ptilogonys caudatus*	3												

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
268	Mangrove Swallow	*Tachycineta albilinea*		30	2	10								2	
269	Grey-breasted Martin	*Progne chalybea*		30		1								10	
270	Blue-and-white Swallow	*Notiochelidon cyanoleuca*	20	10		30	50	10			10	10			
271	Northern Rough-winged Swallow	*Stelgidopteryx serripennis*		10	4						20	10	10	10	10
272	Southern Rough-winged Swallow	*Stelgidopteryx ruficollis*									2	2			1
273	Barn Swallow	*Hirundo rustica*		30		10		200	500	100	100	1			10
274	Band-backed Wren	*Campylorhynchus zonatus*									2	H		H	
275	Rufous-backed Wren	*Campylorhynchus capistratus*	2	4	4	2		2	6	6	4				
276	Black-throated Wren	*Pheugopedius atrogularis*												1	
277	Black-bellied Wren	*Pheugopedius fasciatoventris*			1										
278	Banded Wren	*Thryophilus pleurostictus*							1						
279	Rufous-and-white Wren	*Thryophilus rufalbus*			H										
280	Plain Wren	*Cantorchilus modestus*							H				H		
281	Riverside Wren	*Cantorchilus semibadius*			4	H									
282	Bay Wren	*Cantorchilus nigricapillus*									H	H	H	1	
283	Stripe-breasted Wren	*Cantorchilus thoracicus*												1	
284	House Wren	*Troglodytes aedon*		1	1	1	2	1			2	6		2	
285	Ochraceous Wren	*Troglodytes ochraceus*					2								
286	White-breasted Wood Wren	*Henicorhina leucosticta*										H	2	H	
287	Grey-breasted Wood Wren	*Henicorhina leucophrys*					6								
288	Tropical Gnatcatcher	*Polioptila plumbea*			1				2	2				1	
289	White-lored Gnatcatcher	*Polioptila albiloris*					2			1					
290	Black-faced Solitaire	*Myadestes melanops*					1								
291	Black-billed Nightingale-Thrush	*Catharus gracilirostris*	2												
292	Slaty-backed Nightingale-Thrush	*Catharus fuscater*					2								
293	Wood Thrush	*Hylocichla mustelina*			1	1					2	2		1	
294	Sooty Thrush	*Turdus nigrescens*	4												

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
295	Mountain Thrush	*Turdus plebejus*	2			2	2	1							
296	Clay-colored Thrush	*Turdus grayi*	4	20	8	10	10	10	1	1	10	20	20	20	
297	White-throated Thrush	*Turdus assimilis*												1	
298	House Sparrow	*Passer domesticus*											1		
299	Scrub Euphonia	*Euphonia affinis*							3	2	1	1			
300	Yellow-crowned Euphonia	*Euphonia luteicapilla*				1	2	2					1	1	
301	Yellow-throated Euphonia	*Euphonia hirundinacea*			2	4	8	2			4	4			
302	Elegant Euphonia	*Euphonia elegantissima*						2							
303	Olive-backed Euphonia	*Euphonia gouldi*										2		4	2
304	Golden-browed Chlorophonia	*Chlorophonia callophrys*	6			1	H								
305	Yellow-bellied Siskin	*Carduelis xanthogastra*	1												
306	Tennessee Warbler	*Oreothlypis peregrina*	1	2		2	2	2			1				
307	Tropical Parula	*Parula pitiayumi*									1		3	1	
308	Chestnut-sided Warbler	*Dendroica pensylvanica*			10	6					10	10	10	10	
309	American Yellow Warbler	*Dendroica aestiva*		4	4	4		6	10	10	10				
310	Mangrove Warbler	*Dendroica petechia*								2					
311	Blackburnian Warbler	*Dendroica fusca*											1		
312	Black-throated Green Warbler	*Dendroica virens*					1						2		
313	Black-and-white Warbler	*Mniotilta varia*					1							1	
314	Prothonotary Warbler	*Protonotaria citrea*		1	1										
315	Northern Waterthrush	*Parkesia noveboracensis*		2	3	6				H		1	1		
316	Kentucky Warbler	*Oporornis formosus*			1										
317	Grey-crowned Yellowthroat	*Geothlypis poliocephala*								1					
318	Wilson's Warbler	*Wilsonia pusilla*	8			1	2					1	2		
319	Slate-throated Whitestart	*Myioborus miniatus*					6						3		
320	Collared Whitestart	*Myioborus torquatus*	4												
321	Golden-crowned Warbler	*Basileuterus culicivorus*					2								

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
322	Three-striped Warbler	*Basileuterus tristriatus*					6								
323	Buff-rumped Warbler	*Phaeothlypis fulvicauda*				3						1	4	1	H
324	Wrenthrush	*Zeledonia coronata*	H												
325	Chestnut-headed Oropendola	*Psarocolius wagleri*											4	3	
326	Montezuma Oropendola	*Psarocolius montezuma*		3	6						30	50	100	30	
327	Spot-breasted Oriole	*Icterus pectoralis*						2	4	2	4				
328	Black-cowled Oriole	*Icterus prosthemelas*										4		2	
329	Orchard Oriole	*Icterus spurius*							2						
330	Baltimore Oriole	*Icterus galbula*		6	10	20	20	10	4	1	4	4	1	2	
331	Streak-backed Oriole	*Icterus pustulatus*				1			1	6	2				
332	Bronzed Cowbird	*Molothrus aeneus*				30	20	2							
333	Melodious Blackbird	*Dives dives*		1						2	1		4		
334	Red-winged Blackbird	*Agelaius phoeniceus*		2					4						
335	Great-tailed Grackle	*Quiscalus mexicanus*	50	30	10	100	200	50	2	4	20	4	4	4	
336	Eastern Meadowlark	*Sturnella magna*						3	1						
337	Bananaquit	*Coereba flaveola*				10	2				4	4	3	1	
338	Rufous-collared Sparrow	*Zonotrichia capensis*	20			2	4	2			1		4		2
339	Stripe-headed Sparrow	*Peucaea ruficauda*			1										
340	Olive Sparrow	*Arremonops rufivirgatus*							1	4					
341	Black-striped Sparrow	*Arremonops conirostris*									1	6			
342	Orange-billed Sparrow	*Arremon aurantiirostris*			H							2	3	3	
343	Large-footed Finch	*Pezopetes capitalis*	2												
344	Yellow-thighed Finch	*Pselliophorus tibialis*	4												
345	Common Bush Tanager	*Chlorospingus ophthalmicus*	2			2	10						8		
346	Sooty-capped Bush Tanager	*Chlorospingus pileatus*	8												
347	Dusky-faced Tanager	*Mitrospingus cassinii*												1	
348	White-shouldered Tanager	*Tachyphonus luctuosus*			2	1									

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
349	Crimson-collared Tanager	*Ramphocelus sanguinolentus*											4		
350	Passerini's Tanager	*Ramphocelus passerinii*									6	15	10	10	
351	Blue-grey Tanager	*Thraupis episcopus*	2	4	8	10	6	4			20	10	10	10	
352	Palm Tanager	*Thraupis palmarum*		1	10	10	10	10			10	10	10	10	
353	Plain-colored Tanager	*Tangara inornata*												2	
354	Emerald Tanager	*Tangara florida*									1	3			
355	Silver-throated Tanager	*Tangara icterocephala*											10		
356	Bay-headed Tanager	*Tangara gyrola*			2						2	1	1		
357	Golden-hooded Tanager	*Tangara larvata*		1		1					4	6	2	4	
358	Spangle-cheeked Tanager	*Tangara dowii*	15												
359	Scarlet-thighed Dacnis	*Dacnis venusta*										2			
360	Blue Dacnis	*Dacnis cayana*			3	4							1	1	
361	Shining Honeycreeper	*Cyanerpes lucidus*										2	1		
362	Red-legged Honeycreeper	*Cyanerpes cyaneus*		1	4	4			4		2	6			
363	Green Honeycreeper	*Chlorophanes spiza*									2	3		2	
364	Slaty Flowerpiercer	*Diglossa plumbea*	3												
365	Peg-billed Finch	*Acanthidops bairdi*	2												
366	Blue-black Grassquit	*Volatinia jacarina*							6						
367	Variable Seedeater	*Sporophila corvina*		4	10	10					10	10	20	2	
368	White-collared Seedeater	*Sporophila torqueola*			2				1	20	3				
369	Yellow-faced Grassquit	*Tiaris olivaceus*				15	10	10				1			
370	Flame-colored Tanager	*Piranga bidentata*	3												
371	Tooth-billed Tanager	*Piranga lutea*									4	4			
372	Summer Tanager	*Piranga rubra*		3	4	4	1		1		1	3	4	1	1
373	Red-throated Ant Tanager	*Habia fuscicauda*									1	6	4	10	
374	Rose-breasted Grosbeak	*Pheucticus ludovicianus*			6	2									
375	Black-faced Grosbeak	*Caryothraustes poliogaster*											2	4	

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
376	Black-headed Saltator	*Saltator atriceps*											1	4	
377	Buff-throated Saltator	*Saltator maximus*			4	2	2				3	2	3	2	1
378	Greyish Saltator	*Saltator coerulescens*		2											
379	Blue-black Grosbeak	*Cyanocompsa cyanoides*			1	4									
380	Painted Bunting	*Passerina ciris*			2	1			2	1					

Mammals

1	Brown-throated Three-toed Sloth	*Bradypus variegatus*											1		
2	Hoffmann's Two-toed Sloth	*Choloepus hoffmanni*		1										2	
3	White-faced Capuchin	*Cebus capuchinus*			10										
4	Mantled Howler Monkey	*Alouatta palliata*			H			10	10	8	10	4	10	H	H
5	Olingo	*Bassaricyon gabbii*				1									
6	Mexican Hairy Porcupine	*Sphiggurus mexicanus*								1					
7	Variegated Squirrel	*Sciurus variegatoides*		4	1	1	4	2	4	4	10	10	4	2	1
8	Red-tailed Squirrel	*Sciurus granatensis*	1								1				
9	Central American Agouti	*Dasyprocta punctata*			1		2								
10	White-nosed Coati	*Nasua narica*					10		20		30	6			
11	Collared Peccary	*Tayassu tajacu*												1	
12	Northern Tamandua	*Tamandua mexicana*										1			
13	Grey-sac-winged Bat	*Balantiopteryx plicata*								sev	sev				
14	Nine-banded Armadillo	*Dasypus novemcinctus*						1	1				1		

Reptiles & Amphibians

1	Black River Turtle	*Rhinoclemmys funerea*												2	
2	Basilisk Lizard	*Basiliscus basiliscus*		4	6	1		2							
3	Green Basilisk	*Basliliscus plumifrons*												1	
4	Black Iguana	*Ctenosaura similis*		10	10	6		4	4	4	4				

	Common name	Scientific name	February												
			4	5	6	7	8	9	10	11	12	13	14	15	16
5	Green Iguana	*Iguana iguana*		2				2				20		10	
6	American Crocodile	*Crocodylus acutus*		40											
7	Spectacled Caiman	*Caiman crocodilus*						1							
8	Tiger Rat Snake	*Spilotes pullatus*			1									1	
9	Boa Constrictor	*Boa constrictor*			1										
10	Central American Whiptail Lizard	*Ameiva festiva*													
11	Strawberry Poison Arrow Frog	*Dendrobates pumilio*											1	1	
12	Black & Green Poison Arrow Frog	*Dendrobates auratus*											3		
13	Red-eyed Tree Frog	*Agalychnis callidryas*										4	2		
14	Masked Tree Frog	*Similisca phaeota*									1	1			

Other fauna

1	Blue Morpho	*Morpho menelaus*				1		1					2		
2	Owl Butterfly sp.	*Caligo sp.*			1										

Emerald Toucanette by James Gloyn

Purple-throated Mountain Gem by Reagan Smith