

Bolivia - Highlands

Naturetrek Tour Report

28 October - 6 November 2014

Report compiled by Jose Antonio Padilla



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Jose Antonio Padilla Naturetrek guide

Participants: Debby Reynolds
David Copas
Lesley Staves
Jane Andrews

Tour summary

Our tour successfully covered Bolivia's topographical diversity and great variety of highland habitats. We stayed in four different cities: Cochabamba, Oruro, La Paz and Coroico. A dozen endemics were recorded including marvellous views of the endangered Black-hooded Sunbeam, Cochabamba Mountain-Finch and Berlepch's Canastero, and Rufous-faced Antpitta was heard. We also recorded numerous regional endemics. Some shared with Southern Peru were Three-striped Hemispingus, Orange-Browed Hemispingus and Light-crowned Spinetail whilst others shared with northwest Argentina included, Rufous-bellied Saltator, Wedge-tailed Hillstar and Maquis Canastero. Other group favourites during the trip included Golden-collared Tanager, Chestnut-bellied Mountain Tanager, Rosy-billed Pochard, Crested Quetzal and Titicaca Flightless Grebe.

Day 1

Tuesday 28th October

The group arrived at Cochabamba and we spent the night at the Regina Hotel.

Day 2

Wednesday 29th October

We spent the day at Cerro Tunari exploring montane forest, polylepis forest, puna grassland, lakes and rocky scree. Our maximum altitude during the day was 4,400 metres.

Day 3

Thursday 30th October

Today we spent a full day exploring the new road to Santa Cruz, Tablas Monte, elfin forest and montane (Yungas) cloud forest. Our maximum altitude was 3,170 metres. We again spent the night at the Hotel Regina.

Day 4

Friday 31st October

Again we visited the new road to Santa Cruz and at km96 explored the San Jose power pipeline road and secondary montane forest. We were at a lower altitude of 1,900 metres. Overnight at the Regina Hotel.

Day 5

Saturday 1st November

Today was a travelling day as we drove from Cochabamba to Oruro crossing altiplano and puna grassland. We made various stops on the way and our route took us to an altitude of 4,500 metres. We spent the night at Hotel San Felipe.

Day 6**Sunday 2nd November**

We started the day at Laguna Uru then drove across altiplano to the city of La Paz at 3,800 metres, spending the night at Hotel Rosario.

Day 7**Monday 3rd November**

Today was spent visiting Cotopata NP, then we went over a pass at 4,620 metres and drove down to Chulamani before arriving at the El Pongo trail at 3,600 to 4,000 metres. We explored puna grassland and polylepis forest. Our last climb was over La Cumbre Pass, elevation 4,500 metres.

Day 8/9**Tuesday 4th / Wednesday 5th November**

We spent two days exploring the old road to Coroico, known as 'The Death Road', and the lower parts of Coroico Valley: El Chairó and lower montane cloudforest.

Day 10**Thursday 6th November**

Most of the day was spent travelling from La Paz to Lake Titicaca, and then towards Sorata via Sorata Pass at 4,100 metres. We explored high altitude lakes, puna grassland, cultivated fields and village eucalyptus groves.

In total we recorded 272 bird species on our trip in the Bolivian Highlands.

Thanks to all the participants who made this a successful trip; they were all excellent birders too!

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species List

Birds (✓ = recorded but not counted; h = heard only)

Tinamiformes

Tinamous	<i>Tinamidae</i>
Andean Tinamou	<i>Nothoprocta pentlandii</i>
Darwin's Nothura	<i>Nothura darwini</i>

Podicipediformes

Grebes	<i>Podicipedidae</i>
White-tufted Grebe	<i>Rollandia rolland</i>
Titicaca Flightless Grebe	<i>Rollandia microptera</i>

Pelecaniformes

Cormorants, Shags	<i>Phalacrocoracidae</i>
Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>

Ciconiiformes

Hérons, Egrets and Bitterns	<i>Ardeidae</i>
Great Egret	<i>Ardea alba</i>
Little Blue Heron	<i>Egretta caerulea</i>
Snowy Egret	<i>Egretta thula</i>
Cattle Egret	<i>Bubulcus ibis</i>
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>

Ibises and Spoonbills	<i>Threskiornithidae</i>
Andean Ibis	<i>Theristicus caudatus</i>
Puna Ibis	<i>Plegadis ridgwayi</i>

Phoenicopteriformes

Flamingos	<i>Phoenicopteridae</i>
Chilean Flamingo	<i>Phoenicopterus chilensis</i>
Andean Flamingo	<i>Phoenicoparrus andinus</i>

Anseriformes

Ducks, Swans and Waterfowl	<i>Anatidae</i>
Fulvous Whistling Duck	<i>Dendrocygna bicolor</i>
Torrent Duck	<i>Merganetta armata</i>
Andean Goose	<i>Chloephaga melanoptera</i>
Crested Duck	<i>Lophonetta specularioides</i>
Speckled Teal	<i>Anas flavirostris</i>
Yellow-billed Pintail	<i>Anas georgica</i>
Puna Teal	<i>Anas puna</i>
Cinnamon Teal	<i>Anas cyanoptera</i>
Rosy-billed Pochard	<i>Netta peposaca</i>

Andean Duck	<i>Oxyura jamaicensis ferruginea</i>
Cathartiformes	
New World Vultures	<i>Cathartidae</i>
Turkey Vulture	<i>Cathartes aura</i>
Black Vulture	<i>Coragyps atratus</i>
Andean Condor	<i>Vultur gryphus</i>
Falconiformes	
Hawks, Eagles and Kites	<i>Accipitridae</i>
Swallow-tailed Kite	<i>Elanoides forficatus</i>
Plumbeous Kite	<i>Ictinia plumbea</i>
Black-chested Buzzard-eagle	<i>Geranoaetus melanoleucus</i>
Roadside Hawk	<i>Buteo magnirostris</i>
Broad-winged Hawk	<i>Buteo platypterus</i>
Puna Hawk	<i>Buteo polyosoma poecilochrous</i>
Caracaras, Falcons	<i>Falconidae</i>
Mountain Caracara	<i>Phalcoboenus megalopterus</i>
American Kestrel	<i>Falco sparverius</i>
Aplomado Falcon	<i>Falco femoralis</i>
Galliformes	
Chachalacas, Curassows & Guans	<i>Cracidae</i>
Speckled Chachalaca	<i>Ortalis guttata</i>
Andean Guan	<i>Penelope montagnii</i>
Gruiformes	
Rails, Crakes & Coots	<i>Rallidae</i>
Plumbeous Rail	<i>Pardirallus sanguinolentus</i>
Slate-coloured or Andean Coot	<i>Fulica ardesiaca</i>
Giant Coot	<i>Fulica gigantea</i>
Charadriiformes	
Jacanas	<i>Jacanidae</i>
Wattled Jacana	<i>Jacana jacana</i>
Stilts, Avocets	<i>Recurvirostridae</i>
White-backed Stilt	<i>Himantopus mexicanus melanurus</i>
Andean Avocet	<i>Recurvirostra andina</i>
Plovers and Lapwings	<i>Charadriidae</i>
Andean Lapwing	<i>Vanellus resplendens</i>
American Golden Plover	<i>Pluvialis dominica</i>
Collared Plover	<i>Charadrius collaris</i>

Snipes, Sandpipers and Phalaropes	<i>Scolopacidae</i>
Spotted Sandpiper	<i>Actitis macularius</i>
Greater Yellowlegs	<i>Tringa melanoleuca</i>
Lesser Yellowlegs	<i>Tringa flavipes</i>
Baird's Sandpiper	<i>Calidris bairdii</i>
Pectoral Sandpiper	<i>Calidris melanotos</i>
Wilson's Phalarope	<i>Phalaropus tricolor</i>
Gulls	<i>Laridae: Larinae</i>
Andean Gull	<i>Chroicocephalus serranus</i>
Columbiformes	
Doves and Pigeons	<i>Columbidae</i>
Rock Dove	<i>Columba livia</i>
Spot-winged Pigeon	<i>Patagioenas maculosa</i>
Band-tailed Pigeon	<i>Patagioenas fasciata</i>
Plumbeous Pigeon	<i>Patagioenas plumbea</i>
Eared Dove	<i>Zenaida auriculata</i>
Pale vented Pigeon	<i>Patagioenas cayennensis</i>
Long-Tailed Ground Dove	<i>Uropelia campestris</i>
Picui Ground Dove	<i>Columbina picui</i>
Bare-faced Ground Dove	<i>Metriopelia ceciliae</i>
Black-winged Ground Dove	<i>Metriopelia melanoptera</i>
White-tipped Dove	<i>Leptotila verreauxi</i>
Psittaciformes	
Parrots and Macaws	<i>Psittacidae</i>
Mitred Parakeet	<i>Aratinga mitrata</i>
Yellow-chevroned Parakeet	<i>Brotogeris chiriri</i>
Grey-hooded Parakeet	<i>Psilopsiagon aymara</i>
Mountain Parakeet	<i>Psilopsiagon aurifrons</i>
Andean Parakeet	<i>Bolborhynchus orbyngnesius</i>
Black-winged Parrot	<i>Hapalopsittaca melanotis</i>
Red-billed Parrot	<i>Pionus sordidus</i>
Speckled-faced Parrot	<i>Pionus tumultuosus</i>
Scaly-naped Amazon	<i>Amazona mercenaria</i>
Cuculiformes	
Cuckoos	<i>Cuculidae</i>
Squirrel Cuckoo	<i>Piaya cayana</i>
Guira Cuckoo	<i>Guira guira</i>

Strigiformes

Owls	<i>Strigidae</i>
Tropical Screech Owl	<i>Megascops choliba</i>
Burrowing Owl	<i>Athene cunicularia</i>

Apodiformes

Swifts	<i>Apodidae</i>
Chestnut-collared Swift	<i>Streptoprocne rutila</i>
Andean Swift	<i>Aeronautes andecolus</i>

Hummingbirds

Hummingbirds	<i>Trochilidae</i>
Sparkling Violetear	<i>Colibri coruscans</i>
Blue-tailed Emerald	<i>Chlorostilbon mellisugus</i>
Glittering-bellied Emerald	<i>Chlorostilbon aureoventris</i>
Fork-tailed Woodnymph	<i>Thalurania furcata</i>
White-bellied Hummingbird	<i>Amazilia chionogaster</i>
Black-hooded Sunbeam	<i>Aglaeactis pamela</i>
Andean Hillstar	<i>Oreotrochilus estella</i>
Bronzy Inca	<i>Coeligena coeligena</i>
Violet-throated Starfrontlet	<i>Coeligena violifer</i>
Great Sapphirewing	<i>Pterophanes cyanopterus</i>
Giant Hummingbird	<i>Patagona gigas</i>
Amethyst-throated Sunangel	<i>Helianthus amethysticollis</i>
Red-tailed Comet	<i>Sappho sparganura</i>
Tyrian Metaltail	<i>Metallura tyrianthina</i>
Scaled Metaltail	<i>Metallura aeneocauda</i>
Olivaceous Thornbill	<i>Chalcostigma olivaceum</i>
Long-tailed Sylph	<i>Agelaiocercus kingi</i>

Trogoniformes

Trogons and Quetzals	<i>Trogonidae</i>
Masked Trogon	<i>Trogon personatus</i>
Crested Quetzal	<i>Pharomachrus antisianus</i>

Piciformes

Toucans	<i>Ramphastidae</i>
Black-throated Toucanet	<i>Aulacorhynchus prasinus</i> [atrogularis-group]

Woodpeckers

Woodpeckers	<i>Picidae</i>
Bar-bellied Woodpecker	<i>Veniliornis nigriceps</i>
Crimson-mantled Woodpecker	<i>Colaptes rivolii</i>
Golden-olive Woodpecker	<i>Colaptes rubiginosus</i>
Green-barred Woodpecker	<i>Colaptes melanochloros</i>
Andean Flicker	<i>Colaptes rupicola</i>

Passeriformes

Ovenbirds	<i>Furnariidae</i>
Common Miner	<i>Geositta cunicularia</i>
Slender-billed Miner	<i>Geositta tenuirostris</i>
Cream-winged Cinclodes	<i>Cinclodes albiventris</i>
White-winged Cinclodes	<i>Cinclodes atacamensis</i>
Rufous Hornero	<i>Furnarius rufus</i>
Wren-like Rushbird	<i>Phleocryptes melanops</i>
Brown-capped Tit-spinetail	<i>Leptasthenura fuliginiceps</i>
Azara's Spinetail	<i>Synallaxis azarae</i>
Cabanis's Spinetail	<i>Synallaxis cabanisi</i>
Light-crowned Spinetail	<i>Craniolenca albiceps</i>
Creamy-breasted Canastero	<i>Asthenes dorbignyi</i>
Berlepsch's Canastero	<i>Asthenes berlepschi</i>
Scribble-tailed Canastero	<i>Asthenes maculicauda</i>
Streak-throated Canastero	<i>Asthenes humilis</i>
Black-throated Thistletail	<i>Asthenes harterti</i>
Maquis Canastero	<i>Asthenes heterura</i>
Streak-fronted Thornbird	<i>Phacellodomus striaticeps</i>
Pearled Treerunner	<i>Margarornis squamiger</i>
Woodcreepers	<i>Dendrocolaptidae</i>
Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>
Typical Antbirds	<i>Thamnophilidae</i>
Upland Antshrike	<i>Thamnophilus aroyae</i>
Variable Antshrike	<i>Thamnophilus caerulescens</i>
Antpittas	<i>Grallaria</i>
Rufous Antpitta	<i>Grallaria rufula</i>
Tapaculos	<i>Rhinocryptidae</i>
Trilling Tapaculo	<i>Scytalopus parvirostris</i>
Diademed Tapaculo	<i>Scytalopus schulenbergi</i>
Puna Tapaculo	<i>Scytalopus simonsi</i>
Crescentchest	<i>Melanopareiidae</i>
Olive-crowned Crescentchest	<i>Melanopareia maximiliani</i>
Cotingas	<i>Cotingidae</i>
White-tipped Plantcutter	<i>Phytotoma rutila</i>
Red-crested Cotinga	<i>Ampelion rubrocristatus</i>
Band-tailed Fruiteater	<i>Pipreola intermedia</i>

Andean Cock-of-the-rock	<i>Rupicola peruvianus</i>
Manakins	<i>Pipridae</i>
Yungas Manakin	<i>Chiroxiphia boliviana</i>
Tityras	<i>Tityridae</i>
Masked Tityra	<i>Tityra semifasciata</i>
Barred Becard	<i>Pachyramphus versicolor</i>
Chestnut-crowned Becard	<i>Pachyramphus castaneus</i>
Tyrant Flycatchers	<i>Tyrannidae</i>
Tawny-rumped Tyrannulet	<i>Phyllomyias uropygialis</i>
Sierran Elaenia	<i>Elaenia pallatangae</i>
White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>
White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>
Yellow-billed Tit-tyrant	<i>Anairetes flavirostris</i>
Tufted Tit-tyrant	<i>Anairetes parulus</i>
Greater Wagtail-tyrant	<i>Stigmatura budytoides</i>
Bolivian Tyrannulet	<i>Zimmerius bolivianus</i>
Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>
Streak-necked Flycatcher	<i>Mionectes striaticollis</i>
Many-coloured Rush Tyrant	<i>Tachuris rubrigastra</i>
Ochre-faced Tody-flycatcher	<i>Poecilatriccus plumbeiceps</i>
Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>
Cliff Flycatcher	<i>Hirundinea ferruginea</i>
Olive-sided Flycatcher	<i>Contopus cooperi</i>
Smoke-coloured Pewee	<i>Contopus fumigatus</i>
Black Phoebe	<i>Sayornis nigricans</i>
Andean Negrito	<i>Lessonia oreas</i>
White-winged Black Tyrant	<i>Knipolegus aterrimus</i>
Kalinowski's Chat-tyrant	<i>Ochthoeca frontalis spodiota/ boliviana</i>
Rufous-breasted Chat-tyrant	<i>Ochthoeca rufipectoralis</i>
Brown-backed Chat-tyrant	<i>Ochthoeca fumicolor</i>
White-browed Chat-tyrant	<i>Ochthoeca leucophrys</i>
Black-billed Shrike-tyrant	<i>Agriornis montanus</i>
Spot-billed Ground Tyrant	<i>Muscisaxicola maculirostris</i>
Taczanowski's Ground Tyrant	<i>Muscisaxicola griseus</i>
Puna Ground Tyrant	<i>Muscisaxicola juninensis</i>
Rufous naped Ground Tyrant	<i>Muscisaxicola rufiverter</i>
Piratic Flycatcher	<i>Legatus leucophaeus</i>
Streaked Flycatcher	<i>Myiodynastes maculatus</i>
Variegated Flycatcher	<i>Empidonomus varius</i>
Great Kiskadee	<i>Pitangus sulphuratus</i>
Golden Crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>

Boat Billed Flycatcher	<i>Megarynchus pitangua</i>
Tropical Kingbird	<i>Tyrannus melancholicus</i>
Dusky Capped Flycatcher	<i>Myiarchus tuberculifer</i>
Swallows and Martins	<i>Hirundinidae</i>
Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>
Pale-footed Swallow	<i>Orochelidon flavipes</i>
Brown-bellied Swallow	<i>Orochelidon murina</i>
Andean Swallow	<i>Orochelidon andecola</i>
Pipits and Wagtails	<i>Motacillidae</i>
Short-billed Pipit	<i>Anthus furcatus</i>
Wrens	<i>Troglodytidae</i>
House Wren	<i>Troglodytes aedon</i>
Mountain Wren	<i>Troglodytes solstitialis</i>
Grey-breasted Wood Wren	<i>Henicorbina leucophrys</i>
Mockingbirds and Thrashers	<i>Mimidae</i>
Brown-backed Mockingbird	<i>Mimus dorsalis</i>
Thrushes	<i>Turdidae</i>
White-necked Thrush	<i>Turdus albicollis</i>
Creamy-bellied Thrush	<i>Turdus amaurochalinus</i>
Black-billed Thrush	<i>Turdus ignobilis</i>
Glossy-black Thrush	<i>Turdus serranus</i>
Great Thrush	<i>Turdus fuscater</i>
Chiguanco Thrush	<i>Turdus chiguanco</i>
White-eared Solitaire	<i>Entomodestes leucotis</i>
Spotted Nightingale Thrush	<i>Catharus dryas</i>
Crows and Jays	<i>Corvidae</i>
White-collared Jay	<i>Cyanolyca viridicyanus</i>
Purplish Jay	<i>Cyanocorax cyanomelas</i>
Old World Sparrows	<i>Passeridae</i>
House Sparrow	<i>Passer domesticus</i>
Finches, Siskins and Crossbills	<i>Fringillidae</i>
Bronze-green Euphonia	<i>Euphonia mesochrysa</i>
Hooded Siskin	<i>Carduelis magellanica</i>
Yellow-bellied Siskin	<i>Carduelis xanthogastra</i>
Olivaceous Siskin	<i>Carduelis olivacea</i>
Black Siskin	<i>Carduelis atrata</i>

Yellow-rumped Siskin	<i>Carduelis uropygialis</i>
New World Warblers	<i>Parulidae</i>
Tropical Parula	<i>Parula pitiayumi</i>
Southern Yellowthroat	<i>Geothlypis aequinoctialis velata</i>
Slate-throated Redstart	<i>Myioborus miniatus</i>
Spectacled Redstart	<i>Myioborus melanocephalus</i>
Two-banded Warbler	<i>Basileuterus bivittatus</i>
Pale-legged Warbler	<i>Basileuterus signatus</i>
Citrine Warbler	<i>Basileuterus luteoviridis</i>
Three-striped Warbler	<i>Basileuterus tristriatus</i>
Tanagers	<i>Thraupidae</i>
White-browed Conebill	<i>Conirostrum ferrugineiventre</i>
Blue Back Conebill	<i>Conirostrum sitticolor</i>
Black-faced Tanager	<i>Schistochlamys melanopis</i>
Magpie Tanager	<i>Cissopis leverianus</i>
Grass-green Tanager	<i>Chlorornis riefferii</i>
Orange-browed Hemispingus	<i>Hemispingus calophrys</i>
Three-striped Hemispingus	<i>Hemispingus trifasciatus</i>
Rust-and-yellow Tanager	<i>Thlypopsis ruficeps</i>
Silver-beaked Tanager	<i>Ramphocelus carbo</i>
Sayaca Tanager	<i>Thraupis sayaca</i>
Blue-capped Tanager	<i>Thraupis cyanocephala</i>
Blue-and-yellow Tanager	<i>Thraupis bonariensis</i>
Palm Tanager	<i>Thraupis palmarum</i>
Hooded Mountain Tanager	<i>Buthraupis montana</i>
Scarlet-bellied Mountain Tanager	<i>Anisognathus igniventris</i>
Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>
Golden-collared Tanager	<i>Iridosornis jelskii</i>
Chestnut-bellied Mountain Tanager	<i>Delothraupis castaneiventris</i>
Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>
Saffron-crowned Tanager	<i>Tangara xanthocephala</i>
Blue-and-black Tanager	<i>Tangara vassorii</i>
Straw-backed Tanager	<i>Tangara argyrofenges</i>
Blue Dacnis	<i>Dacnis cayana</i>
Swallow Tanager	<i>Tersina viridis</i>
Plush-capped Finch	<i>Catamblyrhynchus diadema</i>
Incertae Sedis 2	<i>Incertae Sedis 2</i>
Bananaquit	<i>Coereba flaveola</i>
Golden-billed Saltator	<i>Saltator aurantiirostris</i>
Rufous-bellied Saltator	<i>Saltator rufiventris</i>

Buntings and New World Sparrows	<i>Emberizidae</i>
Black-hooded Sierra Finch	<i>Phrygilus atriceps</i>
Peruvian Sierra Finch	<i>Phrygilus punensis</i>
Plumbeous Sierra Finch	<i>Phrygilus unicolor</i>
Band-tailed Sierra Finch	<i>Phrygilus alaudinus</i>
Ash-breasted Sierra Finch	<i>Phrygilus plebejus</i>
Grey-crested Finch	<i>Lophospingus griseocristatus</i>
White-winged Diuca Finch	<i>Diuca speculifera</i>
Rufous-sided Warbling Finch	<i>Poospiza hypochondria</i>
Black and Chestnut warbling Finch	<i>Poospiza whitii</i>
Ringed Warbling Finch	<i>Poospiza torquata</i>
Cochabamba Mountain Finch	<i>Compsospiza garleppi</i>
Double-collared Seedeater	<i>Sporophila caerulescens</i>
Band-tailed Seedeater	<i>Catamenia analis</i>
Plain-coloured Seedeater	<i>Catamenia inornata</i>
Double collared Seedeater	<i>Sporophila caerulescens</i>
Band-tailed Seedeater	<i>Catamenia analis</i>
Blue black Grassquit	<i>Volatinia jacarina</i>
Moustached Flowerpiercer	<i>Diglossa mystacalis</i>
Black-throated Flowerpiercer	<i>Diglossa brunneiventris</i>
Grey-bellied Flowerpiercer	<i>Diglossa carbonaria</i>
Masked Flowerpiercer	<i>Diglossa cyanea</i>
Puna Yellow Finch	<i>Sicalis lutea</i>
Saffron Finch	<i>Sicalis flaveola</i>
Bright-rumped Yellow Finch	<i>Sicalis uropygialis</i>
Greenish Yellow Finch	<i>Sicalis olivascens</i>
Great Pampa Finch	<i>Embernagra platensis</i>
Northern Bolivian Common Bush Tanager	<i>Chlorospingus ophthalmicus bolivianus</i>
Bolivian Brush Finch	<i>Atlapetes rufinucha</i>
Rufous-collared Sparrow	<i>Zonotrichia capensis</i>
Grosbeaks, Seed-finches and Allies	<i>Cardinalidae</i>
Black-backed Grosbeak	<i>Pheucticus aureoventris</i>
Troupials, American Blackbirds and Allies	<i>Icteridae</i>
Yellow-winged Blackbird	<i>Agelasticus thilius</i>
Bay-winged Cowbird	<i>Agelaioides badius</i>
Shiny Cowbird	<i>Molothrus bonariensis</i>
Mountain Cacique	<i>Cacicus chrysonotus</i>
Crested Oropendola	<i>Psarocolius decumanus</i>
Dusky-green Oropendola	<i>Psarocolius atrovirens</i>
Russet-backed Oropendola	<i>Psarocolius angustifrons</i>
Bolivian Blackbird	<i>Oreopsar bolivianus</i>