

Wengen - Alpine Flowers of the Swiss Alps

Naturetrek Tour Report

22 – 29 June 2014



Primula auricula



Black-veined White



Nutcracker



Viola calcarata

Report & images compiled by David Tattersfield



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Participants: David Tattersfield Tour leader and botanist
And 15 Naturetrek clients

Day 1

Sunday 22nd June

We just managed to catch the 15.40 train from Zurich and settled down for a comfortable journey. We changed trains at Spiez and arrived shortly afterwards at Interlaken in a thunderstorm. After a little wait, we boarded the train to Lauterbrunnen and finally the cog railway to Wengen, arriving at 8pm. The weather remained unsettled, with hail showers, while we enjoyed our meal.

Day 2

Monday 23rd June

We awoke to a bright sunny morning and, after breakfast, took the cable-car to Mannlichen. We found ourselves in another world, with the vast panorama of snowy peaks to the south and a carpet of colourful flowers at our feet. We set off to explore a wide range of habitats, finding new flowers with every pace. Globeflower *Trollius europaeus*, Long-spurred Pansy *Viola calcarata* and Trumpet Gentian *Gentiana acaulis* made a fine show in the turf, and north-facing banks and cliffs held a rich flora, typical of areas where snow lies late into the season. This included a range of dwarf shrubs, dominated by Net-leaved Willow *Salix reticulata*, Retuse-leaved Willow *Salix retusa* and Mountain Avens *Dryas octopetala*. Colour was provided by Bird's-eye Primrose *Primula farinosa*, Moss Champion *Silene acaulis*, Alpine Cinquefoil *Potentilla crantzii* and Spring Gentian *Gentiana verna*. A north-facing gully revealed more gems, including Snowdon Lily *Gagea serotina*, tight cushions of Swiss Rock-jasmine *Androsace helvetica*, Moschatel *Adoxa moschatellina* and the tiny rosettes of Dwarf Orchid *Chamorchis alpina*. We made slow progress towards the summit, marvelling at the swathes of colour provide by purple Whorled Lousewort *Pedicularis verticillata* and blue Alpine Forget-me-not *Myosotis alpestris*. Near melting snow, we found the white Kupfer's Buttercup *Ranunculus kuepferi*, our first Alpine Snowbell *Soldanella alpina*, and an almost unbelievable number of Globeflowers colouring huge areas with a rich golden yellow. Those of us who ventured beyond the summit found Crimson-tipped Lousewort *Pedicularis oederi* and Alpine Bearberry *Arctostaphylos alpinus*, in flower on the cold north-facing slopes. We returned down the mountain for a coffee break at the Berghaus, while I went off to prepare lunch on a grassy knoll overlooking Grindelwald.

As we started lunch, the weather suddenly took a turn for the worse and we had to hurriedly finish and don our waterproofs, before hurrying down the path in the direction of shelter! We were rather cold and wet by the time we reached the shelter of a wooden shed, but a round of chocolate helped restore morale. Most of the group carried on to Kleine Scheidegg and caught a train back to Wengen. The weather did improve, however, quite quickly, and as the Eiger reappeared from behind the cloud, torrents of hail could be seen pouring down its north face. We could have had no better demonstration of the rigors of the alpine environment! As we approached Kleine Scheidegg, we found beautiful plants of Hairy Primrose *Primula hirsuta* and Rock Speedwell *Veronica fruticans* on the rocks and an adult and a number of young Alpine Salamander, relishing the damp conditions.

Day 3

Tuesday 24th June

It was cool and cloudy, with periods of light rain, as we set off to walk down to Lauterbrunnen, the deep trench of the valley looking particularly dramatic with broken cloud hanging over the cliffs. There were many interesting plants to discover in the meadows and forests, including Herb-Paris *Paris quadrifolia*, Dark Columbine *Aquilegia atrata* and *Astrantia major*. There was time for coffee before we caught the bus to Trummelbach, and as the rain had dried up we were able to enjoy a delicious lunch by the river.

Our visit to the Trummelbach Falls, where the river draining the Jungfrau and Monch glaciers corkscrews through the sheer limestone cliffs, was a memorable experience, enhanced by the quantity of meltwater. New plants growing on the hard pure limestone included Swallow-wort *Vincetoxicum hirundinaria*, Mountain Bladder-fern *Cystopteris montana*, and the delicate Mossy Sandwort *Moebria muscosa*. After relaxing at the cafe, most of the group walked back along the valley, visiting the Staubbach Falls where the water drops 300 metres over the cliff from a hanging valley, before catching the train back to Wengen.

Hoy and I returned by a more energetic route, climbing above the falls, past the little farmstead at Brech, to the top of the cliff, before a long descent on a forest road to Wengen. Apart from the exhilarating walk and the incredible views, we were very fortunate to find some special plants in flower, including Short-spurred Fragrant-orchid *Gymnadenia odoratissima*, Lesser Butterfly-orchid *Platanthera bifolia*, Red Helleborine *Cephalanthera rubra*, Fly Orchid *Ophrys insectifera* and Large Yellow Foxglove *Digitalis grandiflora*. It was a thrilling experience, and we were back for dinner around 8pm, well satisfied with our efforts.

Day 4

Wednesday 25th June

It was to be another cloudy day today, but remained dry and pleasant, with ideal light for photography.

We took the train down to Lauterbrunnen and the cable car up the steep valley side to Grutschalp. Another train took us to Murren and, after a short stroll through the village, we boarded the funicular railway to Almendhubel, where morning coffee was most welcome. The vegetation on this side of the valley provided a complete contrast to that we had seen previously. Tall herbs and marshy ground predominated, with thickets of Green Alder *Alnus viridis* on damp slopes. Stony pasture was home to miniature rock gardens, with a number of interesting plants and Mountain Pansy *Viola lutea* was common, in a variety of colour combinations. Marshy areas were thick with Broad-leaved Marsh-orchid *Dactylorhiza majalis* and, after a little searching, we found a number of Round-headed Orchid *Traunsteinera globosa*.

After lunch we followed the Mountain View Trail. Around a small pond were Northern Damselfly and a mating pair of White-faced Darter, both species typical of these upland oligotrophic pools. We crossed heather-clad slopes, where, after a thorough search, we located Lesser Twayblade *Neottia cordata*, nestling in the moss. Further on, lush pasture was thick with Aconite-leaved Buttercup *Ranunculus aconitifolius* and the huge pleated leaves of White False-helleborine *Veratrum album*, neither plant welcome to the farmers who graze their cows here in summer.

We descended through thickets of Green Alder *Alnus viridis*, dominated by ferns and tall herbs. Notable among these were Alpine Leek *Allium victorialis*, Yellow Pea *Lathyrus laevigatus* subsp. *occidentalis* and Alpine Blue-

sowthistle *Cicerbita alpina*, on which was resting a perfect specimen of a freshly-emerged Black-veined White. Our final descent was through forest, where there were large colonies of Lesser Twaybade, the parasitic Coralroot Orchid *Corallorhiza trifida* and large plants of *Streptopus amplexifolius*. By the time we reached Grutschalp Station, the earlier clouds were lifting and we had lovely views of the mountains across the valley. We had enjoyed a perfect and unhurried day in the mountains and arrived back at the hotel around 7pm.

Day 5

Thursday 26th June

We took the short train ride to Wengernalp, where we explored the vicinity of the station platform, finding good specimens of Early-purple Orchid *Orchis mascula* and Frog Orchid *Coeloglossum viride*. Over coffee, we were able to pick out a group of Ibex on the opposite side of the valley, grazing on the cliffs of the Jungfrau. We walked down through colourful damp meadows to the new chair-lift at Wixi, where we found the deep-blue Bavarian Gentian *Gentiana bavarica* and pink Lady's Smock *Cardamine pratensis*, growing in wet flushes with lots of Broad-leaved Marsh-orchid. In the conifers were Linnet, Redpoll and Tree Pipit. The descent to Biglenalp brought more new plants, characteristic of the limestone, including *Globularia cordifolia* and *Globularia nudicaulis*, Spring Heath *Erica carnea* and Hairy Alpenrose *Rhododendron hirsutum*. Highlights included Serrated Wintergreen *Orthilia secunda* and One-flowered Wintergreen *Moneses uniflora*, growing in deep shade with Coralroot Orchid. Lunch was in an idyllic spot by the river, and we were entertained by a family of young Nutcrackers, who took advantage of our leftovers.

We made a diversion to see Lady's-slipper *Cypripedium calceolus*, which we found to be in perfect condition, the undoubted highlight of the week for many in the group. All that remained was the long walk back to Wengen. Some of the party took the more direct route, down the forest road, while the remainder of us followed the steep trail through the forest, eventually emerging in lower Wengen. Our more interesting discoveries included a number of Burnt Orchid *Neotinea ustulata* and Alpine Honeysuckle *Lonicera alpigena* and we had stunning bird's-eye views of Lauterbrunnen, from the edge of the cliffs.

Day 6

Friday 27th June

After yesterday's excursion, an easy day was very welcome. After travelling by train down to Wilderswil, we boarded the exciting rack-railway up to Schynige Platte. After a coffee break, we spent the rest of the morning in the Alpine Garden, enjoying its natural setting and superb display of plants. After lunch on the station platform, we walked across to the viewpoint, below the Oberberghorn, to look down on Interlaken and the Brienzensee. Alpine Marmots were visible on the slopes below, announcing their presence with their loud alarm calls, and Ring Ouzel were busy feeding their young, in a nest among the boulders.

The limestone slopes of the Oberberghorn are home to several notable plants, including Leafy Lousewort *Pedicularis foliosa*, Limestone Fern *Gymnocarpium robertianum* and Rigid Buckler-fern *Dryopteris villarii*. Alpine Aster *Aster alpinus* and Wood Pink *Dianthus sylvestris* were flowering on the cliffs, large colonies of Angular Solomon's-seal *Polygonatum odoratum* and Lily-of-the-Valley *Convallaria majalis* grew in the scree at their base, and St Bruno's Lily *Paradisea liliastrum* was flowering on the grassy slopes. All too soon, it was time to return to the station and catch our train back to Wilderswil.

Day 7

Saturday 28th June

We took the train from Wengen to Kleine Scheidegg and another to Eigergletscher at 2,320 metres. Above the station platform, we made our way past the railway tunnel entrance onto the moraines. From a distance, these looked bare and devoid of vegetation, but on closer inspection, began to reveal some of the special plants that make this harsh environment their home. Most attractive, among these, were Broad-leaved Mouse-ear *Cerastium latifolium*, Mt Cenis Pansy *Viola cenisia* and the deliciously-scented Round-leaved Penny-cress *Thlaspi rotundifolium*.

We followed the narrow ridge of the medial moraine back towards the station cafe and it was interesting to see the transition from bare rock to closed turf. There were stunning patches of Moss Campion *Silene acaulis* and Large-flowered Leopard's-bane *Doronicum grandiflorum* to admire. We had an extended coffee stop, taking in the incredible views from the terrace and enjoying the antics of the Alpine Choughs, that came down to feed on our crumbs and even take food from our hands. We climbed the cliff path, across the railway line, and rounded a corner to the start of the North Face Trail. This would have been an alternative walk, had there not been as much snow.

It remained mostly sunny but with cloud and just a touch of light rain around in the middle of the day. The carpets of flowers on the slopes below the buildings were certainly the most colourful we had seen, with, in particular, many *Primula auricula* and swathes of Globeflower and Red Campion. Alongside snow patches, Spring Crocus *Crocus vernus* subsp. *albiflorus* was flowering, in both its colour forms, months behind the plants we had seen earlier in the week, that were already shedding ripe seed.

The final section of the trail took us down through forest to Wixi and through the familiar meadows to the Wengernalp Hotel, where hot drinks and delicious apricot tart were waiting. It had been superb walk, with some of the best flowers, and a fitting climax to our week. We caught the next train and were back in Wengen for 6pm.

Day 8

Sunday 29th June

After a relaxed breakfast and packing, we were able to take a last look around, before wandering down to the station to catch the mid-morning train and returning to Zurich for the flight home.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants (‡ = cultivated or naturalised)

Plant classification largely follows the familiar 'old' system, likely to be encountered in current floras of the region. Some recent taxonomic changes have been incorporated, where relevant.

For ease of reference, families, genera and species are presented in alphabetic order.

Latin Name	Common Name	Notes
LYCOPODIOPSIDA		
Lycopodiaceae		
<i>Diphasiastrum alpinum</i>	Alpine Clubmoss	Occasional. Mountain turf
<i>Huperzia selago</i>	Fir Clubmoss	Frequent. Acidic pasture
<i>Lycopodiella annotinum</i>	Interrupted Clubmoss	Local. Almend
<i>Lycopodium clavatum</i>	Stag's-horn Clubmoss	Local. Above Grutschalp
Selaginellaceae		
<i>Selaginella selaginoides</i>	Lesser Clubmoss	Occasional in turf
EQUISETOPSIDA		
Equisetaceae		
<i>Equisetum arvense</i>	Field Horsetail	Meadows and tracksides
<i>Equisetum fluviatile</i>	Water Horsetail	Rare in pools
<i>Equisetum palustre</i>	Marsh Horsetail	Wet pasture
<i>Equisetum sylvaticum</i>	Wood Horsetail	Woods and damp pasture
PTEROPSIDA		
Aspleniaceae		
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Shady cliffs
<i>Asplenium ruta-muraria</i>	Wall-rue	Walls
<i>Asplenium scolopendrium</i>	Hart's-tongue	Lowland woods
<i>Asplenium septentrionale</i>	Forked Spleenwort	Rare, on rocks
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Walls and cliffs
<i>Asplenium viride</i>	Green Spleenwort	Mountain rocks
Blechnaceae		
<i>Blechnum spicant</i>	Hard-fern	Locally common
Dennstaedtiaceae		
<i>Pteridium aquilinum</i>	Bracken	Valley woodland
Dryopteridaceae		
<i>Dryopteris affinis</i>	Scaly Male-fern	Widespread
<i>Dryopteris carthusiana</i>	Narrow Buckler-fern	Damp scrub
<i>Dryopteris dilatata</i>	Broad Buckler-fern	Frequent
<i>Dryopteris expansa</i>	Northern Buckler-fern	Damp scrub
<i>Dryopteris filix-mas</i>	Male-fern	Widespread
<i>Dryopteris villarii</i>	Rigid Buckler-fern	Limestone rocks. Oberberghorn
<i>Gymnocarpium dryopteris</i>	Oak Fern	Woods and rocks. Local
<i>Gymnocarpium robertianum</i>	Limestone Fern	Limestone rocks. Oberberghorn
<i>Polystichum aculeatum</i>	Hard Shield-fern	Woods. Occasional
<i>Polystichum lonchitis</i>	Holly-fern	Mountain rocks

Latin Name	Common Name	Notes
Ophioglossaceae <i>Botrychium lunaria</i> <i>Botrychium virginianum</i>	Adder's-tongue Family Moonwort	Short turf. Widespread Rare. Trummelbach
Polypodiaceae <i>Polypodium vulgare</i>	Polypody Family Common Polypody	Occasional on rocks
Pteridaceae <i>Cryptogramma crispa</i>	Maidenhair Fern Family Parsley Fern	Acidic rocks
Thelypteridaceae <i>Oreopteris limbosperma</i> <i>Phegopteris connectilis</i>	Marsh Fern Family Lemon-scented Fern Beech Fern	Green Alder scrub and woods Woods. Occasional
Woodsiaceae <i>Athyrium distentifolium</i> <i>Athyrium filix-femina</i> <i>Cystopteris alpina</i> <i>Cystopteris fragilis</i> <i>Cystopteris montana</i> <i>Woodsia alpina</i>	Lady-fern Family Alpine Lady-fern Lady-fern Alpine Bladder-fern Brittle Bladder-fern Mountain Bladder-fern Alpine Woodsia	Mountain woods. Above Murren Occasional Rare. Grutschalp, Eiger Frequent on rocks Local. Trummelbach Rare. Almendhubel
PINOPSIDA	CONIFERS	
Cupressaceae <i>Juniperus communis</i> subsp. <i>nana</i>	Juniper Family Common Juniper	Mountain pasture
Pinaceae <i>Abies alba</i> <i>Larix decidua</i> <i>Picea abies</i> <i>Pinus cembra</i> <i>Pinus mugo</i> <i>Pinus sylvestris</i> <i>Pinus uncinata</i> <i>Pseudotsuga menziesii</i> †	Pine Family European Silver-fir Larch Norway Spruce Arolla Pine Dwarf Mountain-pine Scots Pine Mountain Pine Douglas Fir	Forests Occasional Forests Occasional Tree-line Widespread Occasional Forest below Wengen
Taxaceae <i>Taxus baccata</i>	Yew Family Yew	Occasional. Forest
MAGNOLIOPSIDA	FLOWERING PLANTS	
MAGNOLIIDAE	DICOTYLEDONS	
Aceraceae <i>Acer campestre</i> <i>Acer platanoides</i> <i>Acer pseudoplatanus</i>	Maple Family Field Maple Norway Maple Sycamore	Frequent Occasional Common
Adoxaceae <i>Adoxa moschatellina</i>	Moschatel Family Moschatel	Rare. Mannlichen

Latin Name	Common Name	Notes
Apiaceae		
<i>Aegopodium podagraria</i>	Ground Elder	Below Wengen
<i>Astrantia major</i>	Great Astrantia	Meadows
<i>Astrantia minor</i>	Lesser Astrantia	Locally common
<i>Athamanta cretensis</i>	Athamanta	Rocky places and moraine
<i>Bupleurum stellatum</i>	Starry Hare's-ear	Mountain rocks
<i>Chaerophyllum hirsutum</i>	Hairy Chervil	Woods
<i>Heracleum sphondylium</i>	Hogweed	Common
<i>Imperatoria ostruthium</i>	Masterwort	Common
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Trummelbach
<i>Ligusticum mutellina</i>	Alpine Lovage	Mountain pasture
<i>Ligusticum mutellinoides</i>	Unbranched Lovage	High-mountain pasture
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Common
<i>Pimpinella saxifraga</i>	Burnet-saxifrage	Meadows
<i>Sanicula europaea</i>	Sanicle	Lowland woods
Araliaceae		
<i>Hedera helix</i>	Ivy	Occasional
Asclepiadaceae		
<i>Vincetoxicum hirsundinaria</i>	Swallow-wort	Frequent
Asteraceae		
<i>Adenostyles alliariae</i>	Adenostyles	Green Alder scrub
<i>Adenostyles glabra</i>	Hairless Adenostyles	Screes. Oberberghorn
<i>Achillea atrata</i>	Dark-stemmed Sneezewort	Frequent on limestone
<i>Achillea erba-rotta</i> subsp. <i>moschata</i>	Musk Milfoil	Acidic mountain pasture
<i>Achillea millefolium</i>	Yarrow	Meadows
<i>Antennaria carpatica</i>	Carpathian Cat's-foot	Occasional. Mountain pasture
<i>Antennaria dioica</i>	Cat's-foot	Common
<i>Arnica montana</i>	Arnica	Common
<i>Artemisia umbelliformis</i>	Yellow Genipi	Mountain rocks. Mannlichen
<i>Aster alpinus</i>	Alpine Aster	Mountain rocks and turf
<i>Aster bellidiastrum</i>	False Aster	Common
<i>Bellis perennis</i>	Daisy	Frequent
<i>Carduus defloratus</i>	Alpine Thistle	Common
<i>Carlina acaulis</i>	Stemless Carline Thistle	Mountain pasture
<i>Centaurea montana</i>	Mountain Cornflower	Meadows
<i>Centaurea scabiosa</i>	Greater Knapweed	Meadows
<i>Cicerbita alpina</i>	Alpine Blue-sowthistle	Forests and scrub
<i>Cirsium acaule</i>	Dwarf Thistle	Mountain pasture
<i>Cirsium oleraceum</i>	Cabbage Thistle	Common below Wengen
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Mountain pasture
<i>Crepis aurea</i>	Golden Hawk's-beard	Meadows
<i>Crepis paludosa</i>	Marsh Hawk's-beard	Wet meadows
<i>Doronicum grandiflorum</i>	Large-flowered Leopard's-bane	Screes
<i>Erigeron alpinus</i>	Alpine Fleabane	Mountain rocks. Local
<i>Erigeron annuus</i>	Annual Fleabane	Wilderswil
<i>Erigeron neglectus</i>	Neglected Fleabane	Mountain rocks. Local
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Mountain rocks. Local
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Lowland
<i>Gnaphthium norvegicum</i>	Norwegian Cudweed	Occasional
<i>Gnaphthium supinum</i>	Dwarf Cudweed	Snowbeds

Latin Name	Common Name	Notes
<i>Hieracium angustifolium</i>	Glacier Hawkweed	Occasional
<i>Hieracium aurantiacum</i>	Orange Hawkweed	Wengen
<i>Hieracium lactucella</i>	A Hawkweed	Common
<i>Hieracium murorum</i>	A Hawkweed	Occasional
<i>Hieracium pilosella</i>	Mouse-ear Hawkweed	Common
<i>Hieracium villosum</i>	Hairy Hawkweed	Mannlichen
<i>Homogyne alpina</i>	Alpine Colt's-foot	Mountain turf. Common
<i>Hypochoeris uniflora</i>	Giant Cat's-ear	Mannlichen
<i>Lapsana communis</i>	Nipplewort	Below Wengen
<i>Leontodon helveticus</i>	Swiss Hawkbit	Mountain turf. Common
<i>Leontodon hispidus</i>	Alpine Hawkbit	Acidic pasture
<i>Leucanthemopsis alpina</i>	Alpine Moon Daisy	Acidic mountain turf
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Meadows
<i>Mycelis muralis</i>	Wall Lettuce	Walls
<i>Petasites albus</i>	White Butterbur	Mannlichen
<i>Petasites paradoxus</i>	Alpine Butterbur	Mountain pasture
<i>Prenanthes purpurea</i>	Purple Lettuce	Common. Forests
<i>Saussurea alpina</i>	Alpine Saw-wort	Mountain turf
<i>Senecio doronicum</i>	Chamois Ragwort	Limestone rocks and scree
<i>Senecio ovatus</i>	Wood Ragwort	Forests
<i>Solidago virgaurea</i>	Goldenrod	Mountain pasture
<i>Taraxacum alpinum</i>	Alpine Dandelion	Moraines
<i>Taraxacum officinale</i>	Dandelion	Widespread
<i>Tragopogon pratensis</i>	Goat's-beard	Meadows
<i>Tussilago farfara</i>	Colt's-foot	Damp places. Widespread
Balsaminaceae	Balsam Family	
<i>Impatiens parviflora</i> †	Small Balsam	Woods below Wengen
Betulaceae	Birch Family	
<i>Alnus glutinosa</i>	Common Alder	Valleys, by rivers
<i>Alnus viridis</i>	Green Alder	Wet mountain slopes
<i>Betula pendula</i>	Silver Birch	Widespread
<i>Betula pubescens</i>	Downy Birch	Frequent
Boraginaceae	Borage Family	
<i>Asperugo procumbens</i>	Madwort	Waste ground
<i>Cerinthe minor</i>	Lesser Honeywort	Occasional. Wengen
<i>Echium vulgare</i>	Viper's Bugloss	Below Wengen
<i>Myosotis alpestris</i>	Alpine Forget-me-not	Common
Brassicaceae	Cabbage Family	
<i>Alliaria petiolata</i>	Garlic Mustard	Tracksides
<i>Arabis alpina</i> subsp. <i>alpina</i>	Alpine Rock-cress	Mountain rocks
<i>Arabis bellidifolia</i>	Dwarf Rock-cress	Alpine rocks
<i>Arabis caerulea</i>	Blue Rock-cress	Scree and moraines
<i>Arabis hirsuta</i>	Hairy Rock-cress	Limestone rocks
<i>Arabis soyeri</i> subsp. <i>subcoriacea</i>	Soyer's Rock-cress	Mountain rocks
<i>Biscutella laevigata</i>	Buckler Mustard	Mountain turf and moraine
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Widespread
<i>Cardamine alpina</i>	Alpine Bitter-cress	Mountain rocks
<i>Cardamine amara</i>	Large Bitter-cress	Streamsides
<i>Cardamine hirsuta</i>	Hairy Bitter-cress	Occasional

Latin Name	Common Name	Notes
<i>Cardamine pentaphyllos</i>	Five-leaflet Bitter-cress	Uncommon. Damp forest
<i>Cardamine pratensis</i> subsp. <i>pratensis</i>	Lady's Smock	Wet places
<i>Cardamine resedifolia</i>	Mignonette-leaved Bitter-cress	Mountain rocks
<i>Draba aizoides</i>	Yellow Whitlowgrass	Moraine
<i>Draba dubia</i>	Austrian Whitlowgrass	Rocky places
<i>Draba tomentosa</i>	Wooly Whitlowgrass	Rocks. Almendhubel
<i>Erophila verna</i>	Spring Whitlowgrass	Occasional
<i>Hesperis matronalis</i> †	Dame's Violet	Garden escape
<i>Hugueninia tanacetifolia</i> †	Tansy-leaved Rocket	Alpine Garden
<i>Kernera saxatilis</i>	Rock Kenera	Rocks.
<i>Pritzelago alpina</i>	Chamois Cress	Mountain rocks and scree
<i>Pseudoturritis turrita</i>	Tower Cress	Lowland rocks
<i>Sisymbrium austriacum</i>	Austrian Rocket	Waste places
<i>Thlaspi perfoliatum</i>	Perfoliate Penny-cress	Near habitation
<i>Thlaspi rotundifolium</i> subsp. <i>rotundifolium</i>	Round-leaved Penny-cress	Moraines and screes
Campanulaceae	Bellflower Family	
<i>Campanula barbata</i>	Bearded Bellflower	Mountain turf
<i>Campanula cochlearifolia</i>	Fairy's-thimble	Screes
<i>Campanula glomerata</i>	Clustered Bellflower	Occasional
<i>Campanula rhomboidalis</i>	Broad-leaved Bellflower	Common in meadows
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>	Scheuchzer's Bellflower	Mountain turf
<i>Campanula thyrsoides</i>	Yellow Bellflower	Schynige Platte
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Woods
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Acidic pasture
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadows. Frequent
<i>Phyteuma spicatum</i>	Spiked Rampion	Meadows. Frequent
Cannabaceae	Hop Family	
<i>Humulus lupulus</i>	Hop	Below Wengen
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Occasional. Forests
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Green Alder scrub
<i>Lonicera nigra</i>	Black-berried Honeysuckle	Woods
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Woods
<i>Sambucus ebulus</i>	Dwarf Elder	Lowland. Wilderswil
<i>Sambucus nigra</i>	Common Elder	Woods
<i>Sambucus racemosa</i>	Alpine Elder	Occasional. Rocky places
<i>Viburnum lantana</i>	Wayfaring-tree	Woods below Wengen
<i>Viburnum opulus</i>	Guelder-rose	Woods below Wengen
Caryophyllaceae	Pink Family	
<i>Arenaria biflora</i>	Two-flowered Sandwort	Screes
<i>Arenaria ciliata</i>	Ciliate-leaved Sandwort	Screes
<i>Cerastium alpinum</i>	Alpine Mouse-ear	Mountain turf
<i>Cerastium arvense</i>	Field Mouse-ear	Frequent
<i>Cerastium cerastoides</i>	Starwort Mouse-ear	Rocks and pasture
<i>Cerastium fontanum</i>	Common Mouse-ear	Common
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	Waste places
<i>Cerastium latifolium</i>	Broad-leaved Mouse-ear	Moraines and screes
<i>Dianthus barbatus</i> †	Sweet-William	Garden escape

Latin Name	Common Name	Notes
<i>Dianthus superbus</i> ‡	Large Pink	Below Almend
<i>Dianthus sylvestris</i>	Wood Pink	Rocks. Local
<i>Gypsophila repens</i>	Alpine Gypsophila	Frequent
<i>Minuartia sedoides</i>	Mossy Cyphel	Alpine turf
<i>Minuartia verna</i>	Vernal Sandwort	Rocky places
<i>Moehringia ciliata</i>	Creeping Sandwort	Scree
<i>Moehringia muscosa</i>	Mossy Sandwort	Shady places. Local
<i>Sagina procumbens</i>	Procumbent Pearlwort	Common
<i>Sagina saginoides</i>	Alpine Pearlwort	Alpine turf and scree
<i>Saponaria ocyroides</i>	Rock Soapwort	Cliffs below Wengen
<i>Silene acaulis</i>	Moss Campion	Mountain turf
<i>Silene dioica</i>	Red Campion	Frequent. Meadows
<i>Silene exscapa</i>	Stemless Moss Campion	Mountain turf
<i>Silene flos-cuculi</i>	Ragged-Robin	Wet flushes
<i>Silene nutans</i>	Nottingham Catchfly	Occasional. Rocks
<i>Silene pratensis</i>	White Campion	Occasional. Tracksides
<i>Silene rupestris</i>	Rock Campion	Common on rocks
<i>Silene vulgaris</i>	Bladder Campion	Occasional. Meadows
<i>Stellaria graminea</i>	Lesser Stitchwort	Occasional
<i>Stellaria holostea</i>	Greater Stichwort	Occasional
<i>Stellaria media</i>	Common Chickweed	Occasional
<i>Stellaria nemorum</i>	Wood Stitchwort	Woods
Chenopodiaceae	Goosefoot Family	
<i>Chenopodium album</i>	Fat-hen	Occasional weed
<i>Chenopodium bonus-henricus</i>	Good-King-Henry	Frequent weed
Cistaceae	Rockrose Family	
<i>Helianthemum nummularium</i> subsp. <i>grandiflorum</i>	Large-flowered Common Rockrose	Common
<i>Helianthemum oelandicum</i> subsp. <i>alpestre</i>	Alpine Rockrose	Frequent
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Woods
Corylaceae	Hazel Family	
<i>Corylus avellana</i>	Hazel	Woods
Crassulaceae	Stonecrop Family	
<i>Rhodiola rosea</i> ‡	Roseroot	Alpine Garden
<i>Sedum acre</i>	Biting Stonecrop	Occasional
<i>Sedum album</i>	White Stonecrop	Walls. Wengen
<i>Sedum alpestre</i>	Alpine Stonecrop	Mountain rocks
<i>Sedum atratum</i>	Dark Stonecrop	Mountain rocks
<i>Sedum dasyphyllum</i>	Thick-leaved Stonecrop	Walls and rocks
<i>Sedum spurium</i> ‡	Caucasian Stonecrop	Wengen
<i>Sedum reflexum</i>	Rock Stonecrop	Occasional. Rocks
<i>Sedum rubens</i>	Reddish Stonecrop	Rocks
<i>Sedum sexangulare</i> ‡	Tasteless Stonecrop	Walls. Wengen
<i>Sempervivum montanum</i>	Mountain Houseleek	Common on rocks
<i>Sempervivum tectorum</i>	Common Houseleek	Frequent on rocks

Latin Name	Common Name	Notes
Cuscutaceae <i>Cuscuta epithymum</i>	Dodder Family Common Dodder	Frequent
Dipsacaceae <i>Scabiosa lucida</i>	Teasel Family Shining Scabious	Meadows
Empetraceae <i>Empetrum nigrum</i> subsp. <i>hermaphroditum</i>	Crowberry Family Hermaphrodite Crowberry	Acidic heaths
Ericaceae <i>Arctostaphylos alpinus</i> <i>Arctostaphylos uva-ursi</i> <i>Calluna vulgaris</i> <i>Erica carnea</i> <i>Kalmia procumbens</i> <i>Rhododendron ferrugineum</i> <i>Rhododendron hirsutum</i> <i>Vaccinium myrtillus</i> <i>Vaccinium uliginosum</i> <i>Vaccinium vitis-idaea</i>	Heath Family Alpine Bearberry Bearberry Ling Spring Heath Trailing Azalea Alpenrose Hairy Alpenrose Bilberry Bog Whortleberry Cowberry	Occasional. Mountain turf Acidic heaths Frequent Frequent on limestone Acidic heaths Common Common on limestone Common Common Common
Euphorbiaceae <i>Euphorbia cyparissias</i> <i>Mercurialis perennis</i>	Spurge Family Cypress Spurge Dog's Mercury	Frequent on limestone Woods
Fabaceae <i>Anthyllis vulneraria</i> subsp. <i>alpestris</i> <i>Astragalus alpinus</i> <i>Astragalus australis</i> <i>Astragalus frigidus</i> <i>Astragalus penduliflorus</i> <i>Coronilla emerus</i> <i>Coronilla vaginalis</i> <i>Hedysarum hedysaroides</i> <i>Hippocrepis comosa</i> <i>Lathyrus aphaca</i> <i>Lathyrus laevigatus</i> subsp. <i>occidentalis</i> <i>Lathyrus pratensis</i> <i>Lotus alpinus</i> <i>Lotus corniculatus</i> <i>Lotus uliginosus</i> <i>Medicago lupulina</i> <i>Medicago sativa</i> ‡ <i>Melilotus albus</i> <i>Melilotus indicus</i> <i>Onobrychis arenaria</i> <i>Onobrychis montana</i> <i>Onobrychis viciifolia</i> <i>Ononis repens</i> <i>Oxytropis campestris</i> <i>Oxytropis jacquinii</i> <i>Oxytropis lapponica</i> <i>Robinia pseudoacacia</i> ‡	Pea Family Alpine Kidney Vetch Alpine Milk-vetch Southern Milk-vetch Pallid Milk-vetch Mountain Lentil False Senna Small Scorpion-vetch Alpine Sainfoin Horseshoe Vetch Yellow Vetchling Yellow Pea Meadow Vetchling Alpine Bird's-foot-trefoil Bird's-foot-trefoil Greater Bird's-foot-trefoil Black Medick Lucerne White Melilot Small Melilot Small Sainfoin Mountain Sainfoin Sainfoin Common Restharrow Yellow Milk-vetch Mountain Milk-vetch Northern Milk-vetch False Acacia	Mountain pasture Mountain turf Mountain turf Limestone cliffs Limestone cliffs Occasional Cliffs below Wengen Mountain pasture Common Meadows Green Alder scrub. Grutschalp Meadows Mountain turf Meadows Wet meadows Common Occasional weed Lowland Lowland Occasional Mountain pasture Occasional Below Wengen Locally common Moraines. Local Moraines. Local Lowlands

Latin Name	Common Name	Notes
<i>Securigera varia</i>	Crown Vetch	Wilderswil
<i>Trifolium alpinum</i>	Alpine Clover	Common
<i>Trifolium badium</i>	Brown Clover	Mountain meadows
<i>Trifolium montanum</i>	Mountain Clover	Mountain pasture
<i>Trifolium pratense</i>	Red Clover	Meadows
<i>Trifolium repens</i>	White Clover	Frequent
<i>Trifolium thalii</i>	Thal's Clover	Mountain turf and scree
<i>Vicia cracca</i>	Tufted Vetch	Frequent
<i>Vicia sepium</i>	Bush Vetch	Occasional
<i>Vicia sylvatica</i>	Wood Vetch	Woods
Fagaceae	Beech Family	
<i>Castanea sativa</i> †	Sweet Chestnut	Occasional
<i>Fagus sylvatica</i>	Beech	Valley forest
<i>Quercus petraea</i>	Sessile Oak	Frequent. Woods
<i>Quercus robur</i>	Pedunculate Oak	Occasional
Gentianaceae	Gentian Family	
<i>Gentiana acaulis</i>	Trumpet Gentian	Mountain pasture
<i>Gentiana asclepiadea</i>	Willow Gentian	Woods on limestone
<i>Gentiana bavarica</i>	Bavarian Gentian	Marshes
<i>Gentiana brachyphylla</i>	Short-leaved Gentian	Alpine turf
<i>Gentiana clusii</i>	Clusius' Gentian	Limestone pasture
<i>Gentiana lutea</i>	Great Yellow Gentian	Mountain pasture
<i>Gentiana nivalis</i>	Snow Gentian	Occasional. Mountain pasture
<i>Gentiana purpurea</i>	Purple Gentian	Green Alder scrub and pasture
<i>Gentiana verna</i>	Spring Gentian	Mountain pasture
Geraniaceae	Crane's-bill Family	
<i>Geranium pyrenaicum</i>	Pyrenean Crane's-bill	Common
<i>Geranium robertianum</i>	Herb Robert	Common
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Common
Globulariaceae	Globularia Family	
<i>Globularia cordifolia</i>	Matted Globularia	Frequent
<i>Globularia nudicaulis</i>	Leafless-stemmed Globularia	Frequent
Hypericaceae	St John's-wort Family	
<i>Hypericum maculatum</i>	Imperforate St John's Wort	Frequent
Juglandaceae	Walnut Family	
<i>Juglans regia</i> †	Walnut	Occasional
Lamiaceae	Dead-nettle Family	
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	Locally common
<i>Ajuga reptans</i>	Common Bugle	Common
<i>Betonica officinalis</i>	Betony	Meadows
<i>Clinopodium alpinum</i>	Alpine Calamint	Occasional. Rocky banks
<i>Clinopodium vulgare</i>	Wild Basil	Frequent
<i>Galeopsis tetrahit</i>	Common Hemp-nettle	Occasional
<i>Glechoma hederacea</i>	Ground-ivy	Woods
<i>Lamium galeobdolon</i>	Yellow Archangel	Woods
<i>Lamium maculatum</i>	Spotted Dead-nettle	Occasional

Latin Name	Common Name	Notes
<i>Lamium purpureum</i>	Red Dead-nettle	Occasional
<i>Origanum vulgare</i>	Marjoram	Occasional. Meadows
<i>Prunella grandiflora</i>	Large-flowered Self-heal	Meadows. Trummelbach
<i>Prunella vulgaris</i>	Self-heal	Common
<i>Salvia glutinosa</i>	Sticky Clary	Forest. Wilderwil
<i>Salvia pratensis</i>	Meadow Clary	Meadows. Trummelbach
<i>Stachys alpina</i>	Alpine Woundwort	Below Wengen
<i>Stachys sylvatica</i>	Hedge Woundwort	Woods
<i>Teucrium chamaedrys</i>	Wall Germander	Below Wengen
<i>Teucrium montanum</i>	Mountain Germander	Trummelbach
<i>Teucrium scorodonia</i>	Wood Sage	Woods
<i>Thymus polytrichus</i>	Wild Thyme	Common
<i>Thymus pulegioides</i>	Large Thyme	Meadows
Lentibulariaceae	Butterwort Family	
<i>Pinguicula alpina</i>	Alpine Butterwort	Mountain rocks and turf
<i>Pinguicula vulgaris</i>	Common Butterwort	Wet turf
Linaceae	Flax Family	
<i>Linum alpinum</i>	Alpine Flax	Wengernalp
<i>Linum catharticum</i>	Fairy Flax	Common
Monotropaceae	Bird's-nest Family	
<i>Monotropa hypopitys</i>	Yellow Bird's-nest	Rare. Forests
Oleaceae	Ash Family	
<i>Fraxinus excelsior</i>	Ash	Lowland
<i>Ligustrum vulgare</i>	Wild Privet	Lowland
Onagraceae	Willowherb Family	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	Occasional
<i>Epilobium alpestre</i>	Whorled-leaved Willowherb	Frequent
<i>Epilobium alsinifolium</i>	Chickweed Willowherb	Frequent
<i>Epilobium anagallidifolium</i>	Alpine Willowherb	Frequent
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Occasional
Orobanchaceae	Broomrape Family	
<i>Orobanche alba</i>	Thyme Broomrape	Occasional
<i>Orobanche caryophyllacea</i>	Clove-scented Broomrape	Occasional
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Shaded rocks
Papaveraceae	Poppy Family	
<i>Meconopsis cambrica</i>	Welsh Poppy	Occasional
<i>Papaver rhoeas</i>	Common Poppy	Occasional. Lowland
Parnassiaceae	Grass-of-Parnassus Family	
<i>Parnassia palustris</i>	Grass-of-Parnassus	Damp flushes
Plantaginaceae	Plantain Family	
<i>Plantago alpina</i>	Alpine Plantain	Mountain turf
<i>Plantago atrata</i>	Dark Plantain	Mountain turf

Latin Name	Common Name	Notes
<i>Plantago major</i>	Greater Plantain	Occasional
<i>Plantago media</i>	Hoary Plantain	Occasional
<i>Plantago lanceolata</i>	Ribwort Plantain	Occasional
<i>Plantago serpentina</i>	Fleshy Plantain	Frequent
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Common
<i>Polygala alpina</i>	Alpine Milkwort	Mountain turf
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Frequent on rocks
<i>Polygala vulgaris</i>	Common Milkwort	Frequent
Polygonaceae	Dock Family	
<i>Fallopia japonica</i> †	Japanese Knotweed	Lowland
<i>Oxyria digyna</i>	Mountain Sorrel	Mountain rocks and scree
<i>Persicaria bistorta</i>	Common Bistort	Damp pasture
<i>Persicaria vivipara</i>	Alpine Bistort	Common. Mountain turf
<i>Rumex acetosa</i>	Common Sorrel	Widespread
<i>Rumex acetosella</i>	Sheep's Sorrel	Acidic pasture
<i>Rumex alpestris</i>	Mountain Dock	Mountain pasture
<i>Rumex alpinus</i>	Monk's-rhubarb	Disturbed mountain pasture
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Occasional
<i>Rumex scutatus</i>	French Sorrel	Rocks and scree
Primulaceae	Primrose Family	
<i>Androsace chamaejasme</i>	Ciliate Rock-jasmine	Frequent
<i>Androsace helvetica</i>	Swiss Rock-jasmine	Alpine cliffs
<i>Androsace obtusifolia</i>	Blunt-leaved Rock-jasmine	Acidic turf
<i>Androsace pubescens</i>	Hairy Rock-jasmine	Rare. Mountain rocks
<i>Lysimachia nemorum</i>	Yellow Pimpernel	Damp woods
<i>Primula auricula</i>	Auricula	Mountain rocks and turf
<i>Primula elatior</i>	Oxlip	Snowbeds
<i>Primula farinosa</i>	Bird's-eye Primrose	Mountain turf
<i>Primula hirsuta</i>	Hairy Primrose	Acidic rocks
<i>Primula x pubescens</i> (<i>P. auricula</i> x <i>P. hirsuta</i>)	A hybrid Primrose	Eiger
<i>Primula veris</i>	Cowslip	Below Wengen
<i>Soldanella alpina</i>	Alpine Snowbell	Common
<i>Soldanella pusilla</i>	Dwarf Snowbell	Very rare in snowbed. Tschuggen
Pyrolaceae	Wintergreen Family	
<i>Moneses uniflora</i>	One-flowered Wintergreen	Forest
<i>Orthilia secunda</i>	Serrated Wintergreen	Forest
<i>Pyrola minor</i>	Lesser Wintergreen	Forest
Ranunculaceae	Buttercup Family	
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's-bane	Frequent. Forest
<i>Aconitum napellus</i> agg.	Monk's-hood	Damp meadows
<i>Actaea spicata</i>	Baneberry	Woods
<i>Anemone narcissiflora</i>	Narcissus-flowered Anemone	Mountain pasture
<i>Anemone nemorosa</i>	Wood Anemone	Woods
<i>Aquilegia alpina</i>	Alpine Columbine	Rare. Biglenalp, Eiger
<i>Aquilegia atrata</i>	Dark Columbine	Forest and meadows
<i>Caltha palustris</i>	Marsh-marigold	Flushes and streamsides
<i>Clematis alpina</i> †	Alpine Clematis	Alpine Garden

Latin Name	Common Name	Notes
<i>Clematis vitalba</i>	Old Man's Beard	Common. Lowland
<i>Delphinium elatum</i>	Alpine Larkspur	Occasional
<i>Hepatica nobilis</i>	Liverleaf	Woodland
<i>Pulsatilla alpina</i> subsp. <i>alpina</i>	Alpine Pasqueflower	Frequent on limestone
<i>Pulsatilla alpina</i> subsp. <i>apiifolia</i>	Alpine Pasqueflower	Frequent on acidic soils
<i>Pulsatilla vernalis</i>	Spring Pasqueflower	Locally common
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Locally common
<i>Ranunculus acris</i>	Meadow Buttercup	Common
<i>Ranunculus alpestris</i>	Alpine Buttercup	Snowbeds. Common
<i>Ranunculus glacialis</i>	Glacier Crowfoot	Alpine screes. Eiger
<i>Ranunculus kuepferi</i>	Kupfer's Buttercup	Locally common
<i>Ranunculus montanus</i>	Mountain Buttercup	Mountain pasture
<i>Ranunculus parnassifolius</i> †	Parnassus-leaved Buttercup	Alpine Garden
<i>Ranunculus repens</i>	Creeping Buttercup	Occasional. Meadows
<i>Thalictrum alpinum</i>	Alpine Meadow-rue	Uncommon. Alpine turf
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Mountain meadows
<i>Thalictrum foetidum</i>	Stinking Meadow-rue	Trummelbach
<i>Trollius europaeus</i>	Globeflower	Common
Rhamnaceae	Buckthorn Family	
<i>Rhamnus alpinus</i>	Alpine Buchthorn	Rocky places
<i>Rhamnus pumilus</i>	Dwarf Buckthorn	Limestone rocks. Oberberghorn
Rosaceae	Rose Family	
<i>Agrimonia eupatoria</i>	Agrimony	Occasional. Lowland
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Common
<i>Alchemilla conjuncta</i>	Silver Lady's-mantle	Frequent
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Frequent
<i>Alchemilla pentaphyllea</i>	Cut-leaved Lady's-mantle	Snowbeds
<i>Alchemilla vulgaris</i> agg.	Lady's-mantle	Frequent
<i>Alchemilla xanthochlora</i>	Pale Lady's-mantle	Frequent
<i>Aruncus dioicus</i>	Goat's-beard Spiraea	Woods. Below Wengen
<i>Cotoneaster integerrima</i>	Wild Cotoneaster	Mountain rocks. Oberberghorn
<i>Crataegus monogyna</i>	Hawthorn	Woods
<i>Dryas octopetala</i>	Mountain Avens	Mountain rocks and scree
<i>Filipendula ulmaria</i>	Meadowsweet	Lowland meadows
<i>Fragaria vesca</i>	Wild Strawberry	Woods and pasture
<i>Geum montanum</i>	Alpine Avens	Mountain turf
<i>Geum rivale</i>	Water Avens	Occasional. Wet pasture
<i>Geum urbanum</i>	Herb Bennet	Woods
<i>Potentilla aurea</i>	Golden Cinquefoil	Occasional. Mountain turf
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Common. Mountain turf
<i>Potentilla erecta</i>	Tormentil	Acidic turf
<i>Potentilla sterilis</i>	Barren Strawberry	Frequent
<i>Poterium sanguisorba</i>	Salad Burnet	Widespread
<i>Prunus avium</i>	Wild Cherry	Woods
<i>Rosa canina</i>	Dog-rose	Below Wengen
<i>Rosa glauca</i>	Blue-leaved Rose	Occasional
<i>Rosa micrantha</i>	Small-flowered Sweet-briar	Occasional
<i>Rosa pendulina</i>	Alpine Rose	Frequent. Mountains
<i>Rosa rubiginosa</i>	Sweet-briar	Below Wengen
<i>Rubus idaeus</i>	Raspberry	Woods
<i>Rubus saxatilis</i>	Stone Bramble	Occasional. Rocky places

Latin Name	Common Name	Notes
<i>Sibbaldia procumbens</i>	Sibbaldia	Snowbeds
<i>Sorbus aria</i>	Whitebeam	Occasional. Woods
<i>Sorbus aucuparia</i>	Rowan	Woods
<i>Sorbus chamaemespilus</i>	False Medlar	Mountain pasture
Rubiaceae	Madder Family	
<i>Asperula cynanchica</i>	Squinancywort	Occasional
<i>Cruciata laevipes</i>	Crosswort	Meadows
<i>Galium anisophyllum</i>	Dwarf Bedstraw	Frequent
<i>G. megalospermum</i>	Swiss Bedstraw	Moraines
<i>G. mollugo</i>	Hedge Bedstraw	Meadows
<i>Galium odoratum</i>	Woodruff	Woods
<i>Galium pumilum</i>	Slender Bedstraw	Frequent
<i>Galium verum</i>	Lady's Bedstraw	Meadows
Salicaceae	Willow Family	
<i>Populus alba</i>	White Poplar	Lowland
<i>Populus tremula</i>	Aspen	Occasional
<i>Salix aurita</i>	Eared Willow	Widespread
<i>Salix breviserrata</i>	Finely-toothed Willow	Occasional
<i>Salix caprea</i>	Goat Willow	Lowland
<i>Salix foetida</i>	Stinking Willow	Locally common
<i>Salix hastata</i>	Large-stipuled Willow	Local. Lauberhorn
<i>Salix glaucosericea</i>	Silky Willow	Local. Lauberhorn
<i>Salix hegetschweileri</i>	Alpine Willow	Mountain turf
<i>Salix helvetica</i>	Swiss Willow	Garden. Murren
<i>Salix herbacea</i>	Least Willow	Mountain turf
<i>Salix laggeri</i>	Lagger's Willow	Local. Lauberhorn
<i>Salix myrsinites</i>	Whortle-leaved Willow	Mountain turf
<i>Salix reticulata</i>	Net-leaved Willow	Alpine rocks and turf
<i>Salix retusa</i>	Retuse-leaved Willow	Alpine rocks and turf
<i>Salix serpyllifolia</i>	Thyme-leaved Willow	Alpine rocks and turf
<i>Salix viminalis</i>	Osier	Lowland. Riversides
Santalaceae	Bastard-toadflax Family	
<i>Thesium alpinum</i>	Alpine Bastard-toadflax	Occasional. Pasture
<i>Thesium pyrenaicum</i>	Pyrenean Bastard-toadflax	Uncommon. Pasture
Saxifragaceae	Saxifrage Family	
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden-saxifrage	Occasional
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Wet turf and moraine
<i>Saxifraga androsacea</i>	Scree Saxifrage	Damp scree and snowbeds
<i>Saxifraga aspera</i>	Rough Saxifrage	Occasional. Rocks
<i>Saxifraga bryoides</i>	Mossy Saxifrage	Acidic rocks
<i>Saxifraga caesia</i>	Blue Saxifrage	Limestone rocks and scree
<i>Saxifraga exarata</i> subsp. <i>moschata</i>	Musky Saxifrage	Mountain rocks
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Rocks, moraine and scree
<i>Saxifraga paniculata</i>	Livelong Saxifrage	Rocks
<i>Saxifraga rotundifolia</i>	Round-leaved Saxifrage	Damp shaded rocks
<i>Saxifraga stellaris</i>	Starry Saxifrage	Acidic flushes

Latin Name	Common Name	Notes
Scrophulariaceae	Figwort Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Mountain turf
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Occasional on walls
<i>Digitalis grandiflora</i>	Large Yellow Foxglove	Local. Forest
<i>Digitalis lutea</i>	Small Yellow Foxglove	Local. Forest
<i>Erinus alpinus</i>	Fairy Foxglove	Frequent
<i>Euphrasia minima</i>	Dwarf Eyebright	Local. Mountain pasture
<i>Euphrasia officinalis</i> subsp. <i>monticola</i>	Montane Eyebright	Mountain pasture
<i>Euphrasia officinalis</i> subsp. <i>pratensis</i>	Rostkov's Eyebright	Meadows
<i>Linaria alpina</i>	Alpine Toadflax	Moraine and scree
<i>Melampyrum sylvaticum</i>	Small Cow-wheat	Forest
<i>Pedicularis ascendens</i>	Ascending Lousewort	Limestone turf
<i>Pedicularis foliosa</i>	Leafy Lousewort	Local. Limestone pasture
<i>Pedicularis kernerii</i>	Kerner's Lousewort	Alpine turf
<i>Pedicularis oederi</i>	Crimson-tipped Lousewort	Alpine turf
<i>Pedicularis recutita</i>	Beakless Red Lousewort	Local. Mountain turf
<i>Pedicularis tuberosa</i>	Long-beaked Yellow Lousewort	Acidic turf
<i>Pedicularis verticillata</i>	Whorled Lousewort	Mountain turf
<i>Rhinanthus alectorolophus</i>	Greater Yellow-rattle	Common. Meadows
<i>Rhinanthus minor</i>	Yellow-rattle	Uncommon. Pasture
<i>Vebascum nigrum</i>	Dark Mullein	Lowland
<i>Veronica alpina</i>	Alpine Speedwell	Stony mountain pasture
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Stony mountain pasture
<i>Veronica beccabunga</i>	Brooklime	Wet places
<i>Veronica bellidioides</i>	Violet Speedwell	Acidic pasture
<i>Veronica chamaedrys</i>	Germander Speedwell	Below Wengen
<i>Veronica fruticans</i>	Rock Speedwell	Mountain rocks
<i>Veronica fruticososa</i>	A Rock Speedwell	Oberberghorn
<i>Veronica officinalis</i>	Heath Speedwell	Woods
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Frequent
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Woods
Solanaceae	Nightshade Family	
<i>Atropa bella-donna</i>	Deadly Nightshade	Forest. Wilderwil
Thymelaeaceae	Mezereon Family	
<i>Daphne mezereum</i>	Mezereon	Local. Mountain pasture
Tiliaceae	Lime Family	
<i>Tilia cordata</i>	Small-leaved Lime	Lowland
<i>Tilia platyphyllos</i>	Large-leaved Lime	Lowland
Ulmaceae	Elm Family	
<i>Ulmus glabra</i>	Wych Elm	Valley woods
Urticaceae	Nettle Family	
<i>Urtica dioica</i>	Common Nettle	Widespread
Valerianaceae	Valerian Family	
<i>Valeriana dioica</i>	Marsh Valerian	Wet pasture
<i>Valeriana officinalis</i>	Common Valerian	Damp meadows
<i>Valeriana tripteris</i>	Three-leaved Valerian	Woods

Latin Name	Common Name	Notes
Violaceae		
<i>Viola biflora</i>	Yellow Wood Violet	Common
<i>Viola calcarata</i>	Long-spurred Pansy	Locally common
<i>Viola cenisia</i>	Mt Cenis Pansy	Moraine and scree
<i>Viola lutea</i>	Mountain Pansy	Locally common
<i>Viola palustris</i>	Marsh Violet	Common
<i>Viola riviniana</i>	Common Dog-violet	Common
<i>Viola tricolor</i>	Wild Pansy	Local
LILIIDAE		
MONOCOTYLEDONS		
Amaryllidaceae		
<i>Allium schoenoprasum</i>	Chives	Occasional. Mountains
<i>Allium scordoprasum</i>	Sand Leek	Uncommon. Meadows. Trummelbach
<i>Allium victorialis</i>	Alpine Leek	Uncommon. Mountain pasture
Asparagaceae		
<i>Anthericum ramosum</i>	Branched St Bernard's Lily	Trummelbach
<i>Convallaria majalis</i>	Lily-of-the-Valley	Limestone cliffs and scree
<i>Maianthemum bifolium</i>	May Lily	Mountain woods
<i>Paradisea liliastrum</i>	St Bruno's Lily	Local. Mountain pasture
<i>Polygonatum odoratum</i>	Angular Solomon's-seal	Limestone cliffs and scree
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Occasional. Forests
Colchicaceae		
<i>Colchicum autumnale</i>	Meadow Saffron	Meadows below Wengen
Cyperaceae		
<i>Carex atrata</i>	Black Alpine Sedge	Wet mountain pasture
<i>Carex canescens</i>	White Sedge	Wet mountain pasture
<i>Carex capillaris</i>	Hair Sedge	Wet mountain pasture
<i>Carex caryophyllea</i>	Spring Sedge	Dry pasture
<i>Carex curvula</i>	Curved Sedge	Dominant. Mountain turf
<i>Carex davalliana</i>	Davall's Sedge	Wet calcareous turf
<i>Carex echinata</i>	Star Sedge	Frequent
<i>Carex ferruginea</i>	Rusty Sedge	Dominant. Limestone turf
<i>Carex flacca</i>	Glaucous Sedge	Common
<i>Carex flava</i>	Yellow Sedge	Marshes
<i>Caex nigra</i>	Black Sedge	Common
<i>Carex panicea</i>	Carnation Sedge	Common
<i>Carex rostrata</i>	Bottle Sedge	Pond margins
<i>Carex sempervirens</i>	Evergreen Sedge	Mountain grassland on limestone
<i>Eriophorum angustifolium</i>	Common Cottongrass	Wet flushes and bogs
<i>Eriophorum scheuchzeri</i>	Scheuchzer's Cottongrass	Occasional. Bogs
Iridaceae		
<i>Crocus vernus</i> subsp. <i>albiflorus</i>	Spring Crocus	Common
Juncaceae		
<i>Juncus alpinoarticulatus</i>	Alpine Rush	Wet mountain pasture
<i>Juncus jacquinii</i>	Jacquin's Rush	Wet mountain pasture
<i>Juncus trifidus</i>	Three-leaved Rush	Acidic mountain turf
<i>Juncus triglumis</i>	Three-flowered Rush	Acidic mountain turf

Latin Name	Common Name	Notes
<i>Luzula alpinopilosa</i>	Alpine Wood-rush	Mountain turf
<i>Luzula lutea</i>	Yellow Wood-rush	Mountain turf
<i>Luzula multiflora</i>	Heath Wood-rush	Mountain turf
<i>Luzula spicata</i>	Spiked Wood-rush	Mountain turf
<i>Luzula sylvatica</i>	Great Wood-rush	Woods
Liliaceae	Lily Family	
<i>Gagea fistulosa</i>	A Yellow Star-of-Bethlehem	Uncommon. Mountain turf
<i>Gagea serotina</i>	Snowdon Lily	Mountain turf
<i>Lilium martagon</i>	Martagon Lily	Woods
<i>Streptopus amplexifolius</i>	Streptopus	Occasional. Forests
Melanthiaceae	Herb-Paris Family	
<i>Paris quadrifolia</i>	Herb-Paris	Local. Woods
<i>Veratrum album</i>	White False-helleborine	Mountain pasture
Orchidaceae	Orchid Family	
<i>Cephalanthera longifolia</i>	Narrow-leaved Helleborine	Frequent. Woods
<i>Cephalanthera rubra</i>	Red Helleborine	Local
<i>Chamorchis alpina</i>	Dwarf Orchid	Local
<i>Coeloglossum viride</i>	Frog Orchid	Frequent
<i>Corallorhiza trifida</i>	Coralroot Orchid	Local. Forests
<i>Cypripedium calceolus</i>	Lady's-slipper	Local
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	Damp base-rich soils
<i>Dactylorhiza maculata</i>	Heath Spotted-orchid	Acidic soils
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh-orchid	Common
<i>Epipactis atrorubens</i>	Dark-red Helleborine	Frequent. Forests
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Frequent. Forests
<i>Gymnadenia conopsea</i>	Fragrant-orchid	Common
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant-orchid	Local
<i>Gymnadenia rhellicani</i>	Vanilla Orchid	Locally common
<i>Gymnadenia x suaveolens</i> (<i>G. conopsea</i> x <i>G. rhellicani</i>)	A hybrid orchid	Local
<i>Neotinea ustulata</i>	Burnt Orchid	Uncommon. Mountain pasture
<i>Neottia cordata</i>	Lesser Twayblade	Locally common
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Frequent. Forests
<i>Neottia ovata</i>	Twayblade	Locally common
<i>Ophrys insectifera</i>	Fly Orchid	Rare. Trummelbach
<i>Orchis mascula</i>	Early-purple Orchid	Common
<i>Platanthera bifolia</i>	Lesser Butterfly-orchid	Locally frequent. Forests
<i>Platanthera chlorantha</i>	Greater Butterfly-orchid	Local. Woods
<i>Pseudorchis albida</i>	Small-white Orchid	Common. Mountain turf
<i>Traunsteinera globosa</i>	Round-headed Orchid	Local
Poaceae	Grass Family	
<i>Agropyron repens</i>	Common Couch	Occasional
<i>Agrostis capillaris</i>	Common Bent	Common
<i>Anthoxanthum alpinum</i>	Alpine Vernal-grass	Frequent. Mountain turf
<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	Common
<i>Arrhenatherum elatius</i>	False Oat-grass	Common
<i>Brachypodium sylvaticum</i>	False Brome	Woods
<i>Briza media</i>	Quaking-grass	Locally common
<i>Bromus hordeaceus</i>	Soft Brome	Frequent

Latin Name	Common Name	Notes
<i>Bromus sterilis</i>	Barren Brome	Frequent
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Common
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	Wet mountain pasture
<i>Deschampsia flexuosa</i>	Wavy Hair-grass	Acidic mountain turf
<i>Festuca ovina</i>	Sheep's-fescue	Common
<i>Festuca rubra</i>	Red Fescue	Common
<i>Festuca violacea</i>	Violet Fescue	Mountain turf
<i>Holcus lanatus</i>	Yorkshire-fog	Locally common
<i>Holcus mollis</i>	Creeping Soft-grass	Locally common
<i>Koeleria macrantha</i>	Crested Hair-grass	Frequent
<i>Lolium perenne</i>	Perennial Rye-grass	Frequent
<i>Melica uniflora</i>	Wood Melick	Woods
<i>Nardus stricta</i>	Mat-grass	Common
<i>Phleum alpinum</i>	Alpine Timothy	Frequent. Mountain pasture
<i>Phleum pratense</i>	Timothy	Common
<i>Poa alpina</i>	Alpine Meadow-grass	Common
<i>Poa annua</i>	Annual Meadow-grass	Common on trackways
<i>Poa pratensis</i>	Smooth Meadow-grass	Common. Meadows
<i>Poa nemoralis</i>	Wood Meadow-grass	Frequent
<i>Poa supina</i>	Creeping Meadow-grass	Frequent
<i>Poa trivialis</i>	Rough Meadow-grass	Frequent
<i>Schedonorus pratensis</i>	Meadow Fescue	Common
<i>Sesleria caerulea</i>	Blue Moor-grass	Common. Limestone pasture

Tofieldiaceae*Tofieldia calyculata***Scottish Asphodel Family**

Tofield's Asphodel

Common

Birds (✓ = recorded but not counted; H = heard only)

	Common name	Latin name	June							
			22	23	24	25	26	27	28	29
1	Little Grebe	<i>Tachybaptus ruficollis</i>	✓							
2	Great Crested Grebe	<i>Podiceps cristatus</i>	✓							
3	Red Kite	<i>Milvus milvus</i>			✓					
4	Black Kite	<i>Milvus migrans</i>	✓					✓		
5	Common Buzzard	<i>Buteo buteo</i>	✓		✓			✓		
6	Golden Eagle	<i>Aquila chrysaetos</i>					✓			
7	Common Kestrel	<i>Falco tinnunculus</i>				✓	✓	✓	✓	
8	Eurasian Coot	<i>Fulica atra</i>	✓							
9	Black-headed Gull	<i>Chroicocephalus ridibundus</i>	✓							
10	Yellow-legged Gull	<i>Larus michahellis</i>	✓							
11	Feral Pigeon	<i>Columba livia</i>	✓							
12	Common Wood Pigeon	<i>Columba palumbus</i>	✓							
13	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓					✓		
14	Common Cuckoo	<i>Cuculus canorus</i>				✓	✓	✓		
15	Common Swift	<i>Apus apus</i>	✓		✓	✓	✓	✓	✓	
16	Great Spotted Woodpecker	<i>Dendrocopos major</i>					✓	✓		
17	European Green Woodpecker	<i>Picus viridis</i>			✓		✓			
18	Eurasian Jay	<i>Garrulus glandarius</i>			✓	✓	✓	✓		
19	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>			✓	✓	✓		✓	
20	Alpine Chough	<i>Pyrrhocorax graculus</i>		✓	✓	✓	✓		✓	
21	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	

	Common name	Latin name	June								
			22	23	24	25	26	27	28	29	
22	Northern Raven	<i>Corvus corax</i>		✓					✓	✓	
23	Marsh Tit	<i>Poecile palustris</i>			✓						
24	Willow Tit	<i>Poecile montanus</i>					✓				
25	Coal Tit	<i>Periparus ater</i>			✓	✓	✓	✓	✓		
26	European Crested Tit	<i>Lophophanes cristatus</i>					✓				
27	Great Tit	<i>Parus major</i>	✓	✓	✓	✓	✓				
28	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>	✓							✓	
29	Eurasian Skylark	<i>Alauda arvensis</i>		✓							
30	Barn Swallow	<i>Hirundo rustica</i>	✓						✓		
31	Common House Martin	<i>Delichon urbicum</i>	✓		✓	✓			✓	✓	
32	Common Chiffchaff	<i>Phylloscopus collybita</i>				✓	✓	✓			
33	Eurasian Blackcap	<i>Sylvia atricapilla</i>				✓	✓				
34	Garden Warbler	<i>Sylvia borin</i>				✓					
35	Common Firecrest	<i>Regulus ignicapilla</i>					H	H			
36	Eurasian Wren	<i>Troglodytes troglodytes</i>	H	H	✓	H	H	H		✓	
37	Wallcreeper	<i>Tichodroma muraria</i>							✓	✓	
38	Eurasian Treecreeper	<i>Certhia familiaris</i>			✓						
39	Ring Ouzel	<i>Turdus torquatus</i>				✓	✓	✓	✓		
40	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
41	Fieldfare	<i>Turdus pilaris</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
42	Song Thrush	<i>Turdus philomelos</i>			✓		✓	✓			
43	Mistle Thrush	<i>Turdus viscivorus</i>			✓	✓	✓			✓	
44	Rufous-tailed Rock Thrush	<i>Monticola saxatilis</i>		✓							
45	European Robin	<i>Erithacus rubecula</i>			✓		H				
46	Black Redstart	<i>Phoenicurus ochruros</i>	✓	✓	✓	✓	✓	✓	✓	✓	
47	European Stonechat	<i>Saxicola rubicola</i>								H	
48	Northern Wheatear	<i>Oenanthe oenanthe</i>				✓					
49	Spotted Flycatcher	<i>Muscicapa striata</i>		✓	✓	✓	✓	✓	✓		
50	White-throated Dipper	<i>Cinclus cinclus</i>				✓					
51	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
52	White-winged Snowfinch	<i>Montifringilla nivalis</i>		✓						✓	
53	Alpine Accentor	<i>Prunella collaris</i>		✓						✓	
54	Dunnock	<i>Prunella modularis</i>				✓					
55	Grey Wagtail	<i>Motacilla cinerea</i>			✓						
56	White Wagtail	<i>Motacilla alba</i>		✓	✓	✓	✓	✓	✓		
57	Meadow Pipit	<i>Anthus pratensis</i>				✓					
58	Tree Pipit	<i>Anthus trivialis</i>				✓		✓			
59	Water Pipit	<i>Anthus spinoletta</i>		✓		✓	✓	✓	✓		
60	Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓		
61	European Serin	<i>Serinus serinus</i>		✓	✓	✓					
62	European Greenfinch	<i>Chloris chloris</i>		✓	✓	✓	✓				
63	European Goldfinch	<i>Carduelis carduelis</i>				✓	✓			✓	
64	Citril Finch	<i>Carduelis citrinella</i>				✓	✓				
65	Common Redpoll	<i>Carduelis flammea</i>			✓		✓	✓	✓		
66	Common Linnet	<i>Linaria cannabina</i>				✓	✓	✓	✓		

Mammals

1	Mole	<i>Talpa europaea</i>					✓	✓			
2	Alpine Marmot	<i>Marmota marmota</i>		✓		✓		✓			
3	Red Fox	<i>Vulpes vulpes</i>						✓			
4	Muntjac	<i>Muntiacus muntjak</i>	✓								

	Common name	Latin name	June							
			22	23	24	25	26	27	28	29
5	Roe Deer	<i>Capreolus capreolus</i>	✓		✓					
6	Alpine Ibex	<i>Capra ibex</i>					20		11	
7	Alpine Chamois	<i>Rupicapra rupicapra</i>		✓	✓	✓				

Reptiles

1	Common Lizard	<i>Zootoca vivipara</i>					✓	✓		
2	Adder	<i>Vipera berus</i>						✓		

Amphibians

1	Common Frog	<i>Rana temporaria</i>				✓	✓	✓	✓	
2	Common Newt	<i>Triturus vulgaris</i>					✓			
3	Alpine Salamander	<i>Salamandra atra</i>		✓	✓	✓	✓			

Butterflies

1	Swallowtail	<i>Papilio machaon</i>					✓	✓		
2	Black-veined White	<i>Aporia crataegi</i>				✓	✓		✓	
3	Small White	<i>Pieris rapae</i>		✓						
4	Mountain Green-veined White	<i>Pieris bryoniae</i>			✓		✓		✓	
5	Peak White	<i>Pontia callidice</i>			✓					
6	Orange Tip	<i>Anthocharis cardamines</i>					✓	✓		
7	Green Hairstreak	<i>Callophrys rubi</i>					✓			
8	Large Copper	<i>Lycaena dispar</i>		✓	✓					
9	Small Blue	<i>Cupido minimus</i>		✓	✓	✓	✓	✓	✓	
10	Large Blue	<i>Maculinea arion</i>						✓		
11	Osiris Blue	<i>Cupido osiris</i>					✓			
12	Common Blue	<i>Polyommatus icarus</i>					✓			
13	Small Tortoiseshell	<i>Aglais urticae</i>		✓	✓	✓	✓	✓	✓	
14	Shepherd's Fritillary	<i>Boloria pales</i>				✓				
15	Small Pearl-bordered Fritillary	<i>Clossiana selene</i>					✓			
16	Marbled White	<i>Melanargia galathea</i>					✓			
17	Mountain Ringlet	<i>Erebia epiphron</i>			✓	✓	✓			
18	Alpine Heath	<i>Coenonympha gardetta</i>						✓		
19	Wall Brown	<i>Lasiommata megera</i>					✓			
20	Large Skipper	<i>Ochlodes venatus</i>			✓					
21	Grizzled Skipper	<i>Pyrgus malvae</i>						✓		

Moths

1	Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>				✓	✓	✓		
2	Oak Eggar	<i>Lasiocampa quercus</i>		✓		✓		✓		
3	Chimney Sweeper	<i>Odezia atrata</i>				✓	✓			
4	Lackey Moth	<i>Malacosoma neustria</i>		✓	✓	✓	✓	✓	✓	

Dragonflies

1	Northern Damselfly	<i>Coenagrion hastulatum</i>				✓				
2	White-faced Darter	<i>Leucorrhinia dubia</i>				✓				