

Wengen - Alpine Flowers of the Swiss Alps

Naturetrek Tour Report

21 - 28 June 2015

Report compiled by David Tattersfield



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: David Tattersfield & Kerrie Porteous (leaders) with 16 Naturetrek clients

Day 1

Sunday 21st June

We met in Zurich, in the early afternoon, and enjoyed the comfort of the intercity trains to Interlaken. Here we boarded the regional train to Laterbrunnen and finally took the cog-wheel railway, up to Wengen. We arrived at 8pm and made the short walk to our comfortable hotel. Although cloudy, we had a clear view of the imposing north face of the Jungfrau, to the south. After a delicious meal and a brief talk on the plans for the week, we retired to bed, eagerly anticipating the days ahead.

Day 2

Monday 22nd June

Contrary to the weather forecast, we woke to a brilliant sunny morning. After breakfast, we took the cable car to Mannlichen, where we found ourselves in another world. A vast panorama of snowy peaks filled the southern horizon and we were surrounded by colourful flowers. After looking at a range of commoner plants, on the cliff edge, we set off to explore the slopes towards Mannlichen summit, at 2230 metres. We saw a wide range of habitats, finding new flowers, with every pace. Globeflower *Trollius europaeus*, Long-spurred Pansy *Viola calcarata* and Trumpet Gentian *Gentiana acaulis* made a fine show in the turf, and north-facing banks and cliffs held a rich flora, typical of areas where snow lies late into the season. This included a range of dwarf shrubs, dominated by Net-leaved Willow *Salix reticulata*, Retuse-leaved Willow *Salix retusa* and Mountain Avens *Dryas octopetala*. Splashes of colour were provided by Bird's-eye Primrose *Primula farinosa*, Moss Campion *Silene acaulis*, Alpine Cinquefoil *Potentilla crantzii* and Spring Gentian *Gentiana verna*. A north-facing cliff and gully revealed more gems, including Snowdon Lily *Gagea serotina*, tight cushions of Swiss Rock-jasmine *Androsace helvetica*, Moschatel *Adoxa moschatellina* and the tiny rosettes of Dwarf Orchid *Chamorchis alpina*. We continued our slow progress towards the summit, marvelling at the swathes of colour provided by purple Whorled Lousewort *Pedicularis verticillata* and blue Alpine Forget-me-not *Myosotis alpestris*. Near melting snow, we found the white Kupfer's Buttercup *Ranunculus kuepferi*, our first Alpine Snowbells *Soldanella alpina*, and lovely stands of rich-yellow Globeflowers. Just beyond the summit, we found Crimson-tipped Lousewort *Pedicularis oederi* and Alpine Bearberry *Arctostaphylos alpinus*, in flower, on the cold north-facing slopes. We returned down the mountain for a coffee break at the Berghaus, while I went off to prepare lunch on a grassy knoll overlooking Grindelwald.

Near us, where the snow had recently melted, were a few exquisite flowers of the Spring Pasqueflower *Pulsatilla vernalis*. High cloud increased in the afternoon and lowered over the mountain summits, causing the temperature to drop to a chilly 5°C. We followed the very easy path, around the shaley slopes of Tschuggen, in the afternoon, finding beautiful plants of Hairy Primrose *Primula hirsuta*, the rare Hairy Rock-jasmine *Androsace pubescens* and Alpine Butterwort *Pinguicula alpina*, on the cliffs. Before us, the imposing north face of the Eiger rose into the clouds and we eventually arrived at Kleine Scheidegg, where we caught the train back to Wengen. It had been a good day for mountain birds with Skylark and Water Pipit seen regularly. We'd had regular sightings of Raven and Alpine Chough and White-winged Snowfinch were nesting on the pylons of the ski-tows. Two Golden Eagles and a Peregrine Falcon had added a bit of excitement,

Day 3

Tuesday 23rd June

Light rain showers suggested that a day on the lower slopes would be best. We set off to walk down to Lauterbrunnen, the deeply incised valley looking particularly dramatic, with broken cloud hanging over its cliffs. Plants of the forest included Herb-Paris *Paris quadrifolia* and Whorled Solomon's-seal *Polygonatum verticillatum* and there were beautiful patches of Dark Columbine *Aquilegia atrata* in the meadows. We arrived in Lauterbrunnen just after midday, and had a coffee break before taking the bus to Trummelbach. We managed to avoid the showers over lunch, making use of a table and benches by the river. Our visit to the Trummelbach Falls, where the river, draining the Jungfrau and Monch glaciers, corkscrews through the sheer limestone cliffs, was a memorable experience. On the limestone cliffs, a number of new plants included Short-spurred Fragrant Orchid *Gymnadenia odoratissima*, Swallow-wort *Vincetoxicum hirsutinaria*, and cushions of the compact Blue Saxifrage *Saxifraga caesia*. We had a relaxing coffee break at the cafe, before setting off again to walk back down the valley to Lauterbrunnen. This took us past farm buildings, where nesting Black Redstarts were a common sight, and under the dramatic Staubbach Falls, that tumbles over the vertical cliff. We caught the next available train and were back at the hotel for 7pm.

Day 4

Wednesday 24th June

It remained sunny all day, with the temperature ranging from 6 to 15 °C. We took the short train ride to Wengernalp, where we started by exploring the vicinity of the station platform. There were a good number of Early-purple Orchid *Orchis mascula* on the steep banks, and a wet ditch had many Common Spotted-orchid *Dactylorhiza fuchsii*. Frog Orchid *Coeloglossum viride* took a while to locate, its muted colours blending well with its background. Over coffee, we were able to pick out a group of around 20 Ibex on the opposite side of the valley, grazing on the cliffs below the Jungfrau. We walked down through colourful damp meadows to the new chair-lift at Wixi, where we found the deep-blue Bavarian Gentian *Gentiana bavarica* and pink Lady's Smock *Cardamine pratensis*, growing in wet flushes, together with lots of Broad-leaved Marsh-orchid *Dactylorhiza majalis*. The descent to Biglenalp was over hard limestone bedrock and brought new flowers, most notably the blue *Globularia cordifolia*, Spring Heath *Erica carnea* and Hairy Alpenrose *Rhododendron hirsutum* and we were able to compare the large pleated leaves of White False-helleborine *Veratrum album* with those of Great Yellow Gentian *Gentiana lutea*. Alongside the path, we encountered the leaves of Willow Gentian *Gentiana asclepiadea* and the delightful One-flowered Wintergreen *Moneses uniflora*, growing in deep shade with Coralroot Orchid *Corallorhiza trifida*. Lunch was in an idyllic spot, on a riverside bank, where Nutrackers helped to clear up our leftovers. Nearby we located the large-flowered *Aquilegia alpina* and a short walk through the forest brought us to a hillside with many plants of Lady's-slipper *Cypripedium calceolus*, some in perfect condition and the undoubted highlights of the week for many in the group. Some way further down the alp, in the mossy floor of the forest, we found a nice colony of Lesser Twayblade *Neottia cordata*. It was an easy walk down a forest road back to Wengen, a total distance, for the day, of just over four miles.

Day 5

Thursday 25th June

We took the train down to Lauterbrunnen and the cable car up the steep valley side to Grutschalp. Another train took us to Murren, which sits high on the edge of the cliff, opposite the Tummelbach Falls. Here we could see the famous trio of peaks, from a completely different angle and the valley draining their ice-fields. After a short stroll through the village, we boarded the funicular railway to Almendhubel, where we continued to enjoy the

view, over morning coffee. The vegetation on this side of the valley provided a complete contrast to that we had seen previously. Tall herbs and marshy ground predominated, with thickets of Green Alder *Alnus viridis* on damp slopes and a luxuriant growth of ferns. Stony pasture was home to miniature rock gardens, with a number of interesting plants and Mountain Pansy *Viola lutea* was common, in a variety of colour combinations. Marshy ground was thick with Broad-leaved Marsh-orchid *Dactylorhiza majalis* and after a little searching we found a number of Round-headed Orchid *Traunsteinera globosa*.

After lunch, we followed the Mountain View Trail across heather-clad slopes, where, after a little searching, we located more Lesser Twayblade, nestling in the moss. Further on, lush pasture was thick with Aconite-leaved Buttercup *Ranunculus aconitifolius* and the huge pleated leaves of White False-helleborine, neither plant welcome to the farmers who graze their cows here in summer. We descended through damp thickets of Green Alder and tall herbs. Notable among these were Alpine Leek *Allium victorialis*, Yellow Pea *Lathyrus laevigatus* subsp. *occidentalis* and Alpine Blue-sowthistle *Cicerbita alpina*, which was just starting to show its sky-blue flowers. Our final descent was through forest, where there were large colonies of Lesser Twayblade, and large plants of *Streptopus amplexifolius*. Just below us was Grutschalp station, where we boarded the cable car for the return journey. We had enjoyed a perfect and unhurried day in the mountains and arrived back at the hotel around 6.30pm.

Day 6

Friday 26th June

After yesterday's excursion, an easy day was very welcome. After travelling by train down to Wilderswil, we boarded the delightful train for the steep climb to Schynige Platte. We arrived at 11am and, after a coffee break, we spent the rest of the morning in the enchanting Alpine Garden, enjoying its natural setting and superb display of plants, each carefully labelled. After lunch on the station platform, we walked across to a viewpoint, below the Oberberghorn, to look down on Interlaken and the two lakes, the Brienzensee and Thunersee. Alpine Marmots were visible on the slopes below, announcing their presence with their loud alarm calls. The limestone slopes of the Oberberghorn are home to several notable plants, including Leafy Lousewort *Pedicularis foliosa*, Limestone Fern *Gymnocarpium robertianum* and Rigid Buckler-fern *Dryopteris villarii*. Alpine Aster *Aster alpinus* and Wood Pink *Dianthus sylvestris* were flowering on the cliffs above us, and colonies of Angular Solomon's-seal *Polygonatum odoratum* and Lily-of-the-Valley *Convallaria majalis* made an impressive show on the screes at their base. Just enough time remained to find a few St Bruno's Lily *Paradisea liliastrum* on the grassy slopes, before we had to return to the station, to catch our return train. In Wilderswil, it was, by now, quite hot and we enjoyed ice-creams, before our train to Lauterbrunnen.

Day 7

Saturday 27th June

We took the train from Wengen to Kleine Scheidegg and another to Eigergletscher at 2320 metres. Above the station platform, we made our way past the railway tunnel entrance onto the moraines. From a distance, these looked bare and devoid of vegetation, but on closer inspection, they began to reveal some of the special plants that thrive in this harsh environment. Most attractive, among these, were Broad-leaved Mouse-ear *Cerastium latifolium*, Mt Cenis Pansy *Viola cenisia* and the deliciously-scented Round-leaved Penny-cress *Thlaspi rotundifolium*. We followed the narrow ridge of the medial moraine back towards the station cafe and it was interesting to see the transition from bare rock to closed turf. There were stunning patches of Moss Champion *Silene acaulis* and Large-flowered Leopard's-bane *Doronicum grandiflorum* to admire. We had an extended coffee stop, taking in the incredible views from the terrace and enjoying the antics of the Alpine Choughs, that came down to feed on our

crumbs and even take food from our hands. We climbed the cliff path, across the railway line, and rounded a corner to the start of the North Face Trail. A few of our number followed the trail a little way to a viewpoint, looking over the infamous north face of the Eiger.

The sunny morning gave way to a cloudy afternoon, with thunder and a short hail shower, later on. We had lunch below the Eigergletscher station, sitting among the most colourful carpet of flowers, we had seen and all the while we were entertained by the Alpine Chough that foraged for scraps, among us. The final section of the trail took us down to the end of the moraine and then steeply down through colourful mountain pasture and forest to Wixi. We soon reached the Wengernalp Hotel, where delicious home-made apricot tart, that we had ordered earlier in the week, was waiting for us. It had been superb walk, with some of the best flowers, and a fitting climax to our week in this picture-postcard corner of Switzerland. We were reluctant for it to end but, eventually, we had to catch a train and were back in Wengen for 7pm.

Day 8

Sunday 28th June

The good food and hospitality offered by the Hotel Berghaus had been faultless and we thanked Aldino, Martina and their staff for helping to make such a memorable week. After a relaxed breakfast and packing, we were able to take a last look around, before wandering down to the station to catch the mid-morning train and return to Zurich for the flight home.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Plants (‡ = cultivated or naturalised)

Plant classification largely follows the familiar 'old' system, likely to be encountered in current floras of the region. Some recent taxonomic changes have been incorporated, where relevant. For ease of reference, families, genera and species are presented in alphabetic order.

Latin Name	Common Name	Notes
LYCOPODIOPSIDA		
Lycopodiaceae		
<i>Diphasiastrum alpinum</i>	Alpine Clubmoss	Occasional. Mountain turf
<i>Huperzia selago</i>	Fir Clubmoss	Frequent. Acidic pasture
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	Local. Almend
<i>Lycopodium clavatum</i>	Stag's-horn Clubmoss	Local. Above Grutschalp
Selaginellaceae		
<i>Selaginella selaginoides</i>	Lesser Clubmoss	Occasional in turf
EQUISETOPSIDA		
Equisetaceae		
<i>Equisetum palustre</i>	Marsh Horsetail	Wet pasture
<i>Equisetum sylvaticum</i>	Wood Horsetail	Woods and damp pasture
PTEROPSIDA		
Aspleniaceae		
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Shady cliffs
<i>Asplenium ruta-muraria</i>	Wall-rue	Walls
<i>Asplenium septentrionale</i>	Forked Spleenwort	Rare, on rocks
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Walls and cliffs
<i>Asplenium viride</i>	Green Spleenwort	Mountain rocks
Blechnaceae		
<i>Blechnum spicant</i>	Hard-fern	Locally common
Dennstaedtiaceae		
<i>Pteridium aquilinum</i>	Bracken	Valley woodland
Dryopteridaceae		
<i>Dryopteris affinis</i>	Scaly Male-fern	Widespread
<i>Dryopteris dilatata</i>	Broad Buckler-fern	Frequent
<i>Dryopteris expansa</i>	Northern Buckler-fern	Damp scrub
<i>Dryopteris filix-mas</i>	Male-fern	Widespread
<i>Dryopteris villarii</i>	Rigid Buckler-fern	Limestone rocks. Oberberghorn
<i>Gymnocarpium dryopteris</i>	Oak Fern	Woods and rocks. Local
<i>Gymnocarpium robertianum</i>	Limestone Fern	Limestone rocks. Oberberghorn
<i>Polystichum aculeatum</i>	Hard Shield-fern	Woods. Occasional
<i>Polystichum lonchitis</i>	Holly-fern	Mountain rocks

Latin Name	Common Name	Notes
Ophioglossaceae <i>Botrychium lunaria</i>	Adder's-tongue Family Moonwort	Short turf. Widespread
Polypodiaceae <i>Polypodium vulgare</i>	Polypody Family Common Polypody	Occasional on rocks
Thelypteridaceae <i>Oreopteris limbosperma</i> <i>Phegopteris connectilis</i>	Marsh Fern Family Lemon-scented Fern Beech Fern	Green Alder scrub and woods Woods. Occasional
Woodsiaceae <i>Athyrium distentifolium</i> <i>Athyrium filix-femina</i> <i>Cystopteris alpina</i> <i>Cystopteris fragilis</i> <i>Cystopteris montana</i> <i>Woodsia alpina</i>	Lady-fern Family Alpine Lady-fern Lady-fern Alpine Bladder-fern Brittle Bladder-fern Mountain Bladder-fern Alpine Woodsia	Mountain woods. Above Murren Occasional Rare. Grutschalp, Eiger Frequent on rocks Local. Trummelbach Rare. Almendhubel
PINOPSIDA	CONIFERS	
Cupressaceae <i>Juniperus communis</i> subsp. <i>nana</i>	Juniper Family Common Juniper	Mountain pasture
Pinaceae <i>Abies alba</i> <i>Larix decidua</i> <i>Picea abies</i> <i>Pinus mugo</i> <i>Pinus sylvestris</i> <i>Pseudotsuga menziesii</i> ‡	Pine Family European Silver-fir Larch Norway Spruce Dwarf Mountain-pine Scots Pine Douglas Fir	Forests Occasional Forests Tree-line Widespread Forest below Wengen
MAGNOLIOPSIDA	FLOWERING PLANTS	
MAGNOLIIDAE	DICOTYLEDONS	
Aceraceae <i>Acer campestre</i> <i>Acer platanoides</i> <i>Acer pseudoplatanus</i>	Maple Family Field Maple Norway Maple Sycamore	Frequent Occasional Common
Adoxaceae <i>Adoxa moschatellina</i>	Moschatel Family Moschatel	Rare. Mannlichen
Apiaceae <i>Aegopodium podagraria</i> <i>Angelica sylvestris</i> <i>Astrantia major</i> <i>Astrantia minor</i> <i>Athamanta cretensis</i> <i>Bupleurum stellatum</i> <i>Chaerophyllum hirsutum</i> <i>Heracleum sphondylium</i> <i>Imperatoria ostruthium</i>	Carrot Family Ground Elder Wild Angelica Astrantia Lesser Astrantia Athamanta Starry Hare's-ear Hairy Chervil Hogweed Masterwort	Below Wengen Common in lowlands Meadows Locally common Rocky places and moraines Mountain rocks Woods Common Common

Latin Name	Common Name	Notes
<i>Laserpitium halleri</i>	Haller's Sermountain	Locally common
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Trummelbach
<i>Ligusticum mutellina</i>	Alpine Lovage	Mountain pasture
<i>Ligusticum mutellinoides</i>	Unbranched Lovage	High-mountain pasture
<i>Pimpinella major</i>	Greater Burnet-saxifrage	Common
<i>Pimpinella saxifraga</i>	Burnet-saxifrage	Meadows
<i>Sanicula europaea</i>	Sanicle	Lowland woods
Araliaceae		
<i>Hedera helix</i>	Ivy Family Ivy	Occasional
Asclepiadaceae		
<i>Vincetoxicum hirundinaria</i>	Milkweed Family Swallow-wort	Frequent
Asteraceae		
<i>Adenostyles alliariae</i>	Daisy Family Adenostyles	Green Alder scrub
<i>Adenostyles glabra</i>	Hairless Adenostyles	Scree. Oberberghorn
<i>Achillea atrata</i>	Dark-stemmed Sneezewort	Frequent on limestone
<i>Achillea erba-rotta</i> subsp. <i>moschata</i>	Musk Milfoil	Acidic mountain pasture
<i>Achillea millefolium</i>	Yarrow	Meadows
<i>Antennaria carpatica</i>	Carpathian Cat's-foot	Occasional. Mountain pasture
<i>Antennaria dioica</i>	Cat's-foot	Common
<i>Arnica montana</i>	Arnica	Common
<i>Aster alpinus</i>	Alpine Aster	Mountain rocks and turf
<i>Aster bellidiflorus</i>	False Aster	Common
<i>Bellis perennis</i>	Daisy	Frequent
<i>Carduus defloratus</i>	Alpine Thistle	Common
<i>Carlina acaulis</i>	Stemless Carlina Thistle	Mountain pasture
<i>Centaurea montana</i>	Mountain Cornflower	Meadows
<i>Centaurea scabiosa</i>	Greater Knapweed	Meadows
<i>Cicerbita alpina</i>	Alpine Blue-sowthistle	Forests and scrub
<i>Cirsium acaule</i>	Dwarf Thistle	Mountain pasture
<i>Cirsium oleraceum</i>	Cabbage Thistle	Common below Wengen
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Mountain pasture
<i>Crepis aurea</i>	Golden Hawk's-beard	Meadows
<i>Crepis paludosa</i>	Marsh Hawk's-beard	Wet meadows
<i>Doronicum grandiflorum</i>	Large-flowered Leopard's-bane	Scree
<i>Erigeron alpinus</i>	Alpine Fleabane	Mountain rocks. Local
<i>Erigeron annuus</i>	Annual Fleabane	Wilderswil
<i>Erigeron uniflorus</i>	One-flowered Fleabane	Mountain rocks. Local
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Lowland
<i>Gnaphthodium norvegicum</i>	Norwegian Cudweed	Occasional
<i>Gnaphthodium supinum</i>	Dwarf Cudweed	Snowbeds
<i>Hieracium angustifolium</i>	Glacier Hawkweed	Occasional
<i>Hieracium aurantiacum</i> †	Orange Hawkweed	Wengen
<i>Hieracium lactucella</i>	A Hawkweed	Common
<i>Hieracium murorum</i>	A Hawkweed	Occasional
<i>Hieracium pilosella</i>	Mouse-ear Hawkweed	Common
<i>Hieracium villosum</i>	Hairy Hawkweed	Mannlichen
<i>Homogyne alpina</i>	Alpine Colt's-foot	Mountain turf. Common
<i>Lapsana communis</i>	Nipplewort	Below Wengen
<i>Leontodon helveticus</i>	Swiss Hawkbit	Mountain turf. Common
<i>Leontodon hispidus</i>	Alpine Hawkbit	Acidic pasture

Latin Name	Common Name	Notes
<i>Leucanthemopsis alpina</i>	Alpine Moon Daisy	Acidic mountain turf
<i>Leucanthemum adustum</i>	Mountain Ox-eye	Mountain pasture
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Meadows
<i>Mycelis muralis</i>	Wall Lettuce	Walls
<i>Petasites albus</i>	White Butterbur	Mannlichen
<i>Petasites paradoxus</i>	Alpine Butterbur	Mountain pasture
<i>Prenanthes purpurea</i>	Purple Lettuce	Common. Forests
<i>Saussurea alpina</i>	Alpine Saw-wort	Mountain turf
<i>Senecio doricum</i>	Chamois Ragwort	Limestone rocks and scree
<i>Senecio ovatus</i>	Wood Ragwort	Forests
<i>Solidago virgaurea</i>	Goldenrod	Mountain pasture
<i>Taraxcum alpinum</i>	Alpine Dandelion	Scree
<i>Taraxacum officinale</i>	Dandelion	Widespread
<i>Tragopogon pratensis</i>	Goat's-beard	Meadows
<i>Tussilago farfara</i>	Colt's-foot	Damp places. Widespread
Balsaminaceae	Balsam Family	
<i>Impatiens parviflora</i> ‡	Small Balsam	Woods below Wengen
Betulaceae	Birch Family	
<i>Alnus glutinosa</i>	Common Alder	Valleys, by rivers
<i>Alnus incana</i>	Grey Alder	Valleys, by rivers
<i>Alnus viridis</i>	Green Alder	Wet mountain slopes
<i>Betula pendula</i>	Silver Birch	Widespread
<i>Betula pubescens</i>	Downy Birch	Frequent
Boraginaceae	Borage Family	
<i>Asperugo procumbens</i>	Madwort	Waste ground
<i>Cerinth minor</i>	Lesser Honeywort	Occasional. Wengen
<i>Echium vulgare</i>	Viper's Bugloss	Below Wengen
<i>Myosotis alpestris</i>	Alpine Forget-me-not	Common
Brassicaceae	Cabbage Family	
<i>Alliaria petiolata</i>	Garlic Mustard	Tracksides
<i>Arabis alpina</i> subsp. <i>alpina</i>	Alpine Rock-cress	Alpine rocks
<i>Arabis hirsuta</i>	Hairy Rock-cress	Limestone rocks
<i>Arabis soyeri</i> subsp. <i>subcoriacea</i>	Soyer's Rock-cress	Mountain rocks
<i>Barbarea vulgaris</i>	Winter-cress	Wet places, mostly lowland
<i>Biscutella laevigata</i>	Buckler Mustard	Mountain turf and moraine
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Widespread
<i>Cardamine alpina</i>	Alpine Bitter-cress	Mountain rocks
<i>Cardamine amara</i>	Large Bitter-cress	Streamsides
<i>Cardamine hirsuta</i>	Hairy Bitter-cress	Occasional
<i>Cardamine pentaphyllos</i>	Five-leaflet Bitter-cress	Uncommon. Damp forest
<i>Cardamine pratensis</i> subsp. <i>pratensis</i>	Lady's Smock	Wet places
<i>Cardamine resedifolia</i>	Mignonette-leaved Bitter-cress	Mountain rocks
<i>Draba aizoides</i>	Yellow Whitlowgrass	Moraines
<i>Draba dubia</i>	Austrian Whitlowgrass	Rocky places
<i>Draba tomentosa</i>	Wooly Whitlowgrass	Rocks. Almendhubel
<i>Hesperis matronalis</i> ‡	Dame's Violet	Garden escape
<i>Hugueninia tanacetifolia</i> ‡	Tansy-leaved Rocket	Alpine Garden
<i>Kernera saxatilis</i>	Rock Kernera	Rocks.
<i>Pritzelago alpina</i>	Chamois Cress	Mountain rocks and scree

Latin Name	Common Name	Notes
<i>Pseudoturritis turrita</i>	Tower Cress	Lowland rocks
<i>Sisymbrium austriacum</i>	Austrian Rocket	Waste places
<i>Thlaspi rotundifolium</i> subsp. <i>rotundifolium</i>	Round-leaved Penny-cress	Moraines and screes
Campanulaceae	Bellflower Family	
<i>Campanula barbata</i>	Bearded Bellflower	Mountain turf
<i>Campanula cochlearifolia</i>	Fairy's-thimble	Screes
<i>Campanula glomerata</i>	Clustered Bellflower	Occasional
<i>Campanula rhomboidalis</i>	Broad-leaved Bellflower	Common in meadows
<i>Campanula rotundifolia</i>	Harebell	Common
<i>Campanula scheuchzeri</i>	Scheuchzer's Bellflower	Mountain turf
<i>Campanula thyrsoides</i>	Yellow Bellflower	Schynige Platte
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Woods
<i>Phyteuma betonicifolium</i>	Betony-leaved Rampion	Acidic pasture
<i>Phyteuma hemisphaericum</i>	Globe-headed Rampion	Mountain Rocks
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadows. Frequent
<i>Phyteuma spicatum</i>	Spiked Rampion	Meadows. Frequent
Cannabaceae	Hop Family	
<i>Humulus lupulus</i>	Hop	Below Wengen
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Occasional. Forests
<i>Lonicera caerulea</i>	Blue-berried Honeysuckle	Green Alder scrub
<i>Lonicera nigra</i>	Black-berried Honeysuckle	Woods
<i>Lonicera xylostemum</i>	Fly Honeysuckle	Woods
<i>Sambucus ebulus</i>	Dwarf Elder	Lowland. Wilderswil
<i>Sambucus nigra</i>	Common Elder	Woods
<i>Sambucus racemosa</i>	Alpine Elder	Occasional. Rocky places
<i>Viburnum lantana</i>	Wayfaring-tree	Woods below Wengen
<i>Viburnum opulus</i>	Guelder-rose	Woods below Wengen
Caryophyllaceae	Pink Family	
<i>Arenaria ciliata</i>	Ciliate-leaved Sandwort	Screes
<i>Cerastium arvense</i>	Field Mouse-ear	Frequent
<i>Cerastium cerastoides</i>	Starwort Mouse-ear	Rocks and pasture
<i>Cerastium fontanum</i>	Common Mouse-ear	Common
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	Waste places
<i>Cerastium latifolium</i>	Broad-leaved Mouse-ear	Moraines and screes
<i>Dianthus barbatus</i> †	Sweet-William	Garden escape
<i>Dianthus superbus</i> †	Large Pink	Below Almend
<i>Dianthus sylvestris</i>	Wood Pink	Rocks. Local
<i>Gypsophila repens</i>	Alpine Gypsophila	Frequent
<i>Minuartia sedoides</i>	Mossy Cyphel	Alpine turf
<i>Minuartia verna</i>	Vernal Sandwort	Rocky places
<i>Moehringia ciliata</i>	Creeping Sandwort	Screes
<i>Moehringia muscosa</i>	Mossy Sandwort	Shady places. Local
<i>Sagina procumbens</i>	Procumbent Pearlwort	Common
<i>Sagina saginoides</i>	Alpine Pearlwort	Alpine turf and screes
<i>Saponaria ocymoides</i>	Rock Soapwort	Cliffs below Wengen
<i>Silene acaulis</i>	Moss Campion	Mountain turf
<i>Silene dioica</i>	Red Campion	Frequent. Meadows
<i>Silene exscapa</i>	Stemless Moss Campion	Mountain turf

Latin Name	Common Name	Notes
<i>Silene flos-cuculi</i>	Ragged-Robin	Wet flushes
<i>Silene nutans</i>	Nottingham Catchfly	Occasional. Rocks
<i>Silene pratensis</i>	White Campion	Occasional. Tracksides
<i>Silene rupestris</i>	Rock Campion	Common on rocks
<i>Silene vulgaris</i>	Bladder Campion	Occasional. Meadows
<i>Stellaria graminea</i>	Lesser Stitchwort	Occasional
<i>Stellaria holostea</i>	Greater Stichwort	Occasional
<i>Stellaria media</i>	Common Chickweed	Occasional
<i>Stellaria nemorum</i>	Wood Stitchwort	Woods
Chenopodiaceae	Goosefoot Family	
<i>Chenopodium album</i>	Fat-hen	Occasional weed
<i>Chenopodium bonus-henricus</i>	Good-King-Henry	Frequent weed
Cistaceae	Rockrose Family	
<i>Helianthemum nummularium</i> subsp. <i>grandiflorum</i>	Large-flowered Common Rockrose	Common
<i>Helianthemum oelandicum</i> subsp. <i>alpestre</i>	Alpine Rockrose	Frequent
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Woods
Corylaceae	Hazel Family	
<i>Corylus avellana</i>	Hazel	Woods
Crassulaceae	Stonecrop Family	
<i>Rhodiola rosea</i> ‡	Roseroot	Alpine Garden
<i>Sedum acre</i>	Biting Stonecrop	Occasional
<i>Sedum album</i>	White Stonecrop	Walls. Wengen
<i>Sedum alpestre</i>	Alpine Stonecrop	Mountain rocks
<i>Sedum annuum</i>	Annual Stonecrop	Mountain rocks
<i>Sedum atratum</i>	Dark Stonecrop	Mountain rocks
<i>Sedum dasyphyllum</i>	Thick-leaved Stonecrop	Walls and rocks
<i>Sedum hispanicum</i> ‡	Spanish Stonecrop	Naturalised. Wengen
<i>Sedum spurium</i> ‡	Caucasian Stonecrop	Wengen
<i>Sedum rubens</i>	Reddish Stonecrop	Rocks
<i>Sedum sexangulare</i> ‡	Tasteless Stonecrop	Walls. Wengen
<i>Sempervivum montanum</i>	Mountain Houseleek	Common on rocks
<i>Sempervivum tectorum</i>	Common Houseleek	Frequent on rocks
Cuscutaceae	Dodder Family	
<i>Cuscuta epithymum</i>	Common Dodder	Frequent
Dipsacaceae	Teasel Family	
<i>Knautia arvensis</i>	Field Scabious	Common
<i>Knautia dipsacifolia</i>	Wood Scabious	Common
<i>Scabiosa columbaria</i>	Small Scabious	Common in lowlands
<i>Scabiosa lucida</i>	Shining Scabious	Meadows
<i>Succisa pratensis</i>	Devil's-bit Scabious	Damp meadows
Empetraceae	Crowberry Family	
<i>Empetrum nigrum</i> subsp. <i>hermaphroditum</i>	Hermaphrodite Crowberry	Acidic heaths

Latin Name	Common Name	Notes
Ericaceae		
Heather Family		
<i>Arctostaphylos alpinus</i>	Alpine Bearberry	Occasional. Mountain turf
<i>Arctostaphylos uva-ursi</i>	Bearberry	Acidic heaths
<i>Calluna vulgaris</i>	Ling	Frequent
<i>Erica carnea</i>	Spring Heath	Frequent on limestone
<i>Kalmia procumbens</i>	Trailing Azalea	Acidic heaths
<i>Rhododendron ferrugineum</i>	Alpenrose	Common
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	Common on limestone
<i>Vaccinium myrtillus</i>	Bilberry	Common
<i>Vaccinium uliginosum</i> agg.	Bog Whortleberry	Common
<i>Vaccinium vitis-idaea</i>	Cowberry	Common
Euphorbiaceae		
Spurge Family		
<i>Euphorbia cyparissias</i>	Cypress Spurge	Frequent on limestone
<i>Mercurialis perennis</i>	Dog's Mercury	Woods
Fabaceae		
Pea Family		
<i>Anthyllis vulneraria</i> subsp. <i>alpestris</i>	Alpine Kidney Vetch	Mountain pasture
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Mountain turf
<i>Astragalus australis</i>	Southern Milk-vetch	Mountain turf
<i>Astragalus frigidus</i>	Pallid Milk-vetch	Limestone cliffs
<i>Astragalus penduliflorus</i>	Mountain Lentil	Limestone cliffs
<i>Coronilla emerus</i>	False Senna	Occasional
<i>Coronilla vaginalis</i>	Small Scorpion-vetch	Cliffs below Wengen
<i>Hedysarum hedysaroides</i>	Alpine Sainfoin	Mountain pasture
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Common
<i>Lathyrus aphaca</i>	Yellow Vetchling	Meadows
<i>Lathyrus laevigatus</i> subsp. <i>occidentalis</i>	Yellow Pea	Green Alder scrub. Grutschalp
<i>Lathyrus pratensis</i>	Meadow Vetchling	Meadows
<i>Lotus alpinus</i>	Alpine Bird's-foot-trefoil	Mountain turf
<i>Lotus corniculatus</i>	Bird's-foot-trefoil	Meadows
<i>Medicago lupulina</i>	Black Medick	Common
<i>Medicago sativa</i> †	Lucerne	Occasional weed
<i>Melilotus albus</i>	White Melilot	Lowland
<i>Melilotus indicus</i>	Small Melilot	Lowland
<i>Onobrychis arenaria</i>	Small Sainfoin	Occasional
<i>Onobrychis montana</i>	Mountain Sainfoin	Mountain pasture
<i>Onobrychis viciifolia</i>	Sainfoin	Occasional
<i>Ononis repens</i>	Common Restharrow	Below Wengen
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Locally common
<i>Oxytropis jacquinii</i>	Mountain Milk-vetch	Moraines. Local
<i>Oxytropis lapponica</i>	Northern Milk-vetch	Moraines. local
<i>Robinia pseudoacacia</i> †	False Acacia	Lowlands
<i>Securigera varia</i>	Crown Vetch	Wilderswil
<i>Trifolium alpinum</i>	Alpine Clover	Common
<i>Trifolium badium</i>	Brown Clover	Mountain meadows
<i>Trifolium montanum</i>	Mountain Clover	Mountain pasture
<i>Trifolium pratense</i>	Red Clover	Meadows
<i>Trifolium repens</i>	White Clover	Frequent
<i>Trifolium thalii</i>	Thal's Clover	Mountain turf and scree
<i>Vicia cracca</i>	Tufted Vetch	Frequent
<i>Vicia sepium</i>	Bush Vetch	Occasional
<i>Vicia sylvatica</i>	Wood Vetch	Woods

Latin Name	Common Name	Notes
Fagaceae		
<i>Castanea sativa</i> †	Beech Family	
<i>Fagus sylvatica</i>	Sweet Chestnut	Occasional
<i>Quercus petraea</i>	Beech	Valley forest
<i>Quercus robur</i>	Sessile Oak	Frequent. Woods
	Pedunculate Oak	Occasional
Gentianaceae		
<i>Gentiana acaulis</i>	Gentian Family	
<i>Gentiana asclepiadea</i>	Trumpet Gentian	Mountain pasture
<i>Gentiana bavarica</i>	Willow Gentian	Woods on limestone
<i>Gentiana brachyphylla</i>	Bavarian Gentian	Marshes
<i>Gentiana clusii</i>	Short-leaved Gentian	Alpine turf
<i>Gentiana lutea</i>	Clusius' Gentian	Limestone pasture
<i>Gentiana nivalis</i>	Great Yellow Gentian	Mountain pasture
<i>Gentiana purpurea</i>	Snow Gentian	Occasional. Mountain pasture
<i>Gentiana verna</i>	Purple Gentian	Green Alder scrub and pasture
	Spring Gentian	Mountain pasture
Geraniaceae		
<i>Geranium pyrenaicum</i>	Crane's-bill Family	
<i>Geranium robertianum</i>	Pyrenean Crane's-bill	Common
<i>Geranium sylvaticum</i>	Herb Robert	Common
	Wood Crane's-bill	Common
Globulariaceae		
<i>Globularia cordifolia</i>	Globularia Family	
<i>Globularia nudicaulis</i>	Matted Globularia	Frequent
	Leafless-stemmed Globularia	Frequent
Hypericaceae		
<i>Hypericum maculatum</i>	St John's-wort Family	
	Imperforate St John's-wort	Frequent
Juglandaceae		
<i>Juglans regia</i> †	Walnut Family	
	Walnut	Occasional
Lamiaceae		
<i>Ajuga pyramidalis</i>	Dead-nettle Family	
<i>Ajuga reptans</i>	Pyramidal Bugle	Locally common
<i>Betonica officinalis</i>	Common Bugle	Common
<i>Clinopodium alpinum</i>	Betony	Meadows
<i>Clinopodium vulgare</i>	Alpine Calamint	Occasional. Rocky banks
<i>Galeopsis tetrahit</i>	Wild Basil	Frequent
<i>Glechoma hederacea</i>	Common Hemp-nettle	Occasional
<i>Lamium maculatum</i>	Ground-ivy	Woods
<i>Lamium purpureum</i>	Yellow Archangel	Woods
<i>Origanum vulgare</i>	Spotted Dead-nettle	Occasional
<i>Prunella grandiflora</i>	Red Dead-nettle	Occasional
<i>Prunella vulgaris</i>	Marjoram	Occasional. Meadows
<i>Salvia glutinosa</i>	Large-flowered Self-heal	Meadows. Trummelbach
<i>Salvia pratensis</i>	Self-heal	Common
<i>Stachys alpina</i>	Sticky Clary	Forest. Wilderwil
<i>Stachys sylvatica</i>	Meadow Clary	Meadows. Trummelbach
<i>Teucrium chamaedrys</i>	Alpine Woundwort	Below Wengen
<i>Teucrium montanum</i>	Hedge Woundwort	Woods
<i>Teucrium scorodonia</i>	Wall Germander	Below Wengen
	Mountain Germander	Trummelbach
	Wood Sage	Woods

Latin Name	Common Name	Notes
<i>Thymus polytrichus</i>	Wild Thyme	Common
<i>Thymus pulegioides</i>	Large Thyme	Meadows
Lentibulariaceae	Butterwort Family	
<i>Pinguicula alpina</i>	Alpine Butterwort	Mountain rocks and turf
<i>Pinguicula vulgaris</i>	Common Butterwort	Wet turf
Linaceae	Flax Family	
<i>Linum alpinum</i>	Alpine Flax	Wengernalp
<i>Linum catharticum</i>	Fairy Flax	Common
Monotropaceae	Bird's-nest Family	
<i>Monotropa hypopitys</i>	Yellow Bird's-nest	Rare. Forests
Oleaceae	Ash Family	
<i>Fraxinus excelsior</i>	Ash	Lowland
<i>Ligustrum vulgare</i>	Wild Privet	Lowland
Onagraceae	Willowherb Family	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	Occasional
<i>Epilobium alpestre</i>	Whorled-leaved Willowherb	Frequent
<i>Epilobium alsinifolium</i>	Chickweed Willowherb	Frequent
<i>Epilobium anagallidifolium</i>	Pimpernel-leaved Willowherb	Frequent
<i>Epilobium fleischeri</i>	Fleischer's Willowherb	River gravels. Zweilutschinen
<i>Epilobium hirsutum</i>	Great Willowherb	Lowlands
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Occasional
Orobanchaceae	Broomrape Family	
<i>Orobanche alba</i>	Thyme Broomrape	Occasional
<i>Orobanche caryophyllacea</i>	Clove-scented Broomrape	Occasional
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Shaded rocks
Papaveraceae	Poppy Family	
<i>Meconopsis cambrica</i> †	Welsh Poppy	Occasional
<i>Papaver rhoeas</i>	Common Poppy	Occasional. Lowland
Parnassiaceae	Grass-of-Parnassus Family	
<i>Parnassia palustris</i>	Grass-of-Parnassus	Damp flushes
Plantaginaceae	Plantain Family	
<i>Plantago alpina</i>	Alpine Plantain	Mountain turf
<i>Plantago atrata</i>	Dark Plantain	Mountain turf
<i>Plantago major</i>	Greater Plantain	Occasional
<i>Plantago maritima</i> subsp. <i>serpentina</i>	Fleshy Plantain	Frequent
<i>Plantago media</i>	Hoary Plantain	Occasional
<i>Plantago lanceolata</i>	Ribwort Plantain	Occasional
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Common
<i>Polygala alpina</i>	Alpine Milkwort	Mountain turf
<i>Polygala chamaebuxus</i>	Shrubby Milkwort	Frequent on rocks

Latin Name	Common Name	Notes
<i>Polygala vulgaris</i>	Common Milkwort	Frequent
Polygonaceae	Dock Family	
<i>Fallopia japonica</i> ‡	Japanese Knotweed	Lowland
<i>Oxyria digyna</i>	Mountain Sorrel	Mountain rocks and scree
<i>Persicaria bistorta</i>	Common Bistort	Damp pasture
<i>Persicaria vivipara</i>	Alpine Bistort	Common. Mountain turf
<i>Rumex acetosa</i>	Common Sorrel	Widespread
<i>Rumex acetosella</i>	Sheep's Sorrel	Acidic pasture
<i>Rumex alpestris</i>	Mountain Dock	Mountain pasture
<i>Rumex alpinus</i>	Monk's-rhubarb	Disturbed mountain pasture
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Occasional
<i>Rumex scutatus</i>	French Sorrel	Rocks and scree
Primulaceae	Primrose Family	
<i>Androsace chamaejasme</i>	Ciliate Rock-jasmine	Frequent
<i>Androsace helvetica</i>	Swiss Rock-jasmine	Alpine cliffs
<i>Androsace obtusifolia</i>	Blunt-leaved Rock-jasmine	Acidic turf
<i>Androsace pubescens</i>	Hairy Rock-jasmine	Rare. Mountain rocks
<i>Lysimachia nemorum</i>	Yellow Pimpernel	Damp woods
<i>Primula auricula</i>	Auricula	Mountain rocks and turf
<i>Primula elatior</i>	Oxlip	Snowbeds
<i>Primula farinosa</i>	Bird's-eye Primrose	Mountain turf
<i>Primula hirsuta</i>	Hairy Primrose	Acidic rocks
<i>Primula x pubescens</i> (<i>P. auricula</i> x <i>P. hirsuta</i>)	A hybrid Primrose	Eiger
<i>Primula veris</i>	Cowslip	Below Wengen
<i>Soldanella alpina</i>	Alpine Snowbell	Common
<i>Soldanella pusilla</i>	Dwarf Snowbell	Very rare in snowbed. Tschuggen
Pyrolaceae	Wintergreen Family	
<i>Moneses uniflora</i>	One-flowered Wintergreen	Forest
<i>Orthilia secunda</i>	Serrated Wintergreen	Forest
<i>Pyrola minor</i>	Lesser Wintergreen	Forest
Ranunculaceae	Buttercup Family	
<i>Aconitum lycotonum</i> subsp. <i>vulparia</i>	Wolf's-bane	Frequent. Forest
<i>Aconitum napellus</i> agg.	Monk's-hood	Damp meadows
<i>Aconitum variegatum</i> subsp. <i>paniculatum</i>	Variiegated Monk's-hood	Damp meadows
<i>Actaea spicata</i>	Baneberry	Woods
<i>Anemone narcissiflora</i>	Narcissus-flowered Anemone	Mountain pasture
<i>Anemone nemorosa</i>	Wood Anemone	Woods
<i>Aquilegia alpina</i>	Alpine Columbine	Rare. Biglenalp, Eiger
<i>Aquilegia atrata</i>	Dark Columbine	Forest and meadows
<i>Caltha palustris</i>	Marsh-marigold	Flushes and streamsides
<i>Clematis alpina</i> ‡	Alpine Clematis	Alpine Garden
<i>Clematis vitalba</i>	Old Man's Beard	Common. Lowland
<i>Delphinium elatum</i>	Alpine Larkspur	Occasional
<i>Hepatica nobilis</i>	Liverleaf	Woodland
<i>Pulsatilla alpina</i> subsp. <i>alpina</i>	Alpine Pasqueflower	Frequent on limestone
<i>Pulsatilla alpina</i> subsp. <i>apiifolia</i>	Alpine Pasqueflower	Frequent on acidic soils
<i>Pulsatilla vernalis</i>	Spring Pasqueflower	Locally common
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Locally common
<i>Ranunculus acris</i>	Meadow Buttercup	Common

Latin Name	Common Name	Notes
<i>Ranunculus alpestris</i>	Alpine Buttercup	Snowbeds. Common
<i>Ranunculus glacialis</i>	Glacier Crowfoot	Alpine screes. Eiger
<i>Ranunculus kuepferi</i>	Kupfer's Buttercup	Locally common
<i>Ranunculus montanus</i>	Mountain Buttercup	Mountain pasture
<i>Ranunculus parnassifolius</i> ‡	Parnassus-leaved Buttercup	Alpine Garden
<i>Ranunculus repens</i>	Creeping Buttercup	Occasional. Meadows
<i>Thalictrum alpinum</i>	Alpine Meadow-rue	Uncommon. Alpine turf
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Mountain meadows
<i>Thalictrum foetidum</i>	Stinking Meadow-rue	Trummelbach
<i>Trollius europaeus</i>	Globeflower	Common
Rhamnaceae	Buckthorn Family	
<i>Rhamnus alpinus</i>	Alpine Buchthorn	Rocky places
<i>Rhamnus pumilus</i>	Dwarf Buckthorn	Limestone rocks. Oberberghorn
Rosaceae	Rose Family	
<i>Agrimonia eupatoria</i>	Agrimony	Occasional. Lowland
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Common
<i>Alchemilla conjuncta</i>	Silver Lady's-mantle	Frequent
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Frequent
<i>Alchemilla pentaphyllea</i>	Cut-leaved Lady's-mantle	Snowbeds
<i>Alchemilla vulgaris</i> agg.	Lady's-mantle	Frequent
<i>Alchemilla xanthochlora</i>	Pale Lady's-mantle	Frequent
<i>Aruncus dioicus</i>	Goat's-beard Spiraea	Woods. Below Wengen
<i>Cotoneaster integerrima</i>	Wild Cotoneaster	Mountain rocks. Oberberghorn
<i>Crataegus monogyna</i>	Hawthorn	Woods
<i>Dryas octopetala</i>	Mountain Avens	Mountain rocks and scree
<i>Filipendula ulmaria</i>	Meadowsweet	Lowland meadows
<i>Fragaria vesca</i>	Wild Strawberry	Woods and pasture
<i>Geum montanum</i>	Alpine Avens	Mountain turf
<i>Geum rivale</i>	Water Avens	Occasional. Wet pasture
<i>Geum urbanum</i>	Herb Bennet	Woods
<i>Potentilla aurea</i>	Golden Cinquefoil	Occasional. Mountain turf
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Common. Mountain turf
<i>Potentilla erecta</i>	Tormentil	Acidic turf
<i>Potentilla sterilis</i>	Barren Strawberry	Frequent
<i>Poterium sanguisorba</i>	Salad Burnet	Widespread
<i>Prunus avium</i>	Wild Cherry	Woods
<i>Rosa canina</i>	Dog-rose	Below Wengen
<i>Rosa glauca</i>	Blue-leaved Rose	Occasional
<i>Rosa micrantha</i>	Small-flowered Sweet-briar	Occasional
<i>Rosa pendulina</i>	Alpine Rose	Frequent. Mountains
<i>Rosa rubiginosa</i>	Sweet-briar	Below Wengen
<i>Rubus idaeus</i>	Raspberry	Woods
<i>Rubus saxatilis</i>	Stone Bramble	Occasional. Rocky places
<i>Sibbaldia procumbens</i>	Sibbaldia	Snowbeds
<i>Sorbus aria</i>	Whitebeam	Occasional. Woods
<i>Sorbus aucuparia</i>	Rowan	Woods
<i>Sorbus chamaemespilus</i>	False-medlar	Mountain pasture
<i>Sorbus mougeotii</i>	Mougeot's Whitebeam	Woods
Rubiaceae	Madder Family	
<i>Asperula cynanchica</i>	Squinancywort	Occasional

Latin Name	Common Name	Notes
<i>Cruciata laevipes</i>	Crosswort	Meadows
<i>Galium anisophyllum</i>	Dwarf Bedstraw	Frequent
<i>G. megalospermum</i>	Swiss Bedstraw	Moraines
<i>G. mollugo</i>	Hedge Bedstraw	Meadows
<i>Galium odoratum</i>	Woodruff	Woods
<i>Galium pumilum</i>	Slender Bedstraw	Frequent
<i>Galium verum</i>	Lady's Bedstraw	Meadows
Salicaceae	Willow Family	
<i>Populus alba</i>	White Poplar	Lowland
<i>Populus tremula</i>	Aspen	Occasional
<i>Salix aurita</i>	Eared Willow	Widespread
<i>Salix breviserrata</i>	Finely-toothed Willow	Occasional
<i>Salix caprea</i>	Goat Willow	Lowland
<i>Salix elaeagnos</i>	Olive Willow	Lowland. By rivers
<i>Salix foetida</i>	Stinking Willow	Locally common
<i>Salix hastata</i>	Large-stipuled Willow	Local. Lauberhorn
<i>Salix glaucosericea</i>	Silky Willow	Local. Lauberhorn
<i>Salix hegetschweileri</i>	Alpine Willow	Mountain turf
<i>Salix helvetica</i> ‡	Swiss Willow	Garden. Murren
<i>Salix herbacea</i>	Least Willow	Mountain turf
<i>Salix laggeri</i>	Lagger's Willow	Local. Lauberhorn
<i>Salix reticulata</i>	Net-leaved Willow	Alpine rocks and turf
<i>Salix retusa</i>	Retuse-leaved Willow	Alpine rocks and turf
<i>Salix serpyllifolia</i>	Thyme-leaved Willow	Alpine rocks and turf
<i>Salix viminalis</i>	Osier	Lowland. Riversides
Santalaceae	Bastard-toadflax Family	
<i>Thesium alpinum</i>	Alpine Bastard-toadflax	Occasional. Pasture
Saxifragaceae	Saxifrage Family	
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden-saxifrage	Occasional
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Wet turf and scree
<i>Saxifraga androsacea</i>	Scree Saxifrage	Damp scree and snowbeds
<i>Saxifraga bryoides</i>	Mossy Saxifrage	Acidic rocks
<i>Saxifraga caesia</i>	Blue Saxifrage	Limestone rocks and scree
<i>Saxifraga exarata</i> subsp. <i>moschata</i>	Musky Saxifrage	Mountain rocks
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Rocks, moraine and scree
<i>Saxifraga paniculata</i>	Livelong Saxifrage	Rocks
<i>Saxifraga rotundifolia</i>	Round-leaved Saxifrage	Damp shaded rocks
<i>Saxifraga stellaris</i>	Starry Saxifrage	Acidic flushes
Scrophulariaceae	Figwort Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Mountain turf
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Occasional on walls
<i>Digitalis grandiflora</i>	Large Yellow Foxglove	Local. Forest
<i>Digitalis lutea</i>	Small Yellow Foxglove	Local. Forest
<i>Erinus alpinus</i>	Fairy Foxglove	Frequent
<i>Euphrasia officinalis</i> subsp. <i>pratensis</i>	Rostkov's Eyebright	Valley meadows
<i>Linaria alpina</i>	Alpine Toadflax	Moraine and scree
<i>Melampyrum pratense</i>	Common Cow-wheat	Woods
<i>Melampyrum sylvaticum</i>	Small Cow-wheat	Forest

Latin Name	Common Name	Notes
<i>Pedicularis foliosa</i>	Leafy Lousewort	Local. Limestone pasture
<i>Pedicularis kernerii</i>	Kerner's Lousewort	Alpine turf
<i>Pedicularis oederi</i>	Crimson-tipped Lousewort	Alpine turf
<i>Pedicularis recutita</i>	Beakless Red Lousewort	Local. Mountain turf
<i>Pedicularis tuberosa</i>	Long-beaked Yellow Lousewort	Acidic turf
<i>Pedicularis verticillata</i>	Whorled Lousewort	Mountain turf
<i>Rhinanthus alectorolophus</i>	Greater Yellow-rattle	Common. Meadows
<i>Rhinanthus minor</i>	Yellow-rattle	Uncommon. Pasture
<i>Verbascum nigrum</i>	Dark Mullein	Lowland
<i>Veronica alpina</i>	Alpine Speedwell	Stony mountain pasture
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Stony mountain pasture
<i>Veronica beccabunga</i>	Brooklime	Wet places
<i>Veronica bellidioides</i>	Violet Speedwell	Acidic pasture
<i>Veronica chamaedrys</i>	Germander Speedwell	Below Wengen
<i>Veronica fruticans</i>	Rock Speedwell	Mountain rocks
<i>Veronica fruticososa</i>	A Rock Speedwell	Oberberghorn
<i>Veronica officinalis</i>	Heath Speedwell	Woods
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Frequent
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Woods
Solanaceae	Nightshade Family	
<i>Atropa bella-donna</i>	Deadly Nightshade	Forest. Wilderwil
Thymelaeaceae	Mezereon Family	
<i>Daphne mezereum</i>	Mezereon	Local. Mountain pasture
Tiliaceae	Lime Family	
<i>Tilia cordata</i>	Small-leaved Lime	Lowland
<i>Tilia platyphyllos</i>	Large-leaved Lime	Lowland
Ulmaceae	Elm Family	
<i>Ulmus glabra</i>	Wych Elm	Valley woods
Urticaceae	Nettle Family	
<i>Urtica dioica</i>	Common Nettle	Widespread
Valerianaceae	Valerian Family	
<i>Valeriana dioica</i>	Marsh Valerian	Wet pasture
<i>Valeriana officinalis</i>	Common Valerian	Damp meadows
<i>Valeriana tripteris</i>	Three-leaved Valerian	Woods
Violaceae	Violet Family	
<i>Viola biflora</i>	Yellow Wood Violet	Common
<i>Viola calcarata</i>	Long-spurred Pansy	Locally common
<i>Viola cenisia</i>	Mt Cenis Pansy	Moraine and scree
<i>Viola lutea</i>	Mountain Pansy	Locally common
<i>Viola palustris</i>	Marsh Violet	Common
<i>Viola riviniana</i>	Common Dog-violet	Common
LILIIDAE	MONOCOTYLEDONS	
Amaryllidaceae	Daffodil Family	
<i>Allium schoenoprasum</i>	Chives	Occasional. Mountains

Latin Name	Common Name	Notes
<i>Allium senescens</i>	Mountain Onion	Mannlichen
<i>Allium victorialis</i>	Alpine Leek	Uncommon. Mountain pasture
Asparagaceae	Asparagus Family	
<i>Anthericum ramosum</i>	Branched St Bernard's Lily	Trummelbach
<i>Convallaria majalis</i>	Lily-of-the-Valley	Limestone cliffs and scree
<i>Maianthemum bifolium</i>	May Lily	Mountain woods
<i>Paradisea liliastrum</i>	St Bruno's Lily	Local. Mountain pasture
<i>Polygonatum multiflorum</i>	Solomon's-seal	Lowland woods
<i>Polygonatum odoratum</i>	Angular Solomon's-seal	Limestone cliffs and scree
<i>Polygonatum verticillatum</i>	Whorled Solomon's-seal	Occasional. Forests
Colchicaceae	Meadow Saffron Family	
<i>Colchicum autumnale</i>	Meadow Saffron	Meadows below Wengen
Cyperaceae	Sedge Family	
<i>Carex atrata</i>	Black Alpine Sedge	Wet mountain pasture
<i>Carex canescens</i>	White Sedge	Wet mountain pasture
<i>Carex capillaris</i>	Hair Sedge	Wet mountain pasture
<i>Carex caryophyllea</i>	Spring Sedge	Dry pasture
<i>Carex curvula</i>	An alpine Sedge	Dominant. Mountain turf
<i>Carex davalliana</i>	Davall's Sedge	Wet calcareous turf
<i>Carex echinata</i>	Star Sedge	Frequent
<i>Carex ferruginea</i>	Rusty Sedge	Dominant. Limestone turf
<i>Carex flacca</i>	Glaucous Sedge	Common
<i>Carex flava</i>	Yellow Sedge	Marshes
<i>Caex nigra</i>	Black Sedge	Common
<i>Carex panicea</i>	Carnation Sedge	Common
<i>Carex rostrata</i>	Bottle Sedge	Pond margins
<i>Carex sempervirens</i>	Evergreen Sedge	Mountain grassland on limestone
<i>Eriophorum angustifolium</i>	Common Cottongrass	Wet flushes and bogs
<i>Eriophorum scheuchzeri</i>	Scheuchzer's Cottongrass	Occasional. Bogs
Iridaceae	Iris Family	
<i>Crocus vernus</i> subsp. <i>albiflorus</i>	Spring Crocus	Common
Juncaceae	Rush Family	
<i>Juncus alpinoarticulatus</i>	Alpine Rush	Wet mountain pasture
<i>Juncus jacquinii</i>	Jacquin's Rush	Wet mountain pasture
<i>Juncus trifidus</i>	Three-leaved Rush	Acidic mountain turf
<i>Juncus triglumis</i>	Three-flowered Rush	Acidic mountain turf
<i>Luzula alpinopilosa</i>	Alpine Wood-rush	Mountain turf
<i>Luzula lutea</i>	Yellow Wood-rush	Mountain turf
<i>Luzula multiflora</i>	Heath Wood-rush	Mountain turf
<i>Luzula spicata</i>	Spiked Wood-rush	Mountain turf
<i>Luzula sylvatica</i>	Great Wood-rush	Woods
Liliaceae	Lily Family	
<i>Gagea fistulosa</i>	A Yellow Star-of-Bethlehem	Uncommon. Mountain turf
<i>Gagea serotina</i>	Snowdon Lily	Mountain turf
<i>Lilium martagon</i>	Martagon Lily	Woods
<i>Streptopus amplexifolius</i>	Streptopus	Occasional. Forests

Latin Name	Common Name	Notes
Melanthiaceae		
<i>Paris quadrifolia</i>	Herb-Paris	Local. Woods
<i>Veratrum album</i>	White False-helleborine	Mountain pasture
Orchidaceae		
Orchid Family		
<i>Cephalantha longifolia</i>	Narrow-leaved Helleborine	Frequent. Woods
<i>Cephalanthera rubra</i>	Red Helleborine	Local
<i>Chamorchis alpina</i>	Dwarf Orchid	Local
<i>Coeloglossum viride</i>	Frog Orchid	Frequent
<i>Corallorhiza trifida</i>	Coralroot Orchid	Local. Forests
<i>Cypripedium calceolus</i>	Lady's-slipper	Local
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	Damp base-rich soils
<i>Dactylorhiza maculata</i>	Heath Spotted-orchid	Acidic soils
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh-orchid	Common
<i>Epipactis atrorubens</i>	Dark-red Helleborine	Frequent. Forests
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Frequent. Forests
<i>Gymnadenia conopsea</i>	Fragrant-orchid	Common
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant-orchid	Local
<i>Gymnadenia rhellicani</i>	Vanilla Orchid	Locally common
<i>Gymnadenia x suaveolens</i> (<i>G.conopsea</i> x <i>G.rhellicani</i>)	A hybrid orchid	Local
<i>Neottia cordata</i>	Lesser Twayblade	Locally common
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Frequent. Forests
<i>Neottia ovata</i>	Twayblade	Locally common
<i>Ophrys insectifera</i>	Fly Orchid	Rare. Trummelbach
<i>Orchis mascula</i>	Early-purple Orchid	Common
<i>Pseudorchis albida</i>	Small-white Orchid	Common. Mountain turf
<i>Traunsteinera globosa</i>	Round-headed Orchid	Local
Poaceae		
Grass Family		
<i>Agropyron repens</i>	Common Couch	Occasional
<i>Agrostis capillaris</i>	Common Bent	Common
<i>Anthoxanthum alpinum</i>	Alpine Vernal-grass	Frequent. Mountain turf
<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	Common
<i>Arrhenatherum elatius</i>	False Oat-grass	Common
<i>Brachypodium sylvaticum</i>	False Brome	Woods
<i>Briza media</i>	Quaking-grass	Locally common
<i>Bromus hordeaceus</i>	Soft Brome	Frequent
<i>Bromus sterilis</i>	Barren Brome	Frequent
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Common
<i>Dactylis glomerata</i>	Cock's-foot	Common
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	Wet mountain pasture
<i>Deschampsia flexuosa</i>	Wavy Hair-grass	Acidic mountain turf
<i>Festuca ovina</i>	Sheep's-fescue	Common
<i>Festuca rubra</i>	Red Fescue	Common
<i>Festuca violacea</i>	Violet Fescue	Mountain turf
<i>Holcus lanatus</i>	Yorkshire-fog	Locally common
<i>Holcus mollis</i>	Creeping Soft-grass	Locally common
<i>Koeleria macrantha</i>	Crested Hair-grass	Frequent
<i>Lolium perenne</i>	Perennial Rye-grass	Frequent
<i>Melica uniflora</i>	Wood Melick	Woods
<i>Nardus stricta</i>	Mat-grass	Common
<i>Phleum alpinum</i>	Alpine Timothy	Frequent. Mountain pasture

Latin Name	Common Name	Notes
<i>Phleum pratense</i>	Timothy	Common
<i>Poa alpina</i>	Alpine Meadow-grass	Common
<i>Poa annua</i>	Annual Meadow-grass	Common on trackways
<i>Poa pratensis</i>	Smooth Meadow-grass	Common. Meadows
<i>Poa nemoralis</i>	Wood Meadow-grass	Frequent
<i>Poa supina</i>	Creeping Meadow-grass	Frequent
<i>Poa trivialis</i>	Rough Meadow-grass	Frequent
<i>Schedonorus pratensis</i>	Meadow Fescue	Common
<i>Sesleria caerulea</i>	Blue Moor-grass	Common. Limestone pasture
Tofieldiaceae	Scottish Asphodel Family	
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Common

Birds (✓=recorded but not counted; H = heard only)

	Common name	Latin name	June								
			21	22	23	24	25	26	27	28	
1	Mallard	<i>Anas platyrhynchos</i>							✓		✓
2	Little Grebe	<i>Tachybaptus ruficollis</i>									✓
3	Great Crested Grebe	<i>Podiceps cristatus</i>	✓								✓
4	Red Kite	<i>Milvus milvus</i>	✓	✓	✓						
5	Black Kite	<i>Milvus migrans</i>	✓		✓						✓
6	Common Buzzard	<i>Buteo buteo</i>			✓				✓		✓
7	Golden Eagle	<i>Aquila chrysaetos</i>		✓							
8	Common Kestrel	<i>Falco tinnunculus</i>		✓						✓	✓
9	Eurasian Hobby	<i>Falco subbuteo</i>							✓		
10	Peregrine Falcon	<i>Falco peregrinus</i>		✓							
11	Eurasian Coot	<i>Fulica atra</i>	✓								
12	Yellow-legged Gull	<i>Larus michahellis</i>	✓						✓		✓
13	Rock Dove / Feral Pigeon	<i>Columba livia</i>							✓		
14	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	✓						✓		
15	Common Swift	<i>Apus apus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
16	Great Spotted Woodpecker	<i>Dendrocopos major</i>			✓						
17	Eurasian Jay	<i>Garrulus glandarius</i>			✓		✓	✓	✓	✓	✓
18	Eurasian Magpie	<i>Pica pica</i>				✓					✓
19	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>				✓	✓			✓	
20	Alpine Chough	<i>Pyrrhocorax graculus</i>		✓		✓			✓	✓	
21	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
22	Northern Raven	<i>Corvus corax</i>		✓				✓		✓	
23	Coal Tit	<i>Parus ater</i>			✓		✓				
24	European Crested Tit	<i>Lophophanes cristatus</i>				✓					
25	Great Tit	<i>Parus major</i>			✓	✓	✓	✓	✓	✓	
26	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>			✓						
27	Eurasian Skylark	<i>Alauda arvensis</i>		✓					✓		
28	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>	✓		✓						
29	Barn Swallow	<i>Hirundo rustica</i>	✓						✓		✓
30	Common House Martin	<i>Delichon urbicum</i>			✓				✓	✓	✓
31	Common Chiffchaff	<i>Phylloscopus collybita</i>				✓	✓	✓	✓		
32	Eurasian Blackcap	<i>Sylvia atricapilla</i>			✓		✓				
33	Common Firecrest	<i>Regulus ignicapilla</i>		✓	✓	✓					
34	Goldcrest	<i>Regulus regulus</i>						✓			
35	Eurasian Wren	<i>Troglodytes troglodytes</i>			✓			✓	✓		

	Common name	Latin name	June							
			21	22	23	24	25	26	27	28
36	Eurasian Nuthatch	<i>Sitta europaea</i>			✓	✓	✓	✓	✓	
37	Ring Ouzel	<i>Turdus torquatus</i>				✓	✓	✓	✓	
38	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓		✓	✓	✓
39	Fieldfare	<i>Turdus pilaris</i>			✓	✓	✓	✓		
40	Song Thrush	<i>Turdus philomelos</i>				✓	✓	✓	✓	
41	Mistle Thrush	<i>Turdus viscivorus</i>			✓	✓	✓	✓	✓	
42	European Robin	<i>Erithacus rubecula</i>			✓	✓	✓	✓	✓	
43	Black Redstart	<i>Phoenicurus ochruros</i>	✓	✓	✓	✓	✓	✓	✓	✓
44	Whinchat	<i>Saxicola rubetra</i>					✓			
45	Northern Wheatear	<i>Oenanthe oenanthe</i>								✓
46	Spotted Flycatcher	<i>Muscicapa striata</i>			✓	✓	✓			
47	White-throated Dipper	<i>Cinclus cinclus</i>			✓					
48	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓
49	White-winged Snowfinch	<i>Montifringilla nivalis</i>		✓						✓
50	Alpine Accentor	<i>Prunella collaris</i>		✓						✓
51	Dunnock	<i>Prunella modularis</i>			✓	✓				
52	Grey Wagtail	<i>Motacilla cinerea</i>						✓		
53	White Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓	✓	✓	✓
54	Meadow Pipit	<i>Anthus pratensis</i>					✓			
55	Water Pipit	<i>Anthus spinoletta</i>		✓		✓	✓	✓	✓	
56	Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓	✓
57	Eurasian Siskin	<i>Spinus spinus</i>					✓		✓	
58	European Serin	<i>Serinus serinus</i>		✓	✓	✓	✓	✓	✓	
59	European Goldfinch	<i>Carduelis carduelis</i>					✓		✓	
60	Common Linnet	<i>Linaria cannabina</i>		✓			✓	✓		
61	Red Crossbill	<i>Loxia curvirostra</i>				✓				
62	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>					✓			
63	Yellowhammer	<i>Emberiza citrinella</i>					✓			

Mammals (E=evidence of)

1	Mole	<i>Talpa europaea</i>		E				E		
2	Common Pipistrelle	<i>Pipistrellus pipistrellus</i>					E			
3	Alpine Marmot	<i>Marmota marmota</i>		✓			✓	✓	✓	
4	Snow Vole	<i>Microtus nivalis</i>					✓		E	
5	Red Fox	<i>Vulpes vulpes</i>					E			
6	Alpine Ibex	<i>Capra ibex</i>				20			✓	

Reptiles

1	Common Lizard	<i>Zootoca vivipara</i>					✓			
---	---------------	-------------------------	--	--	--	--	---	--	--	--

Amphibians

1	Common Frog	<i>Rana temporaria</i>					✓			
2	Common Newt	<i>Triturus vulgaris</i>		✓		✓				

Butterflies

1	Swallowtail	<i>Papilio machaon</i>		✓		✓		✓		
2	Black-veined White	<i>Aporia crataegi</i>				✓	✓	✓		
3	Small White	<i>Pieris rapae</i>		✓	✓	✓				
4	Peak White	<i>Pontia callidice</i>						✓		

	Common name	Latin name	June							
			21	22	23	24	25	26	27	28
5	Orange Tip	<i>Anthocharis cardamines</i>				✓				
6	Clouded Yellow	<i>Colias crocea</i>				✓	✓			
7	Green Hairstreak	<i>Callophrys rubi</i>						✓		
8	Purple-edged Copper	<i>Palaeochrysopehanus hippothoe</i>					✓		✓	
9	Little Blue	<i>Cupido minimus</i>				✓	✓	✓		
10	Mazarine Blue	<i>Cyaniris semiargus</i>			✓	✓	✓			
11	Red Admiral	<i>Vanessa atalanta</i>				✓		✓		
12	Painted Lady	<i>Cynthia cardui</i>				✓		✓	✓	
13	Large Tortoiseshell	<i>Nymphalis polychlorus</i>				✓				
14	Small Tortoiseshell	<i>Aglais urticae</i>		✓		✓	✓	✓	✓	
15	Small Pearl-bordered Fritillary	<i>Clossiana selene</i>								✓
16	Pearl-bordered Fritillary	<i>Clossiana euphrosyne</i>				✓		✓		
17	Piedmont Ringlet	<i>Erebia meolans</i>		✓	✓					
18	Ringlet	<i>Aphantopus hyperantus</i>						✓	✓	
19	Wall Brown	<i>Lasiommata megera</i>					✓			
20	Dingy Skipper	<i>Erynnis tages</i>				✓	✓			
21	Grizzled Skipper	<i>Pyrgus malvae</i>				✓				

Moths

1	Humming-bird Hawk-moth	<i>Macroglossum stellatarum</i>						✓		
2	Chimney Sweeper	<i>Odezia atrata</i>		✓	✓		✓	✓		
3	Lackey Moth	<i>Malacosoma neustria</i>				✓				

Dragonflies

1	Northern Damselfly	<i>Coenagrion hastulatum</i>				✓				
2	White-faced Darter	<i>Leucorrhinia dubia</i>				✓	✓			