

Ecuador - The Andes & Amazon

Naturetrek Tour Report

8 - 20 November 2007



Beryl-spangled Tanager



Plate-billed Mountain Toucan



Toucan Barbet

Report and images compiled by Lelis Navarrete



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Lelis Navarrete (local guide)
Edwin Herrera (driver)

Tour Participants: John Gordon
Meg Gordon
Peter Watson
Mark Spurrier
Maire Spurrier
Mike Willey
Carol Upton
Alan Willison
Adrian George
Pat George
David Parish
Andrew Rest

Day 1

Wednesday 7th November

Quito

After a morning flight from London, we arrived in Quito in the evening and transferred to the comfortable and centrally located Hotel Sebastian.

Day 2

Thursday 8th November

We started at 6.00am from Hotel Sebastian and then drove due north to take the Calacali – La Independencia Highway. We stopped for nearly an hour on a trail near the summit of the highway at the ‘Virgin Mary shrine’ to look for some of the dry scrub vegetation specialties; after some mixed results, we headed on down the highway. It was a particularly sunny morning and we only stopped again after we had already taken the second part of the Nono-Mindo old road. By then the clouds were thicker and produced a heavy overcast spell that helped very much with the bird activity. After that we had several stops along the way – notably at Bellavista Lodge and along the forest near Bellavista. Later on when, when we were already in our descent to Mindo, heavy rain started around 5.00pm, so we headed to the Sacha Tamia Lodge.

Day 3

Friday 9th November

We had an early morning drive to Sirlanche Reserve where we walked along the road for the first hours then we had a walk inside the forest along a pleasant trail, finishing with a visit to the canopy tower. Then we returned to Sacha Tamia for a late lunch. In the late afternoon we drove to the lower part of the Mindo Valley, where we visited one of the hummingbird gardens. It was a rainy afternoon and the hummingbird feeders were particularly productive.

Day 4**Saturday 10th November**

We had a very early start for our drive back towards Quito. Near Nanegalito we visited Refugio Paz de las Aves where Angel Paz took us to look for 'Angel's birds'. We came back to Sacha Tamia for lunch and also to rest for a while before visiting the lower part of the Mindo valley for the rest of the afternoon. We planned to stay looking for night birds but the weather did not cooperate, so we returned earlier than we had planned.

Day 5**Sunday 11th November**

We had an early start to Milpe bird sanctuary, and ate our lunch at leisure enjoying the fruit/sugar feeders in 'Mirador del Rio Blanco restaurant'. Then we went back to Sachatamia to collect our luggage and make the drive back to Quito.

Day 6**Monday 12th November**

We had a mid-morning flight to Puerto Francisco de Orellana 'Coca' where we had lunch. Then we boarded motorised dug-out canoes to go downstream on the Napo River to Sacha Lodge. It was overcast for the entire day, but it didn't rain.

Day 7**Tuesday 13th November**

Both groups went to the parrot licks inside the Yasuni National Park. The parrot lick at the edge of the river (more visited by Amazonas and parrots) wasn't very active, but the clay lick inside forest (the one visited by parakeets and macaws) was very active. In the afternoon we all went to visit Anaconda Creek.

Day 8**Wednesday 14th November**

Both groups went to the 'Metal tower' for a very successful morning, but the afternoon was not very productive due to strong rains.

Day 9**Thursday 15th November**

The successful viewings we'd had the previous morning triggered a desire from all participants to stay one more morning in the canopy, this time on the wooden tower. The groups went to different sites in the afternoon – the first group to the Liana Chica Trail (returning to the metal tower for the late afternoon), and the second group went through the 'Pantano trail', returning by the main boardwalk to the lodge.

Day 10**Friday 16th November**

A few people decided on an early start and birded in the morning while heading back to the Napo River, while the rest joined us to jump in the boat on time. We all headed together back to Puerto Francisco de Orellana 'Coca city'; most of the group eventually getting back to Quito close to 5.00pm; I had to wait for a later flight and only managed to join the group in time for supper.

Day 11

Saturday 17th November

We went to Yanacocha Reserve for the early morning and after lunch we returned to Quito where part of the group relaxed for the remainder of the day. Meanwhile, the rest went for a gorgeous afternoon city tour in Quito's Colonial 'downtown' district.

Day 12

Sunday 18th November

We had an early morning start for our commute – the long drive to the Antisana Reserve in the highlands. It was a very productive visit. After lunch we drove over the continental divide down to the eastern temperate forest on the Termas de Papallacta resort.

Day 13

Monday 19th November

In the early morning, before breakfast, we went to the elfin forest above the Termas de Papallacta Lodge. After breakfast we drove to an even lower elevation area, the San Borja bypass to Baeza, where we enjoyed a very good meal before returning to the Guango Lodge Forest. In the afternoon we watched hummingbirds.

Day 14

Tuesday 20th November

This morning we drove to the elfin forest above Termas de Papallacta before breakfast then returned to get organised with our bags and leave for our flight from Quito. We did manage to fit in some late morning birding along the Guango Lodge forest before leaving though!

Day 15

Wednesday 21st November

London

We arrived back at Heathrow in the late afternoon.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Birds

1. Great Tinamou *Tinamus major* – It was only heard inside the forest in the Sacha Lodge forest.
2. Cinerereous Tinamou *Crypturellus cinereus* – Several were heard over four different days inside the forest in Sacha.
3. Little Tinamou *Crypturellus soui* – Only heard inside the forest in the Sacha Lodge forest and especially along the Napo River trails.
4. Undulated Tinamou *Crypturellus undulatus* – Several only heard in the Sacha Lodge.
5. Silvery Grebe *Podiceps occipitales* – Eight were seen on the ‘La Mica’ lake in the Antisana Reserve.
6. Neotropic Cormorant *Phalacrocorax brasilianus* – One was seen along the Napo River and another one was seen at especially high elevation on a Papallacta lake.
7. Torrent Duck *Merganeta armata* – A great looking male was seen along one of the small rivers near the Papallacta town.
8. Andean Teal *Anas andium* – Two birds were seen on a Papallacta lake and 10 more in the ‘La Mica’ lake, Antisana Reserve.
9. Yellow-billed Pintail *Anas georgica* – Only one was seen on the Papalacta lake.
10. Andean Ruddy-Duck *Oxyura ferruginea* – Only seen in ‘La Mica’ lake in the Antisana Reserve where more than 30 were observed.
11. Cocoli Heron *Ardea cocoi* – Only one was seen when getting in Sacha Lodge after visiting the clay licks.
12. Great Egret *Casmerodius albus* – A fairly common bird along the Napo River the days we got in and out the Sacha Lodge.
13. Snowy Egret *Egretta thula* – A pair seen along the Napo River the days we checked into and out of the Sacha Lodge; also in the Milpe Reserve and Lower Mindo valley.
14. Cattle Egret *Bulbucus ibis* – A common species occurring in small numbers in the lowlands of Mindo and Sacha Lodge areas.
15. Striated Heron *Butorides striatus* – Only single birds were seen almost on a daily basis in the Sacha Lodge area.
16. Agami Heron *Agamia agami* – One single bird was seen along the Orquidea Creek in Sacha Lodge forest.

17. Capped Heron *Pilberodius pileatus* – One single bird was seen the day we visited the Perrot lick in the Napo River.
18. Black-crowned Night-heron *Nycticorax nycticorax* – Three were seen in the lake in front of Sacha Lodge.
19. Rufescent Tiger-Heron *Tigrisoma lineatum* – A pair was heard and seen at Sacha Lodge.
20. King Vulture *Sarcorampus papa* – Single birds were seen from both towers (metal and wooden); unusually high number were seen flying over the Napo River during our boat ride when leaving Sacha Lodge.
21. Black Vulture *Coragyps atratus* – A numerous species everywhere during the trip; we recorded over 130 individuals.
22. Turkey Vulture *Cathartes aura* – Several seen but always in small numbers and only in the Mindo, Milpe, Sirlanche and the Cocaarea..
23. Greater Yellow-headed Vulture *Cathartes melambrotus* – At least one or two every day in the eastern lowland rainforest part of the trip (Sacha Lodge forest).
24. Osprey *Pandion haliaetus* – One single bird was seen along the Napo River the day we visited the clay licks.
25. Gray-headed Kite *Leptodon cayanensis* – One bird was seen flying over the Milpe forest; another one was heard in the Sirlanche Sanctuary.
26. Swallow-tailed Kite *Elanoides forficatus* – Only John saw one, flying over the Sirlanche forest.
27. Slender-billed Kite *Rostrhamus amatus* – One was seen at the lake just in front of the Sacha Lodge and six more from the wooden tower.
28. Double-toothed Kite *Harpagus bidentatus* – One was seen from the Wooden Canopy tower in Sacha Lodge.
29. Plumbeus Kite *Ictinea plumbea* – One was seen flying over forest in Sirlanche and another one from Sacha Lodge.
30. Black-faced Hawk *Leucopternis melanops* – A fairly rare bird, we saw it from the metal tower in Sacha Lodge forest.
31. Barred Hawk *Leucopternis princeps* – One was heard, flying over in the distance of the Milpe Reserve (but not seen).

32. Black-chested Buzzard-eagle *Geranoaetus melanoleucus* – A single bird was seen flying over the first day near Calacali, another one flying over in Yanacocha, and two more flying over in the Papallacta area.
33. Roadside Hawk *Buteo magnirostris* – A common bird seen in small numbers in Milpe, Mindo Sachatamia and a few others in the Sacha Lodge area.
34. Broad-winged Hawk *Buteo platypterus* – It was only heard in the Tandayapa Valley.
35. Variable Hawk *Buteo polyosoma* – One was seen the Calacali scrub, up to 10 in Yanacocha and 13 more in the Papallacta highlands.
36. Swainson's Hawk *Buteo swainsoni* – One was seen on the last day of the trip when heading back to Quito.
37. Ornate Hawk-Eagle *Spizaetus ornatus* – One bird was seen way up in the sky. We were inside forest but after hearing it singing from above the forest we managed to find a hole in the canopy so we could have decent views of this very rare bird.
38. Black Caracara *Daptrius ater* – Two, and then three, were seen on two subsequent days at Sacha Lodge.
39. Carunculated Caracara *Phalcoboenus carunculatus* – Extremely common in the Antisana Reserve where we saw 300+ birds.
40. Yellow-headed Caracara *Milvago chimachima* – One was seen when we were travelling to Sacha Lodge along the Napo River and one more as we were leaving Sacha Lodge.
41. Barred Forest-Falcon *Micrastur ruficollis* – Only Moira saw one, inside forest in the Milpe Reserve.
42. Lined Forest-falcon *Micrastur gilvicollis* – One bird was seen on the afternoon of the 15th inside forest in the Sacha Lodge area.
43. Laughing Falcon *Herpetotheres cachinnans* – One was heard only in Sacha Lodge.
44. American Kestrel *Falco sparverius* – Two were seen in the Calacali area, another one in the way to Yanacocha reserve.
45. Peregrine Falcon *Falco peregrines* – One bird was seen just along the Napo River when we were motoring upstream the Napo river (when leaving Sacha Lodge).
46. Bat Falcon *Falco rufigularis* – One was seen in Sacha Lodge forest.
47. Speckled Chachalaca *Ortalis guttata* – Seen in small numbers on two different days at Sacha Lodge, from the tower and in other areas.
48. Wattled Guan *Aburria aburri* – It was only heard near Mindo on the fourth day of the trip.

49. Sickie-winged Guan *Chamaepetes goudotii* – One was seen at Bellavista on the first day of the trip.
50. Spix's Guan *Penelope jacquacu* – A couple was seen from the metal canopy tower and two more later on from the forest close to Napo River at the beginning of the main boardwalk.
51. Marbled Wood-Quail *Odontophorus gujanensis* – It was heard the first day when entering Sacha Lodge and also heard in the forest later at Sacha Lodge.
52. Dark-backed Wood-Quail *Odontophorus melanonotus* – A family group, two adults and their four chicks were fed by Angel at Refugio Paz de las Aves.
53. Gray-breasted Crake *Laterallus exilis* – One was heard only in the riparian forest of one of the river islands near Sacha Lodge.
54. White-throated Crake *Laterallus albigularis* – A few were only heard along the grassy habitat on the Mindo valley area.
55. Rufous-sided Crake *Laterallus melanophaius* – One was glimpsed by some of the participants on the lake edge near Sacha and heard many other times.
56. Gray-necked Wood-Rail *Aramides cajanea* – One bird was seen running across the main boardwalk leading to Sacha lodge on two different days.
57. Andean Coot *Fulica ardesiaca* – At least 500 birds were seen in La Mica Lake in the Antisana Reserve.
58. Sungrebe *Heliornis fulica* – Only one was seen in one of the boat rides along the lake by Sacha Lodge.
59. Sunbittern *Eurypyga helias* – It was only heard at Sacha lodge.
60. Lesser Yellowlegs *Tringa flaviceps* – A pair was seen along the Napo River en route to Sacha Lodge; two more were seen also at Napo River near the clay licks, and one more when leaving Sacha lodge.
61. Spotted Sandpiper *Actitis macularia* – Singles were seen along the Napo River on two different days at Sacha Lodge.
62. Sanderling *Calidris alba* – A pair was seen along the Napo River when heading to Sacha Lodge.
63. Southern Lapwing *Vanellus chilensis* – Three birds were seen near San Borja in the lower part of the bypass heading to Baeza.
64. Andean Lapwing *Vanellus resplendens* – 10 were seen near Yanacocha and, strangely, only one more was seen in the Antisana Reserve.

65. Pied Plover *Hoploxypterus cayanus* – At least six birds were seen altogether on three different days at the Napo River.
66. Collared Plover *Charadrius collaris* – One single bird was seen on a sandbar along the Napo River the day we went for the parrot clay lick.
67. Andean Gull *Larus serranus* – At least one hundred were seen in the Antisana Reserve.
68. Yellow-billed Tern *Sterna superciliaris* – One was seen when heading in to Sacha Lodge the day we went to the parrot clay lick.
69. Black Skimmer *Rynchops nigra* – One was seen along the Napo River when we went to the parrot clay lick.
70. Band-tailed Pigeon *Columba fasciata* – A fairly common bird, we saw 30 near Bellavista and 30 in the Papallacta forests.
71. Pale-vented Pigeon *Columba cayennensis* – Fifteen were seen on separate days along the Sacha Lodge lake shore.
72. Ruddy Pigeon *Columba subvinacea* – One was seen in Sirlanche, another seen at Sacha Lodge; our very last one near San Borja.
73. Plumbeous Pigeon *Columba plumbea* – One was only heard in Sirlanche forest, one was seen in Refugio Paz de Las Aves, another one seen in Milpe and one more in Sacha Lodge, Mindo area.
74. Dusky Pigeon *Columba goodsoni* – One was seen in the Sirlanche forest.
75. Rock Pigeon *Columba livia* – Some were seen on several days of the trip in towns and cities.
76. Eared Dove *Zenaida auriculata* – Up to 20 were seen in the agricultural and scrub areas in the Calacali and also another dozen near Quito on the way to Yanacocha. We saw many others while going to Papallacta and Antisana Reserve.
77. Common Ground-Dove *Columbina passerina* – Two were seen flying and also walking around in the dry valley north of Quito.
78. Blue Ground-dove *Claravis pretiosa* – Two were seen flying by at the river islands of the Napo River.
79. Black-winged Ground-dove *Metriopelia melanoptera* – At least 100 birds were seen in the Antisana Reserve.
80. White-tipped Dove *Leptotila verreauxi* – A pair was seen in the Mindo valley and Refugio Paz de Las Aves.

81. Pallid Dove *Leptotila pallid* – One was seen in the lower part of the Mindo Valley and another one was seen in the Milpe Reserve.
82. Gray-fronted Dove *Leptotila rufaxilla* – A common voice in Sacha Lodge where they were heard on a daily basis, but only seen once due the very dense areas it prefers.
83. White-throated Quail-Dove *Geotrygon frenata* – I was the only person that saw one in the Milpe Reserve.
84. Ruddy Quail-Dove *Geotrygon Montana* – It was only heard from inside the Sacha Lodge forest.
85. Sapphire Quail-dove *Geotrygon saphirina* – Only heard inside forest in Sacha Lodge.
86. Chestnut-fronted Macaw *Ara severa* – Three were seen inside forest near the swamp forest, Sacha Lodge forest.
87. Red-bellied Macaw *Ara manilata* – A small group of four was seen on one of the days at Sacha Lodge.
88. Dusky-headed Parakeet *Aratinga weddellii* – Over 300 were seen attending the parrot clay lick on the Napo River shore.
89. Maroon-tailed Parakeet *Pyrrhura melanura* – Some were heard flying in Sirlanche Forest Reserve. This pacific form might represent a different taxon. A pair was seen on our travelling day, going towards to Sacha Lodge.
90. Barred Parakeet *Bolborhynchus lineola* – Heard only, flying over the Refugio Paz de las Aves.
91. Scarlet-shouldered Parrotlet *Touit huetii* – 20 individuals of this secretive species were seen among large numbers of others species attending the parakeet clay lick inside forest in the Yasuni National Park.
92. Pacific Parrotlet *Forpus coelestis* – Five were seen along the road when heading out of the Sirlanche Forest reserve.
93. Cobalt-winged Parakeet *Brotogeris cyanoptera* – Over 600 were seen attending the parrot clay lick on the Napo River shore and nine others were seen flying by at the metal canopy tower.
94. Black-headed Parrot *Pionites melanocephala* – A small group of three was seen flying over the Sacha Lodge and five were seen from the metal canopy tower.
95. Orange-cheeked Parrot *Pionopsitta barrabandi* – Eight were seen attending the parakeet clay lick, inside forest.
96. Blue-headed Parrot *Pionus menstruus* – Two were seen in the Sirlanche Forest and at least 20 birds were seen visiting the parrot clay lick at Napo River.

97. Red-billed Parrot *Pionus sordidus* – It was heard flying by in the Mindo valley.
98. White-capped Parrot *Pionus tumultuosus* – Heard flying by in Yanacocha forest and four were seen near the Guango Lodge forest.
99. Bronze-winged Parrot *Pionus chalcopterus* – Half a dozen seen in Milpe Reserve and Sirlanche.
100. Yellow-crowned Amazon *Amazona ochrocephala* – A pair was seen attending the Napo River clay lick.
101. Orange-winged Amazon *Amazona amazonica* – Two pairs were seen – one from the metal canopy tower and another one attending the clay lick at Napo River.
102. Mealy Amazon *Amazona farinosa* – 100+ birds were seen on the tree tops of the parrot clay lick at Napo River.
103. Squirrel Cuckoo *Piaya cayana* – One in the Milpe area, three in Sacha Lodge and two more in Sirlanche Reserve.
104. Little Cuckoo *Piaya minuta* – One was seen flying by in the lower part of the Mindo Valley and two single birds on two separate days on Sacha Lodge by the swampy vegetation at the lake.
105. Greater Ani *Crotophaga major* – Almost a pair daily was seen at Sacha Lodge.
106. Smooth-billed Ani *Crotophaga ani* – Two dozen were seen in Sirlanche Forest Reserve, a couple of dozen in the Mindo valley and up to 20 at Sacha Lodge.
107. Hoatzin *Opisthocomus hoazin* – Fairly common on the lake by Sacha Lodge where they were seen almost at a rate of 12 per day, and the biggest number for a day was 20.
108. Tropical Screech-Owl *Otus choliba* – It was only heard on the first day at Sacha Lodge.
109. Tawny-bellied Screech-Owl *Otus watsonii* – Heard from inside forest in Sacha Lodge where one was seen on 18 November.
110. Crested Owl *Lophotrix cristata* – A pair was seen inside forest along the trail heading to one of the parrot clay licks and another one was seen later on, also in Sacha Lodge.
111. Great Potoo *Nyctibius grandis* – Probably the same bird was seen on two separate days along the main boardwalk, Sacha Lodge.
112. Common Potoo *Nyctibius grisens* – One was seen in the bottom area of the Mindo Valley when we were looking for night birds and another one was seen at Sacha Lodge.

113. Rufous-bellied Nighthawk *Lurocalis rufiventris* – One was seen inside forest in the Refugio Paz de las Aves.
114. Ladder-tailed Nightjar *Hydropsalis climacocerca* – A male was seen in the Sacha Lodge area on the river islands at the Napo River.
115. White-collared Swift *Streptoprocne zonaris* – Fairly common in Sacha Tamia (3), Sirlanche Forest Reserve (6), Mindo (4), Sacha Lodge (20) and the forest area in Pappallacta (8).
116. Short-tailed Swift *Chaetura brachyura* – A pair was seen at the Sacha Lodge lake.
117. Gray-rumped Swift *Chaetura cinereiventris* – Three were seen in the Sirlanche Forest Reserve area and one more at Napo River.
118. Lesser Swallow-tailed Swift *Panyptila cayennensis* – Two birds were seen in Sirlanche Forest Reserve and three more over the Sacha lodge metal tower.
119. Neotropical Palm-Swift *Reinarda squamata* – A fairly common bird in the Sacha Lodge lake where every day we found between two and six.
120. White-whiskered Hermit *Phaetornis yaruqui* – Small numbers (between one and three) were seen at the bottom of Mindo valley at the Jardín de Colibries site and also in Sirlanche.
121. Tawny-bellied Hermit *Phaetornis symmatophorus* – A pair was seen at the Bellavista feeders.
122. Great-billed Hermit *Phaethornis malaris* – One male was seen singing at a lek site inside forest across the Napo River (on the day when we went to look for the clay licks).
123. Straight-billed Hermit *Phaethornis bourcieri* – One bird was seen inside forest at the end of the Orchid creek.
124. White-necked Jacobin *Florisuga mellivora* – Three males were seen attending the hummingbird feeders in the Jardín de Colibries in the Mindo valley. Single males were also seen at the feeders in Refugio Paz de las Aves and Sachatamia.
125. Green Violetear *Colibri thalassinus* – One was seen in the Tandayapa valley and also along the San Borja forest.
126. Sparkling Violetear *Colibri coruscans* – Two were seen on the first day, two more in the Refugio Paz de las Aves and 15 more in Las Termas de Papallacta.
127. Green Thorntail *Popelairia conversii* – This is one of my favourite hummingbirds and fortunately we were able to find two males and a female in the Milpe Reserve.

128. Blue-tailed Emerald *Chlorostilbon mellisugus* – Two different males were seen on two different days at Sacha Lodge.
129. Fork-tailed Woodnymph *Thalurania furcata* – One bird was seen almost daily in the Sacha Lodge forest.
130. Green-crowned Woodnymph *Thalurania fannyi* – Two males and a female were seen at the lower part of the Mindo valley.
131. Glittering-throated Emerald *Amazilia fimbriata* – One was seen the day we were leaving from Sacha Lodge.
132. Purple-chested Hummingbird *Amazilia rosenbergi* – A male was seen inside forest in Sirlanche Reserve.
133. Andean Emerald *Amazilia franciae* – Between four and six were seen at the Sacha Tamia feeders and six at the Refugio Paz de las Aves feeders; also two in the Milpe Reserve.
134. Rufous-tailed Hummingbird *Amazilia tzacatl* – A common bird in Milpe Reserve (20 seen) also in Sacha Tamia (10), Sirlanche Forest Reserve(6) and Mindo (12).
135. Speckled Hummingbird *Adelomyia melanogenys* – Four were seen on the Bellavista feeders and two more at the Guango feeders.
136. Purple-bibbed Whitetip *Urosticte benjamin* – Two females were seen at the Sacha Tamia feeders and a female was seen in Milpe Reserve; also a pair in Refugio Paz de las Aves.
137. Rufous-vented Whitetip *Urosticte ruficrissa* – One female was seen near Baeza at the San Borja bypass.
138. Empress Brilliant *Heliodoxa imperatrix* – A pair was seen at Sacha Tamina feeders and another pair was seen in the Refugio Paz de las Aves feeders.
139. Fawn-breasted Brilliant *Heliodoxa rubinoides* – 20 seen somewhere in Sacha Tamia; Refugio Paz de las Aves (10), Mindo (2) and Milpe (2).
140. Green-crowned Brilliant *Heliodoxa jacula* – Four were seen in the Refugio Paz de las Aves and a pair in the Mindo.
141. Black-throated Brilliant *Heliodoxa schreibersii* – A male was seen on two separate days inside forest along the Orquidea creek.
142. Ecuadorian Hillstar *Oreotrochilus chimborazo* – A male was seen in the Papallacta pass and at least four females and two males in the Antisana Reserve.
143. Giant Hummingbird *Patagona gigas* – One bird was seen in the lower part of the Antisana Reserve.

144. Shining Sunbeam *Aglaeactis cupripennis* – A few were seen in Yanacocha (3), Antisana (2) and Papallacta (5).
145. Mountain Velvetbreast *Lafresnaya lafresnayi* – At least four birds were seen at the feeders in Guango Lodge.
146. Great Sapphirewing *Pterophanes cyanopterus* – Two were seen in Termas de Papallacta and three birds were seen at the feeders in Yanacocha.
147. Brown Inca *Coeligena wilson* – A single bird was attending feeders in Sacha Tamia almost every day and at least four others were seen each day at the Sacha Tamia feeders.
148. Collared Inca *Coeligena torquata* – A male and a female were seen at Sacha Tamia feeders and at least some 10 more seen in the Guango Lodge feeders.
149. Buff-winged Starfrontlet *Coeligena lutetiae* – The most common bird in Yanacocha at flowers and many more at the feeders, (20+); two more in the Guango feeders.
150. Sword-billed Hummingbird *Ensifera ensifera* – Two birds were seen at feeders, Guango Lodge; three more at the Yanacocha feeders.
151. Buff-tailed Coronet *Boissonneana flavescens* – At least 20 birds were seen the first day at the feeders of Bellavista and Sacha Tamia; four more were seen attending the feeders in Refugio Paz de las Aves.
152. Velvet-purple Coronet *Boissonneana jardin* – A fairly common bird at the feeders in Sacha Tamia, where at least 10 or so birds were seen every day at the Sacha Tamia feeders.
153. Gorgeted Sunangel *Heliangelus strophianus* – One male was seen at the Bellavista feeders on the first day.
154. Tourmaline Sunangel *Heliangelus exortis* – A very common bird at the feeders in Guango lodge (20).
155. Sapphire-vented Puffleg *Eriocnemis luciani* – A dozen seen at feeders in Yanacocha.
156. Booted Racket-tail *Ocreatus underwoodii* – Several were seen attending the feeders in Sacha Tamia (8) also in Bellavista (6).
157. Black-tailed Trainbearer *Lesbia victoriae* – A couple of birds were seen near Calacali on the very first day; later only heard in the Antisana Reserve.
158. Viridian Metaltail *Metallura williami* – A pair was seen in scrubby habitat in Papallacta.
159. Tyrian Metaltail *Metallura tyrianthina* – A dozen were seen attending the feeders in Yanacocha and a few others in Papallacta (6) and Guango (3).

160. Long-tailed Sylph *Aglaiocercus kingi* – Up to 10 were seen at Guango Lodge.
161. Violet-tailed Sylph *Aglaiocercus coelestis* – Several males and females were seen attending feeders in Sacha Tamia where at least eight were seen every day.
162. Purple-throated Woodstar *Calliphlox mitchellii* – Several were seen in Sacha Tamia (4) Bellavista (2) and Refugio Paz de la Saves (3).
163. White-bellied Woodstar *Acestrura mulsant* – At least six, three males and three females, were seen at feeders in Guango Lodge.
164. Gorgeted Woodstar *Chaetocercus heliodor* – A female attended the Guango Lodge feeders.
165. Golden-headed Quetzal *Pharomacrus auriceps* – Two males and a female were seen along the Tandayapa valley and a pair more in Sachatamia.
166. Black-tailed Trogon *Trogon melanurus* – It was heard several times in the Sacha Lodge where a male was also seen.
167. Chocó Trogon *Trogon comptus* – It was only heard in the Sirlanche Reserve.
168. Amazonian White-tailed Trogon *Trogon viridis* – We saw three females and two males inside forest in Sacha Lodge.
169. Collared Trogon *Trogon collaris* – It was only heard inside forest in Sacha Lodge.
170. Masked Trogon *Trogon personatus* – A pair was seen along the Mindo road.
171. Black-throated Trogon *Trogon rufus* – A male was seen by the group in Sacha Lodge forest.
172. Ringed Kingfisher *Ceryle torquata* – Small numbers on a daily basis at the Napo River and another one in the Sirlanche sanctuary.
173. Amazon Kingfisher *Chloroceryle amazona* – Two were seen at the Napo River at Sacha Lodge.
174. Green Kingfisher *Chloroceryle americana* – Only one was seen along the Sacha Lodge lake.
175. American Pygmy Kingfisher *Chloroceryle aenea* – Only one was seen along the Sacha Lodge at the Orchid Creek.
176. Rufous Motmot *Baryphthengus martii* – Two were seen in Sirlanche bird Sanctuary and it was also heard in forest at Sacha Lodge.
177. Blue-crowned Motmot *Momotus momota* – We heard it almost every day at Sacha Lodge.

178. White-eared Jacamar *Galbalyrhnchus leucotis* – A pair was seen by Oscar's group at Sacha Lodge.
179. Purplish Jacamar *Galbula chalcothorax* – One single bird was seen inside forest in Sacha Lodge.
180. White-chinned Jacamar *Galbula tombacea* – The same bird was seen on two different days in the forest border at the Sacha Lodge lake.
181. White-necked Puffbird *Notharchus macrorhynchos* – A pair was seen from the canopy metal tower.
182. Black-fronted Nunbird *Monasa nigrifrons* – A few were seen almost in daily basis at Sacha Lodge
183. Swallow-wing Puffbird *Chelidoptera tenebrosa* – A very common bird along the varzea forest along the Napo River where we saw nine in total – three and six on two days respectively.
184. Scarlet-crowned Barbet *Capito aurovirens* – Two pairs were seen in second-growth forest in Sacha Lodge by the Napo River.
185. Orange-fronted Barbet *Capito squamatus* – A male was seen in Sirlanche bird sanctuary.
186. Gilded Barbet *Capito auratus* – This species was vocally very common in Sacha Lodge where we saw six from the metal canopy tower.
187. Red-headed Barbet *Eubucco bourcierii* – Two pairs were seen separately along the Mindo road and the Milpe Reserve respectively.
188. Toucan Barbet *Semnormis ramphastinus* – Four beautiful birds were seen in the upper part of the Tandayapa valley on the first day.
189. Crimson-rumped Toucanet *Aulacorhynchus haematopygus* – A pair was seen at Sacha Tamia and it was also heard along the Tanadayapa Valley.
190. Golden-collared Toucanet *Selenidera reinwardtii* – A pair was seen up close from the canopy tower.
191. Pale-mandible Aracari *Pteroglossus erythrogygius* – Several were seen – Refugio Paz de las Aves (1), the Sirlanche forest (4) and the Milpe Reserve (4).
192. Many-banded Aracari *Pteroglossus pluricinctus* – Up to 18 were seen from the towers in two separated groups in Sacha Lodge.
193. Lettered Aracari *Pteroglossus inscriptus* – A pair was seen only from the metal tower at Sacha Lodge.
194. Ivory-billed Aracari *Pteroglossus azara* – Probably the same group of six was seen from the metal canopy tower in the Sacha Lodge.

195. Plate-billed Mountain-toucan *Andigena laminirostris* – A single bird was seen near Bellavista on the first day of the trip, and later on one was heard in the Refugio Paz de las Aves.
196. Channel-billed Toucan *Ramphastos vitellinus* – Two were seen from the metal canopy tower in Sacha Lodge; others heard.
197. Choco Toucan *Ramphastos brevis* – Four were seen in the Milpe Reserve and a pair flew by in the Sirlanche bird sanctuary.
198. Chestnut-mandibled Toucan *Ramphastos swainsonii* – We only saw one in Sirlanche Forest Reserve.
199. White-throated Toucan *Ramphastos tucanes* – A few were seen on a daily basis at Sacha Lodge.
200. Olivaceous Piculet *Picumnus olivaceus* – A pair was seen in the lower part of the Mindo valley.
201. Golden-olive Woodpecker *Piculus rubiginosus* – A pair was seen in the Sirlanche Forest and another pair from the eastern race was also seen at the San Borja bypass close to Baeza.
202. Chestnut Woodpecker *Celex elegans* – Three birds were seen only at Sacha Lodge.
203. Cream-coloured Woodpecker *Celex flavus* – Unfortunately, and despite all the attempts to see this beautiful bird, we didn't see many of them.
204. Cinnamon Woodpecker *Celex loricatus* – It was only heard in the Sirlanche bird sanctuary.
205. Lineated Woodpecker *Dryocopus lineatus* – One was seen at Sacha Lodge where others were only heard.
206. Yellow-tufted Woodpecker *Melanerpes cruentatus* – A fairly common bird that was seen three to four times at Sacha lodge forest.
207. Black-cheeked Woodpecker *Melanerpes pucherani* – A pair was seen in the Sirlanche Reserve; John and Meg also saw it in the Milpe Reserve.
208. Little Woodpecker *Veniliornis passerines* – A single bird was seen only in the Varzea Forest of Sacha Lodge.
209. Red-rumped Woodpecker *Veniliornis kirkii* – A pair was seen in the Sirlanche Forest Reserve forest.
210. Bar-bellied Woodpecker *Veniliornis nigriceps* – Only one female was seen in Yanacochoa.
211. Scarlet-backed Woodpecker *Veniliornis callonotus* – A pair was only seen at the Milpe Reserve entrance road.

212. Crimson-crested Woodpecker *Campephilus melanoleucos* – A couple was seen inside forest in the Sacha Lodge main boardwalk on the day we were leaving and another one from the metal tower.
213. Powerful Woodpecker *Campephilus pollens* – It was only heard in Yanacocha.
214. Bar-winged Cinclodes *Cinclodes fuscus* – Four were seen in the Antisana and three more in the Papallacta pass.
215. Stout-billed Cinclodes *Cinclodes excelsior* – Four were seen in the Antisana Reserve.
216. Pacific Hornero *Furnarius cinnamomeus* – A common species in the Sirlanche Forest Reserve area (10), also in Mindo (2) and Milpe (2).
217. Azara's Spinetail *Synallaxis azarae* – One was seen along the Tandayapa valley and others were heard on the way to Yanacocha and the Papallacta forest.
218. Slaty Spinetail *Synallaxis brachyura* – A pair was heard in Refugio Paz de las Aves and another was seen in the second growth forest along the road in front of the Milpe Reserve.
219. White-browed Spinetail *Hellmayrea gularis* – One was seen in the Yanacocha forest.
220. Red-faced Spinetail *Cranioleuca erythrops* – Two were seen in the Milpe Reserve area and a few more were seen in the Refugio Paz de las Aves forest; Mindo road (2) and Tandayapa valley (2).
221. Ash-browed Spinetail *Cranioleuca curtata* – One was only seen along the San Borja road close to Baeza.
222. White-chinned Thistletail *Schizoeaca fuliginosa* – At least five were seen in the highland forest above Termas de Papallacta.
223. Streak-backed Canastero *Asthenes nyatii* – It was only heard in the Calacali scrub and in the scrub in the Antisana Reserve.
224. Many-striped Canastero *Asthenes flamulata* – One seen in the bunch grass at the higher area of the Antisana Reserve, also heard in Papallacta.
225. Rusty-winged Barbtail *Premnornis guttuligera* – One was seen near Bellavista and inside forest in Refugio Paz de las Aves.
226. Spotted Barbtail *Premnoplex brunnescens* – A pair was seen inside forest in the Milpe Reserve.
227. Pearled Treerunner *Margarornis squamiger* – A pair was seen near Bellavista and four more were seen in the Guango Lodge forest.
228. Streaked Tuftedcheek *Pseudocolaptes boissonneautii* – Heard near Bellavista, and one was seen in Yanacocha reserve.

229. Chestnut-winged Hookbill *Ancistrops strigilatus* – One was heard only inside forest in Sacha Lodge.
230. Lineated Foliage-gleaner *Syndactyla subalaris* – One was seen inside forest along the Mindo road.
231. Scaly-throated Foliage-gleaner *Anabacerthia variegaticeps* – A pair was seen inside forest in the Milpe Reserve.
232. Montane Foliage-gleaner *Anabacerthia striaticollis* – One was seen along the San Borja road near Baeza.
233. Buff-fronted Foliage-gleaner *Philydor rufus* – Four were seen in the Milpe Reserve.
234. Olive-backed Foliage-gleaner *Automolus infuscatus* – One bird was only seen inside forest in Sacha Lodge.
235. Point-tailed Palmcreeper *Berlepschia rikeri* – One was seen along the main boardwalk at Sacha Lodge.
236. Streak-capped Treehunter *Thripadectes virgaticeps* – A single bird was seen at the lower part of the Nono Mindo road.
237. Streaked Xenops *Xenops rutilans* – A pair was seen inside forest in the Sirlanche Reserve.
238. Plain Xenops *Xenops minutus* – One bird was seen in patches of forest in the Sirlanche Forest Reserve and another one in the Milpe Reserve.
239. Black-tailed Leaf-tosser *Sclerurus caudacutus* – It was only heard inside forest in Sacha Lodge.
240. Tawny-throated Leaf-tosser *Sclerurus mexicanus* – It was only heard inside forest in the early morning visit to Refugio Paz de las Aves.
241. Plain-brown Woodcreeper *Dendrocincla fuliginosa* – One was seen in the Sirlanche Forest Reserve and others were heard at Sacha Lodge.
242. Wedge-billed Woodcreeper *Glyphorhynchus spirurus* – One was seen inside forest in Sirlanche Reserve.
243. Long-billed Woodcreeper *Nasica longirostris* – It was only heard from the Varzea forest at Sacha Lodge in several days.
244. Cinnamon-throated Woodcreeper *Dendrozetastes rufigula* – One was seen at Sacha Lodge from the metal canopy tower and several others were heard.
245. Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus* – One was seen near Sacha Tamia and another was heard in the Refugio Paz de las Aves.

246. Straight-billed Woodcreeper *Xipborhynchus picus* – A pair was seen along the forest edge at the lake in Sacha Lodge; several others were heard.
247. Striped Woodcreeper *Xipborhynchus obsoletus* – A single bird was seen in secondary forest at Sacha Lodge.
248. Spix's Woodcreeper *Xipborhynchus spixii* – Heard only in the Orchid creek at Sacha Lodge.
249. Buff-throated Woodcreeper *Xipborhynchus guttatus* – Two single birds were seen inside forest in Sacha Lodge.
250. Black-striped Woodcreeper *Xipborhynchus lachrymosus* – Only heard in the Sirlanche Forest Reserve.
251. Spotted Woodcreeper *Xipborhynchus erythropygius* – Two were seen in forest at Sirlanche Forest Reserve and another pair was seen in the Milpe Reserve.
252. Streaked-headed Woodcreeper *Lepidocolaptes souleyetii* – At least half a dozen were seen in the forest at Sirlanche Forest Reserve.
253. Montane Woodcreeper *Lepidocolaptes lachrymiger* – A pair was seen near Bellavista and another one was seen in the Guango forest.
254. Red-billed Scythebill *Campylorhynchus trochilirostris* – One was seen inside forest by a bamboo stand the day we visited the parrot clay lick.
255. Fasciated Antshrike *Cymbilaimus lineatus* – It was only heard from inside forest at Sacha lodge.
256. Undulated Antshrike *Frederickena unduligera* – Two were seen inside forest at Sacha Lodge.
257. Uniform Antshrike *Thamnophilus unicolor* – A male was only seen inside forest in the Refugio Paz de las Aves.
258. Western Slaty-Antshrike *Thamnophilus atrinucha* – A male was seen in Sirlanche Forest Reserve.
259. Plain-winged Antshrike *Thamnophilus schstaceus* – It was only heard the day when we visited the parrot clay lick.
260. Spot-winged Antshrike *Pygiptila stellaris* – Two were only heard inside forest canopy in Sacha Lodge.
261. Dusky-throated Antshrike *Thamnomanes ardesiacus* – A pair was seen inside forest in Sacha Lodge.
262. Cinereous Antshrike *Thamnomanes caesius* – One was seen inside forest in Sacha Lodge.
263. Russet Antshrike *Thamnistes anabatinus* – A pair was seen inside forest in the Milpe Reserve.

264. Plain Antvireo *Dysithamnus mentalis* – One was seen in the lower part of the Mindo valley.
265. Pygmy Antwren *Myrmotherula brachyura* – A pair was seen at the canopy in Sacha Lodge forest.
266. Pacific Antwren *Myrmotherula pacifica* – A pair was seen in the lower part of the Mindo Valley.
267. Plain-throated Antwren *Myrmotherula hauxwelli* – A pair was seen inside forest in Sacha Lodge.
268. White-flanked Antwren *Myrmotherula axillaris* – I was the only person that got to see a bird inside forest in the Sirlanche Forest Reserve.
269. Slaty Antwren *Myrmotherula schisticolor* – A pair was seen inside forest in the Milpe Reserve.
270. Dot-winged Antwren *Microrhopias quixensis* – A single male was seen in patches of forest inside the Sirlanche Forest Reserve.
271. Gray Antbird *Cercomacra cinerascens* – Single birds were seen from the forest canopy in Sacha Lodge from the metal canopy tower on two separate days.
272. Black-faced Antbird *Myrmoborus myotherinus* – A male was seen inside forest on the way to the Parrot clay lick from Sacha Lodge where many others were heard.
273. Warbling Antbird *Hypocnemis cantator* – It was only heard at Sacha Lodge.
274. Silvered Antbird *Sclateria naevia* – A female was seen feeding along a stream in the Orchid creek; a pair was seen after sound playbacks the previous day, along a stream inside forest.
275. Chesnut-backed Antbird *Myrmeciza exsul* – It was only heard in Sirlanche Forest Reserve.
276. Plumbeous Antbird *Myrmeciza hyperythra* – Three were seen inside forest in the Sacha Lodge flooded forest area.
277. White-shouldered Antbird *Myrmeciza melanocephala* – A male was seen along the main boardwalk to Sacha Lodge and on the last day we manage to lure a nice female into view.
278. Sooty Antbird *Myrmeciza fortis* – It was only heard inside forest at Sacha Lodge.
279. Immaculate Antbird *Myrmeciza immaculate* – It was only heard in the Milpe Reserve.
280. Black-spotted Bare-eye *Phlegopsis nigromaculata* – Heard only inside forest in Sacha Lodge.
281. Spot-backed Antbird *Hylophylax naevioides* – A male was seen after sound playbacks in the Orchid creek at Sacha Lodge.

282. Dot-backed Antbird *Hylophylax punctulata* – It was heard only inside forest very close the main boardwalk in Sacha Lodge forest.
283. Striated (Noble) Antthrush *Chamaeza nobilis* – One was seen inside forest, Sacha Lodge.
284. Black-faced Antthrush *Formicarius nigricapillus* – A very common voice inside forest in Sacha Lodge. We saw one inside forest, another one was seen flying by.
285. Black-headed Antthrush *Formicarius nigricapillus* – It was only heard in the Sirlanche bird sanctuary.
286. Rufous Antpitta *Grallaria rufula* – Heard in Yanacocha and also heard in the Papallacta area.
287. Giant Antpitta *Grallaria gigantea* – A single bird was seen in the Refugio Paz de las Aves.
288. Moustached Antpitta *Grallaria alleni* – A bird was seen at close range inside forest in the Refugio Paz de las Aves, one of the birds that Angel trained.
289. Scaled Antpitta *Grallaria guatemalensis* – One was heard only in the Refugio Paz de las Aves.
290. Tawny Antpitta *Grallaria quitensis* – It was heard in the Antisana Reserve and seen a couple of times in the Papallacta pass.
291. Rusty-belted Tapaculo *Liosceles thoracicus* – It was only heard inside forest in the distance at Sacha Lodge.
292. Blackish Tapaculo *Scytalopus latrans* – It was heard in Yanacocha and Papallacta forest.
293. Nariño Tapaculo *Scytalopus vicinor* – It was only heard in Refugio Paz de las Aves, along the Mindo road.
294. Spillman's Tapaculo *Scytalopus spillmanni* – It was heard inside forest near Bellavista and also at Guango Lodge forest.
295. Paramo Tapaculo *Scytalopus parkeri* – It was heard in the forest above Termas de Papallacta.
296. Sooty-headed Tyrannulet *Phyllomyias griseiceps* – A pair was seen in the Sirlanche Forest Reserve.
297. Ashy-headed Tyrannulet *Phyllomyias cinereiceps* – Heard only along the San Borja road, near Baeza.
298. Slender-footed Tyrannulet *Zimmerius gracilipes* – Three different birds were seen from the Metal canopy tower in Sacha Lodge.
299. Golden-faced Tyrannulet *Zimmerius chrysops* – It was heard in Sirlanche forest and Milpe and single birds were seen in the Lower Mindo valley and the San Borja road near Baeza.
300. Brown-capped Tyrannulet *Ornithion brunneicapillum* – It was only heard in the Sirlanche Forest Reserve.

301. Southern Beardless-Tyrannulet *Camptostoma obsoletum* – Single birds were heard only in Sirlanche and Milpe reserves.
302. Yellow-crowned Tyrannulet *Tyrannulus elatus* – One was seen in Sacha Lodge's secondary growth forest, others were heard in Sacha lodge and Sirlanche reserve.
303. Yellow-bellied Elaenia *Elaenia flavogaster* – Two were seen in the lower Mindo valley and also heard in Sirlanche.
304. Sierran Elaenia *Elaenia pallatangae* – One was seen near Bellavista on the first day and six more were seen along the San Borja road near Baeza.
305. White-crested Elaenia *Elaenia albiceps* – I originally thought that the bird identified as a probable Small-billed Elaenia might refer to the Chilean, the Austral migrant White-crested Elaenia.
306. Greenish Elaenia *Myiopagis viridicata* – One was seen inside forest in the Sirlanche forest.
307. White-throated Tyrannulet *Mecocerculus leucophrys* – Half a dozen were seen in Yanacocha preserve and three more in the Papallacta temperate forest.
308. White-tailed Tyrannulet *Mecocerculus poecilocercus* – A pair was seen in the Tandayapa Valley.
309. White-banded Tyrannulet *Mecocerculus stictopterus* – Four were seen in Yanacocha and four more in the Papallacta area.
310. Rufous-winged Tyrannulet *Mecocerculus calopterus* – One bird was seen along the Tandayapa valley.
311. Torrent Tyrannulet *Serpophaga cinerea* – A pair was seen along a river in the Mindo valley and one more was seen in the Guango Lodge near a river.
312. Tufted Tit-tyrant *Anairetes parulus* – Four were seen in the dry valley north of Quito and close to Calacali; two more were seen in the Papallacta pass, and this species was also heard in the Antisana reserve.
313. Agile Tit-Tyrant *Uromyias agilis* – Three birds were seen in the forest just above Termas de Papallacta resort.
314. Streak-necked Flycatcher *Mionectes striaticollis* – I was the only person that saw one near Baeza.
315. Ochre-bellied Flycatcher *Mionectes oleagineus* – One was seen inside forest in the Sacha Lodge forest; others were heard.

316. Slaty-capped Flycatcher *Leptopogon superciliaris* – Two were seen in Sirlanche Forest Reserve, two at Milpe, and it was also seen at Refugio Paz de las Aves.
317. Marble-faced Bristle-Tyrant *Phylloscartes ophthalmicus* – One was seen along the San Borja road near Baeza.
318. Yellow Tyrannulet *Capsiempis flaveola* – Two were seen in the bamboo patches in the lower part of the Mindo valley.
319. Scale-crested Pygmy-Tyrant *Lophotriccus pileatus* – A common voice in Mindo and Tandayapa valley, also in Sirlanche Forest Reserve where we saw a couple.
320. Black-headed Tody-Flycatcher *Todirostrum nigriceps* – One single bird was seen in the tree tops at the Sirlanche Forest Reserve.
321. Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum* – A pair was seen from the canopy tower in Sacha Lodge.
322. Common Tody-Flycatcher *Todirostrum cinereum* – A pair was seen at Sirlanche Forest Reserve.
323. Yellow-margined Flatbill *Tolmomyias flavotectus* – A pair was seen in the Sirlanche Bird Sanctuary.
324. Zimmer's Flatbill *Tolmomyias assimilis* – Heard only from inside forest in the Sacha Lodge canopy forest.
325. Gray-crowned Flatbill *Tolmomyias poliocephalus* – Heard only from inside forest in the Sacha Lodge canopy forest.
326. Olive-faced Flatbill *Tolmomyias viridiceps* – One single bird was seen near the Napo River, Sacha lodge.
327. Cinnamon Flycatcher *Pyrrhomyias cinnamomea* – It was only heard in the Guango Lodge forest.
328. Ornate Flycatcher *Myiotriccus ornatus* – A pair was seen in Milpe Reserve.
329. Flavescent Flycatcher *Myiophobus flavicans* – One single bird was seen near the Bellavista Lodge.
330. Bran-colored Flycatcher *Myiophobus fasciatus* – A pair was seen in the lower part of the Mindo valley.
331. Eastern Wood-Pewee *Contopus virens* – We heard it along the San Borja road near Baeza; many were seen (at least I suspect this to be the case) in Milpe and Mindo valley.
332. Western Wood-Pewee *Contopus sordidulus* – One was heard only in the Sirlanche Reserve.
333. Smoke-coloured Pewee *Contopus fumigatus* – Two were seen in the Tandayapa valley and another pair in the Milpe Reserve.

334. Olive-sided Flycatcher *Contopus borealis* – One single bird was seen in the lower Mindo valley.
335. Acadian Flycatcher *Empidonax virescens* – Two were seen inside forest in the Sirlanche Forest.
336. Black Phoebe *Sayornis nigricans* – Four were seen in the lower Mindo valley.
337. Brown-backed Chat-Tyrant *Ochthoeca fumicolor* – Single birds were seen in the Papallacta area and in the Antisana Reserve.
338. Rufous-breasted Chat-tyrant *Ochthoeca rufipectoralis* – Two were seen at the Guango Lodge forest and another one in Yanacocha.
339. Slaty-backed Chat-tyrant *Silvicoltrix cinnamomeiventris* – One was only heard along the Tandayapa valley.
340. Crowned Chat-Tyrant *Silvicoltrix frontalis* – Two were seen only in the Yanacocha reserve.
341. Drab Water-Tyrant *Ochthornis littoralis* – Only two were seen along the Napo River in Sacha Lodge.
342. Streak-throated Bush-tyrant *Myiotheretes striaticollis* – One was seen by Peter in the upper part of cloud forest close to Calacali; also heard in Yanacocha.
343. Smoky Bush-tyrant *Myiotheretes fumigatus* – It was only heard in Yanacocha.
344. Black-billed Shrike-tyrant *Agriornis montana* – Up to 11 were seen in the Antisana Reserve.
345. White-tailed Shrike-Tyrant *Agriornis andicola* – One single bird was seen in the dry scrub near Calacali on the very first day of the trip.
346. Paramo Ground-Tyrant *Muscisaxiola alpina* – Three were seen in the highlands of the Papallacta pass and eight more were seen the Antisana Reserve.
347. Spot-billed Ground-Tyrant *Muscisaxiola maculirostris* – Two birds were seen in dense dry scrub near Calacali north of Quito.
348. Bright-rumped Attila *Attila spadiceus* – It was only heard from the Canopy tower in the Sacha Lodge forest.
349. Cinnamon Attila *Attila cinnamomeus* – It was heard and later on seen in the Sacha lodge forest.
350. Citron-bellied Attila *Attila citriniventris* – One was seen along the main boardwalk inside forest in Sacha Lodge.
351. Grayish Mourner *Rhytipterna simplex* – It was only heard from the canopy tower in Sacha Lodge.

352. Dusky-capped Flycatcher *Myiarchus tuberculifer* – Two were seen in the Sirlanche Forest Reserve and also heard in the Milpe Reserve.
353. Short-crested Flycatcher *Myiarchus ferox* – A pair was seen in the flooded vegetation of the lake in Sacha Lodge, others heard.
354. Great Kiskadee *Pitangus sulphuratus* – Fairly common in Sacha Lodge where we saw between four and six each day.
355. Lesser Kiskadee *Philohydor lictor* – It was only heard along flooded forest at the Sacha Lodge lake.
356. Boat-billed Flycatcher *Megarhynchus pitangua* – Two pairs were seen in the Sacha Lodge forest where many others were heard; it was also heard in the Sirlanche Bird Sanctuary.
357. Rusty-margined Flycatcher *Myiozetetes cayanensis* – We saw two of them in the bottom area of the Mindo valley and three also in the Sirlanche Forest Reserve.
358. Social Flycatcher *Myiozetetes similis* – It was seen in Sirlanche Forest Reserve (1) and at Sacha Lodge on a daily basis from (between two and 10).
359. Gray-capped Flycatcher *Myiozetetes granadensis* – One seen at Sacha Lodge and a pair also seen in the Mindo valley.
360. Dusky-chested Flycatcher *Myiozetetes luteiventris* – One was seen on the treetops from the metal canopy tower in Sacha Lodge.
361. Streaked Flycatcher *Myiodynastes maculates* – One was seen in the Sirlanche forest and a pair was seen in the Milpe Reserve.
362. Golden-crowned Flycatcher *Myiodynastes chrysophalus* – Two were seen in the forest and secondary growth in the Mindo area; a pair was also seen in the Tandayapa valley.
363. Piratic Flycatcher *Legatus leucophaeus* – One was seen in Sacha Lodge where it was heard on a daily basis.
364. Eastern Kingbird *Tyrannus tyrannus* – A pair was seen in secondary growth forest by the Napo River at Sacha Lodge.
365. Tropical Kingbird *Tyrannus melancholicus* – A very common bird, we saw them almost every day except in Quito, Yanacocha, Papallacta and Antisana.
366. Barred Becard *Pachyrhamphus versicolor* – A male was seen in the forest near Bellavista Lodge.
367. Cinnamon Becard *Pachyrhamphus cinnamomeus* – One was seen in the Sirlanche Forest.

368. White-winged Becard *Pachyrhamphus polychopterus* – It was only heard in the secondary growth forest by the Napo River, Sacha Lodge.
369. Black-and-white Becard *Pachyrhamphus albogriseus* – Two males were seen, one in the Sirlanche preserve and one another one in Refugio Paz de las Aves.
370. One-coloured Becard *Platypsaris homochrous* – A pair was seen in Milpe forest.
371. Pink-throated Becard *Pachyrhamphus minor* – A male was seen from the metal canopy tower in Sacha Lodge.
372. Black-tailed Tityra *Tityra cayana* – A male was seen from the canopy tower in the Sacha Lodge.
373. Red-crested Cotinga *Ampelion rubrocristatus* – I was the only person that saw one in the Pepallacta area before returning to Quito.
374. Barred Fruiteater *Pipreola arcuata* – It was only heard in the Yanacocha reserve.
375. Green-and-black Fruiteater *Pipreola riefferii* – It was only heard in the Tandayapa valley.
376. Orange-breasted Fruiteater *Pipreola jucunda* – A male was seen inside forest in the Refugio Paz de las Aves.
377. Screaming Piha *Lipaugus vociferans* – One was seen inside forest in Sacha Lodge and others were heard.
378. Olivaceous Piha *Lathria cryptolophus* – One single bird was seen inside forest in the Refugio Paz de las Aves.
379. Plum-throated Cotinga *Cotinga maynana* – A pair was seen from the canopy tower at Sacha Lodge.
380. Spangled Cotinga *Cotinga cayana* – Two beautiful males were seen from the canopy tower at Sacha Lodge, one of them accompanied by a female.
381. Bare-necked Fruitcrow *Gymnoderus foetidus* – One male and one female were seen from the Sacha Lodge metal canopy tower.
382. Purple-throated Fruitcrow *Querula purpurata* – It was only heard at Sacha Lodge.
383. Andean Cock-of-the-rock *Rupicola peruviana* – Four males were seen attending the lek just above Sachatamia and one more in the Refugio Paz de las Aves; also heard near Tandayapa.
384. Golden-headed Manakin *Pipra erythrocephala* – I was the only person that saw a nice male inside forest in Sacha lodge forest.

385. Golden-winged Manakin *Masius chrysopterus* – A female was seen inside forest in the Refugio Paz de las Aves.
386. Blue-crowned Manakin *Pipra coronate* – A male was seen inside forest at Sacha Lodge.
387. Wire-tailed Manakin *Pipra filicauda* – Three beautiful males were seen inside forest in Sacha Lodge.
388. White-bearded Manakin *Manacus manacus* – Three males were seen in the Sirlanche Forest Reserve second growth forest; one other male was seen at Sacha Lodge.
389. Club-winged Manakin *Machaeropterus deliciosus* – One single male was seen inside forest at a lek for this species in the Milpe Reserve.
390. Orange-crested Manakin *Herterocercus aurantiivertex* – A male was seen inside forest on the Orchid creek at Sacha Lodge forest.
391. Dwarf Tyrant-Manakin *Tyrannetes stolzmani* – One was seen inside forest at Sacha Lodge.
392. Beautiful Jay *Cyanolyca pulchra* – A pair was seen in the Tandayapa valley on our first day of the trip.
393. Turquoise Jay *Cyanolyca armillata* – A family group of four birds were seen in the cloud forest of Guango and a pair was also seen in Tandayapa Valley near Bellavista.
394. Violaceous Jay *Cyanocorax violaceus* – A fairly common bird that we saw almost on a daily basis at Sacha Lodge.
395. Inca Jay *Cyanocorax yncas* – Three were seen along the San Borja road near Baeza.
396. Black-billed Peppershrike *Cyclarhis nigrirostris* – It was only heard singing in the Cabañas San Isidro forest.
397. Slaty-capped Shrike-Vireo *Vireolanius leucotis* – One was heard singing in the early morning in the Sirlanche Forest Reserve's forest.
398. Red-eyed Vireo *Vireo olivaceus* – Three were seen in the Refugio Paz de las Aves, at least 10 were seen in Milpe and two more in the Sirlanche Reserve; a single bird was seen at Sacha Lodge.
399. Yellow-green Vireo *Vireo flavoviridis* – Four single birds were seen at Sacha Lodge, near the Napo River's edge.
400. Brown-capped Vireo *Vireo leucophrys* – Four were seen in the Milpe forest, three more in the Tandayapa Valley and one more in lower part of the Mindo valley.

401. Dusky-capped Greenlet *Hylophilus hypoxanthus* – It was only heard at the canopy forest, Sacha Lodge.
402. Lesser Greenlet *Hylophilus decurtatus* – Six were seen in the Sirlanche Forest Reserve.
403. Andean Solitaire *Myadestes ralloides* – It was only heard in the Refugio Paz de las Aves, Milpe Reserve and along the Tandayapa road.
404. Swainson's Thrush *Catharus ustulatus* – Small numbers were seen in the San Borja road near Baeza.
405. Great Thrush *Turdus fuscater* – Common in the agricultural area on the way to Yanacocha and Quito (12), Bellavista (6-8) and Papallacta (20+).
406. Glossy-black Thrush *Turdus serranus* – It was only heard in the early morning at Refugio Paz de las Aves.
407. Black-billed Thrush *Turdus ignobilis* – A couple was seen almost daily at the edges of the Sacha Lodge lake.
408. Lawrence's Thrush *Turdus lawrencii* – Heard only from the forest canopy at Sacha Lodge.
409. Hauxwell's Thrush *Turdus hauxwelli* – Only one was seen inside forest at Sacha Lodge along the main boardwalk.
410. Pale-vented Thrush *Turdus obsoletus* – One single bird was seen briefly inside forest in the Milpe preserve.
411. Ecuadorian Thrush *Turdus maculirostris* – Meg and John saw some in the Mirador de los Bancos feeders.
412. White-capped Dipper *Cinclus leucocephalus* – A pair was finally seen in the lower part of the Mindo valley.
413. Brown-chested Martin *Phaeoprogne tapera* – The Austral migrant race was seen along the Napo River when visiting Sacha Lodge.
414. Gray-breasted Martin *Progne chalybea* – Small numbers almost daily at Sacha Lodge.
415. White-winged Swallow *Tachycineta albiventer* – Fairly common along the Napo River (10+) and in small numbers (4 to 5) at Sacha Lodge lake.
416. Brown-bellied Swallow *Notiochelidon murina* – Some 70 were seen at Papallacta, about 40 in Antisana Reserve and at least 50 in Yanacocha.
417. Blue-and-white Swallow *Notiochelidon cyanoleuca* – Numerous in many different areas: Tandayapa (30), Refugio Paz de las Aves (30), Milpe (10+) and Sirlanche (10+).

418. White-banded Swallow *Atticora fascista* – A fairly common bird especially along the Napo river (16); just seen in the Sacha Lodge lowland forest.
419. White-thighed Swallow *Neochelidon tibialis* – Two were seen in the Milpe Reserve.
420. Southern Rough-winged Swallow *Stelgidopteryx ruficollis* – Fairly common bird occurring in small numbers except in the highland habitats.
421. Sand Martin *Riparia riparia* – A big group (100+) was seen during the boat ride on Napo River.
422. Barn Swallow *Hirundo rustica* – Three were seen along the second growth forest along the Napo River.
423. Black-capped Donacobius *Donacobius atrocapillus* – One was seen at the lakeshore, Sacha Lodge.
424. Thrush-like Wren *Campylorhynchus turdinus* – A common voice in Sacha Lodge where we saw at least three.
425. Band-backed Wren *Campylorhynchus zonatus* – A pair was only heard in Sirlanche bird Sanctuary.
426. Rufous Wren *Cinnycerthia ubirufa* – A family of six was seen in the Yanacocha forest.
427. Grass Wren *Cistothorus platenses* – Seen in the grassland habitat in Papallacta (2 to 3) and also heard in Yanacocha.
428. Coraya Wren *Thryothorus coraya* – Heard only from dense second growth in Sacha Lodge.
429. Bay Wren *Thryothorus nigricapillus* – Three were seen in the Sirlanche Forest Reserve; others heard in Milpe and Mindo valley.
430. Plain-tailed Wren *Thryothorus euophrys* – Heard only in Bellavista forest.
431. Southern House Wren *Troglodytes aedon* – A few were seen in Mindo (2), Sirlanche Forest Reserve (2), Milpe (1) and at Sacha Lodge (1).
432. Mountain Wren *Troglodytes solstitialis* – A pair was seen in the Guango Lodge forest.
433. White-breasted Wood-wren *Henicorbina leucosticta* – Heard only in Sacha Lodge.
434. Gray-breasted Wood-wren *Henicorbina leucophrys* – Heard only in the Tandayapa valley; a pair was seen in the Refugio Paz de las Aves forest, and it was also heard in Yanacocha.
435. Southern Nightingale-wren *Microcerculus marginatus* – Heard several times in Sirlanche Forest Reserve, Mindo and at Sacha Lodge, where it was seen only by one of the participants.

436. Musician Wren *Cyphorhinus arada* – It was seen inside forest at Sacha Lodge.
437. Tawny-faced Gnatwren *Microbates cinereiventris* – Seen only in Sirlanche bird sanctuary.
438. Páramo Pipit *Anthus bogotensis* – Some 10+ were seen in the highlands of the Antisana Reserve.
439. Tropical Parula *Parula ptiayumi* – A pair was seen in Milpe forest, one was seen in the Refugio Paz de las Aves and a pair was also seen in the San Borja road close to Baeza.
440. Cerulean Warbler *Dendroica cerulean* – Two males and two females (an unusually high number for this species were seen on 19 November 2007, due the paucity of records) along the San Borja road close to Baeza.
441. Blackpoll Warbler *Dendroica striata* – A single bird was seen in the forest just along the Napo River; I think I was the only person who managed to see it.
442. Blackburnian Warbler *Dendroica fusca* – Six were seen in the Milpe area and four more in Guango Lodge, two in Refugio Paz de las Aves and 10+ in the Bellavista area.
443. American Redstart *Setophaga ruticilla* – A female was seen in a very disturbed habitat in the lower Mindo valley close to town.
444. Black-and-white Warbler *Mniotilta varia* – An adult male was seen in the Mindo area and another one on the road to Bellavista.
445. Olive-crowned Yellowthroat *Geothlypis semiflava* – A male was seen in the Milpe grassland area; also heard in the open country in Sirlanche Reserve.
446. Canada Warbler *Wilsonia canadensis* – A pair was seen in the San Borja road close to Baeza..
447. Slate-throated Whitestart *Myioborus miniatus* – One was seen in the Tandayapa valley and four in Refugio Paz de las Aves.
448. Spectacled Whitestart *Myioborus melanocephalus* – Half a dozen were seen in Yanacocha reserve and then only in the Guango forest (4).
449. Black-crested Warbler *Basileuterus nigrocristatus* – It was only seen in Yanacocha (2) and then only heard in Guango and the Papallacta area.
450. Citrine Warbler *Basileuterus luteoviridis* – It was only heard in the Guango Lodge forest.
451. Three-striped Warbler *Basileuterus tristriatus* – Ten were seen in the Refugio Paz de las Aves and three more in the Mindo area.

452. Chocó Warbler *Basileuterus chlorophrys* – At least a dozen were seen in the Milpe Reserve.
453. Russet-crowned Warbler *Basileuterus coronatus* – A pair was seen in the Tandayapa valley heading to Bellavista.
454. Buff-rumped Warbler *Basileuterus fulvicauda* – Two were seen by a bridge in the Sirlanche Forest Reserve area.
455. Bananaquit *Coereba flaveola* – Ten were seen in the Sirlanche Forest Reserve forest and at least six in the Milpe Reserve; also in Refugio Paz de las Aves.
456. Golden-rumped Euphonia *Euphonia cyanocephala* – Two pairs were seen in the dry scrub forest north of Quito close to the town of Calacali, one more in Refugio Paz de las Aves and a pair seen in the lower part of the Mindo valley.
457. Orange-bellied Euphonia *Euphonia xanthogaster* – Small numbers occur in Tandayapa valley (1), Refugio Paz de las Aves (1), Milpe Reserve (6), Sirlanche reserve (2), Sacha Lodge (1) and San Borja road (1).
458. Thick-billed Euphonia *Euphonia laniirostris* – A pair was seen in Sirlanche bird Sanctuary and a female in the lower Mindo valley.
459. Rufous-bellied Euphonia *Euphonia rufiventris* – A pair was seen from the tower in Sacha Lodge and others were heard.
460. White-lored Euphonia *Euphonia chrysopasta* – Two males and three female were seen in the canopy tower of Sacha Lodge.
461. Cinereous Conebill *Conebill cinereum* – Four were seen near Yanacocha, a pair on the way to Papallacta and three more in the dry scrub of Calacali.
462. Blue-backed Conebill *Conebill sitticolor* – Six were seen in Yanacocha.
463. Capped Conebill *Conebill albifrons* – A pair was seen accompanying a mixed species flock at Guango Lodge.
464. Masked Flower-piercer *Diglossa cyanea* – Four were seen in the Yanacocha forest, 20+ in Guango Lodge.
465. Glossy Flower-piercer *Diglossa Lafresnayi* – Four were seen in the Papallacta temperate forest and some 10 more were seen in Yanacocha reserve.
466. Black Flower-piercer *Diglossa humeralis* – Singles were seen on three different days in the Papallacta highlands.

467. White-sided Flower-piercer *Diglossa albilatera* – A male was seen along the Tandayapa valley and was heard also at Guango Lodge.
468. Rusty Flower-piercer *Diglossa sittoides* – A pair was heard only in the dry scrub forest near Quito on the way to Papallacta.
469. Purple Honeycreeper *Cyanerpes caeruleus* – Two pairs were seen on different days at Sacha Lodge from the metal canopy towers.
470. Green Honeycreeper *Chlorophanes spiza* – Three males and a female were seen in Sirlanche Forest Reserve and another pair in Milpe; two other pairs from the canopy towers at Sacha Lodge.
471. Red -legged Honeycreeper *Cyanerpes cyaneus* – One male was seen from the metal canopy tower at Sacha Lodge
472. Golden-collared Honeycreeper *Iridophanes pulcherrima* – A male was seen along the San Borja road close to Baeza.
473. Blue Dacnis *Dacnis cayana* – A male was seen only from the metal tower at Sacha Lodge.
474. Yellow-tufted Dacnis *Dacnis egregia* – Two males and a female were seen feeding from a fruiting tree in Sirlanche Forest Reserve.
475. Yellow-bellied Dacnis *Dacnis flaviventer* – Two males were seen at Sacha Lodge on different days from the canopy towers.
476. Fawn-breasted Tanager *Pipraeidea melanonota* – Four were seen in the Refugio Paz de las Aves.
477. Glistening-green Tanager *Chlorochrysa phoenicotis* – A nice pair was seen in the Milpe Reserve.
478. Orange-eared Tanager *Chlorochrysa calliparaea* – One single male was seen along the San Borja road close to Baeza.
479. Opal-rumped Tanager *Tangara velia* – Six were seen on two different days at Sacha Lodge.
480. Opal-crowned Tanager *Tangara callophrys* – Five were seen from the metal canopy tower at Sacha Lodge.
481. Green-and-gold Tanager *Tangara schrankii* – A pair was seen in the forest canopy at Sacha Lodge.
482. Rufous-throated Tanager *Tangara rufigula* – Only Meg and John saw them in the Mirador de los Bancos.
483. Golden Tanager *Tangara arthus* – Ten at Tandayapa valley, 10 more in Refugio Paz de las Aves, eight more in the Milpe area and two more on San Borja road.

484. Emerald Tanager *Tangara florida* – A pair was seen in the Sirlanche bird sanctuary.
485. Silver-throated Tanager *Tangara icterocephala* – At least 10 were seen in the Milpe Reserve.
486. Saffron-crowned Tanager *Tangara xanthocephala* – At least 10 were seen on the San Borja road close to Baeza.
487. Golden-eared Tanager *Tangara chrysotis* – A pair was seen on the San Borja road close to Baeza.
488. Flame-faced Tanager *Tangara parzudakii* – A pair was seen in the Tandayapa valley, four more in the Refugio Paz de las Aves and another pair on the San Borja road.
489. Blue-necked Tanager *Tangara cyanicollis* – Half a dozen were seen in the Milpe Reserve, six more on the San Borja road, three in the lower part of the Mindo Valley and a pair in the Sirlanche bird Sanctuary.
490. Golden-hooded Tanager *Tangara larvata* – One single bird was seen in the Sirlanche bird sanctuary.
491. Golden-naped Tanager *Tangara rufivertex* – Four were seen in the Milpe Reserve, one in the Tandayapa valley and three more in the Refugio Paz de las Aves.
492. Gray-and-gold Tanager *Tangara palmeri* – A family group of six were seen in the Sirlanche Forest Reserve.
493. Bay-headed Tanager *Tangara gyrola* – Near six were seen in the Milpe reserve in the Sirlanche Forest Reserve forest and pairs were also seen in Mindo, and at Refugio Paz de las Aves.
494. Rufous-winged Tanager *Tangara lavinia* – Only one single bird was seen in the Sirlanche bird sanctuary.
495. Beryl-spangled Tanager *Tangara nigroviridis* – Three were seen at Refugio Paz de las Aves and a pair at Tandayapa valley.
496. Blue-and-black Tanager *Tangara vassorii* – Four were seen in the Guango Lodge forest.
497. Black-capped Tanager *Tangara heinei* – Four were seen in the Tandayapa valley, a male in the Refugio Paz de las Aves and up to five on the San Borja road close to Baeza.
498. Golden-crowned Tanager *Iridisornis rufivertex* – Three were seen in the Yanacocha reserve and one more was seen in the Papallacta forest above the Termas de Papallacta resort.
499. Scarlet-bellied Mountain-tanager *Anisognathus igniventris* – Six were seen in the Temperate forest of Papallacta and at least 10 in Yanacocha on the last day.
500. Lacrimose Mountain-tanager *Anisognathus lacrymosus* – A pair was seen in the Guango Lodge forest on the very last day of the trip.

501. Blue-winged Mountain-tanager *Anisognathus somptuosus* – A pair was seen in the Tandayapa valley, six in the Milpe forest and six more in the Refugio Paz de las Aves.
502. Hooded Mountain-tanager *Buthraupis montana* – At least eight were seen in Yanacocha on the last day and four more in the Guango Lodge forest.
503. Black-chested Mountain-tanager *Buthraupis eximia* – Six were seen only in Yanacocha.
504. Masked Mountain-tanager *Buthraupis wetmorei* – I was the only person able to see one in the forest just above Termas de Papallacta resort.
505. Buff-breasted Mountain-tanager *Dubusia taeniata* – A pair was seen in the Guango Lodge forest.
506. Swallow Tanager *Tersina viridis* – A small group of five were seen in the Milpe Reserve.
507. Blue-gray Tanager *Thraupis episcopus* – Common in Milpe (10), Sirlanche Forest Reserve (20), Sacha Lodge (10), Refugio Paz de las Aves (4) and San Borja road (6).
508. Palm Tanager *Thraupis palmarum* – Numerous in Milpe (4), Sirlanche Forest Reserve (12), Sacha Lodge (10), Refugio Paz de las Aves (2) and Milpe (10).
509. Blue-capped Tanager *Thraupis cyanocephala* – One was seen in the Bellabista area and another one in the Refugio Paz de las Aves.
510. Blue-and-yellow Tanager *Thraupis bonariensis* – Only one bird was seen in the dry scrub near Calacali.
511. Silver-beaked Tanager *Ramphocelus Carbo* – Small numbers only at Sacha Lodge almost daily.
512. Lemon-rumped Tanager *Ramphocelus icteronotus* – Common in Mindo (40) and in Sirlanche Forest Reserve (30) also in Milpe (20).
513. Summer Tanager *Piranga rubra* – Four were seen in the Milpe forest, a male in the lower part of the Mindo valley and a pair on the San Borja road close to Baeza.
514. Scarlet Tanager *Piranga olivacea* – Three females were seen on the San Borja road close to Baeza.
515. White-winged Tanager *Piranga leucoptera* – A pair was seen in the Milpe forest and one more was heard in the Tandayapa valley.
516. Ochre-breasted Tanager *Chlorothraupis stolzmanni* – Four were seen in the Milpe forest.
517. White-lined Tanager *Tachyphonus rufus* – A pair was seen in the Milpe Reserve and another pair in the Mindo area.

518. White-shouldered Tanager *Tachyphonus luctuosus* – A pair was seen in the Sirlanche Forest Reserve and one another male was seen in the lower Mindo valley.
519. Tawny-crested Tanager *Tachyphonus delatrii* – A group of four birds was seen in a big mixed species flock in the Sirlanche Forest Reserve.
520. Scarlet-browed Tanager *Heterospingus xanthopygius* – A pair was seen feeding in the treetops, Sirlanche Forest Reserve.
521. Gray-headed Tanager *Eucometis penicillata* – Only one bird was heard inside forest the day we were leaving Sacha Lodge.
522. Dusky-faced Tanager *Mitrospingus cassinii* – One bird was seen briefly in the Sirlanche Forest Reserve.
523. Guira Tanager *Hemithraupis guira* – A pair was seen in the Sirlanche Reserve.
524. Common Bush-Tanager *Chlorospingus ophthalmicus* – One single bird was seen on the San Borja road close to baeza.
525. Yellow-throated Bush-Tanager *Chlorospingus flavigularis* – A single bird was seen in the Milpe Reserve.
526. Dusky Bush-Tanager *Chlorospingus semifuscus* – A few were seen (4 to 5) in the Bellavista area.
527. Black-backed Bush-Tanager *Urothraupis stolzmanni* – At least 10 were seen in the forest above Termas de Papallacta resort.
528. Black-capped Hemispingus *Hemispingus atropileus* – Four were only seen in the bamboo dominated forest at Guango Lodge.
529. Superciliated Hemispingus *Hemispingus superciliaris* – Half a dozen were seen in the Yanacocha forest.
530. Grass-green Tanager *Chlorornis riefferii* – Unfortunately only heard near Bellavista area.
531. Magpie Tanager *Cissopis leveriana* – One was seen in the second growth forest along the Napo River at Sacha Lodge.
532. Plushcap *Catamblyrhynchus diadema* – One was seen in the bamboo dominated forest at Guango Lodge.
533. Buff-throated Saltator *Saltator maximus* – A pair was seen in the lower Mindo Valley, another three were seen in the Sirlanche Forest Reserve and another one at Sacha Lodge forest.
534. Black-winged Saltator *Saltator atripennis* – One was seen in the Milpe Reserve and three more were seen in the Sirlanche Reserve.

535. Grayish Saltator *Saltator coerulescens* – It was heard only in Sacha Lodge and on the San Borja road close to Baeza.
536. Red-capped Cardinal *Paroaria gularis* – Small numbers (2 to 6) were seen on the shores of Sacha Lodge Lake almost daily.
537. Slate-coloured Grosbeak *Pitylus grossus* – A bird was heard in Sacha lodge forest, another was heard in the Milpe Reserve and a pair was seen in the Sirlanche bird sanctuary.
538. Southern Yellow-Grosbeak *Pheucticus chrysogaster* – Four were seen in the lower Mindo valley, a female was seen on the way to Papallacta and a male near Calacali.
539. Rose-breasted Grosbeak *Pheucticus ludovicianus* – A male was seen in the lower part of the Mindo Valley and a female on the San Borja road close to Baeza.
540. Blue-black Grassquit *Volatinia jacarina* – One male was seen in the second growth habitat in the Tandayapa valley.
541. Yellow-faced Grassquit *Tiaris olivacea* – Two males and a female were seen in the Refugio Paz de las Aves.
542. Variable Seedeater *Sporophila aurita* – Single males were seen in the Milpe Reserve, Mindo valley and at Sirlanche.
543. Black-and-white Seedeater *Sporophila luctuosa* – Four males and two females were seen in the lower part of the Mindo valley and many females were seen in the Refugio Paz de las Aves.
544. Yellow-bellied Seedeater *Sporophila nigricollis* – Small numbers (2 to 4) were seen in Mindo, Refugio Paz de las Aves and Milpe.
545. Lesser Seed-Finch *Oryzoborus angolensis* – A pair was only seen in the open country at Sirlanche bird sanctuary.
546. Band-tailed Seedeater *Catamenia analis* – Two males and a female were seen in the dry scrub close to Calacali on the first day of the trip.
547. Plain-colored Seedeater *Catamenia inornata* – Two were seen in the grassland habitat on the way to Yanacocha and a female was seen in the Papallacta area.
548. Paramo Seedeater *Catamenia homochroa* – Over 20 birds were seen in the Papallacta area on the last day of the trip.

549. Plumbeous Sierra-finch *Phrygilus unicolor* – Two males and two females were seen on the ‘highland elevation grassland’ along the Papallacta Pass, and a group of 10 was seen in the Antisana Reserve.
550. Ash-breasted Sierra-finch *Phrygilus plebejus* – One female and several males were seen in the dry valley north of Quito, close to Calacali.
551. Grassland Yellow-finch *Sicalis luteola* – I was the only person able to see some flying away, Antisana reserve.
552. Pale-naped Brush-finch *Atlapetes pallidinucha* – Half a dozen were seen in the Guango Lodge forest on the very last day.
553. Rufous-naped Brush-finch *Atlapetes rufinucha* – Half a dozen were seen in the Yanacocha reserve.
554. Tricoloured Brush-finch *Atlapetes tricolor* – Only one bird was seen in the forest just above Sachatamia (it has been suggested that this species represents a split from the Tricoloured Brush-finch from the eastern Andes Slopes and suggested to be the Chocó Brush-finch)
555. White-winged Brush-finch *Atlapetes leucopterus* – Two were seen in the Tandayapa valley on the first day of the trip and another pair in the Refugio Paz de las Aves.
556. Slaty Brush-finch *Atlapetes schistaceus* – Only one bird was seen in the Guango Lodge forest.
557. Chestnut-capped Brush-finch *Buarremon brunneinucha* – It was only heard along the Tandayapa valley.
558. Striped-headed Brush-finch *Buarremon torquatus* – It was heard only in Yanacocha reserve and it was also heard on the way to Papallacta pass.
559. Tanager Finch *Orothraupis arremonops* – A pair was seen in the Bellavista area; this was one of the rarest birds that we managed to find on the trip.
560. Orange-billed Sparrow *Arremon aurantiirostris* – One was seen at Sirlanche Forest Reserve and also heard in the Milpe forest.
561. Black-striped Sparrow *Arremonops conirostris* – One was seen only in the second growth forest in the lower Mindo valley.
562. Rufous-collared Sparrow *Zonotrichia capensis* – A very common bird that was seen in good numbers (5 to 10) in almost all highland sites on the trip.
563. Shiny Cowbird *Molothrus bonariensis* – A small group of three was seen in the Milpe Reserve and a big group (20) was seen in the Sirlanche Reserve.

564. Crested Oropendola *Psarocolius decumanus* – Small numbers (6 to 10) were seen almost daily at Sacha Lodge.
565. Russet-backed Oropendola *Psarocolius angustifrons* – A very common bird at Sacha Lodge where we saw between 3 and 20 every day.
566. Scarlet-rumped Cacique *Cacicus microrhynchus* – It was only heard in the Sirlanche Forest Reserve.
567. Subtropical Cacique *Cacicus uropygialis* – Half a dozen were seen along the San Borja road close to Baeza.
568. Northern Mountain-Cacique *Cacicus leucorhamphus* – Four were seen in the Guango Lodge forest.
569. Yellow-rumped Cacique *Cacicus cela* – A common bird that was always seen in good numbers at Sacha Lodge (150).
570. Solitary Cacique *Cacicus solitarius* – It was heard only inside second growth forest at Sacha Lodge.
571. Scrub Blackbird *Dives warszewiczi* – One single bird was seen in the lower Mindo valley's open areas.
572. Moriche Oriole *Icterus chryscephalus* – Single birds were seen on two separate days at the canopy towers, Sacha Lodge.
573. Yellow-tailed Oriole *Icterus mesomelas* – One was seen in the Sirlanche preserve and two more were seen in the lower part of the Mindo Valley.
574. Oriole Blackbird *Gymnomystax mexicanus* – One was seen along the Napo River the day we were heading back from Sacha Lodge to Quito.
575. Hooded Siskin *Carduelis magellanica* – Small numbers were seen in the Papallacta pass area.
576. Olivaceous Siskin *Carduelis olivacea* – Three were only seen on the San Borja road close to Baeza.
577. Yellow-bellied Siskin *Carduelis xanthrogastra* – A male was seen in the Sirlanche Forest Reserve.
578. Lesser Goldfinch *Carduelis psaltria* – Up to 10 were seen in the lower part of the Tandayapa valley.