

Ecuador - The Andes & Amazon

Naturetrek Tour Report

6 - 21 November 2012



Toucan Barbet



Flame-faced Tanager



Crossing Lake Pilpicocha



Hoatzin

Report compiled by Alejandro Solano-Ugalde
Images courtesy of Robert Davidson



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Alejandro Solano-Ugalde Ornithologist

Participants: Tony Peach
Bevan Miller
Susan Miller
Robert Davidson
Lars Olausson
Gordon Holmes
Anders Sjaastad
Chris King
Ian Peckett
Helen Peckett

Day 0/1

Wednesday 6th/Thursday 7th November

Arrival to Quito

After an uneventful journey across the Atlantic, participants were welcomed, and soon after collecting luggage we had the short drive to reach the conveniently located and nearby hotel in the capital Quito.

Day 2

Friday 8th November

Quito – Old Nono / Mindo Rd

Our official beginning of the trip - we drove to the world renowned old Nono-Mindo road, but first stopped to admire the magnificent Andes in the names of celebrities such as Cayambe and Cotacachi, two of the most prominent peaks each in the eastern and western Andes, respectively. We then continued our journey descending the west slope of the Andes with unparalleled views of a very sunny cloud forest. As the day was getting warm we decided to stop and were granted our first bit of action encountering nice hummingbirds such as Black tailed Trainbearer and Tyrian Metaltail.

Further along a progression of stops yielded many new ones, most noteworthy were; Scarlet bellied Mountain Tanager, Crimson mantled Woodpecker, White rumped Hawk, Sierran Elaenia, Cinnamon Flycatcher, Slaty backed Chat Tyrant, Masked Trogon, Turquoise Jay, Spectacled Whitestart and Black crested Warbler, and we even flushed a Curve billed Tinamou! Further along we encountered fog and a little bit of rain, frustrating good views of Plate billed Mountain Toucan which replied but never showed well! Having experienced a good introduction we continued lower along the west slope to our lodge, where we visited a flowery garden and had lots of hummingbirds around us, including: Booted Racket-tail, Velvet purple Coronet, Andean Emerald, Violet tailed Sylph and Empress Brilliant.

Later in the afternoon we enjoyed more of the beauty of choco endemic birds such as the magnificent Toucan Barbet, and ended the day settling in our comfortable lodge, content with our first days birding.

Day 3

Saturday 9th November

Silanche Bird Sanctuary – Milpe Rd

An early breakfast had us ready and on our way to go birding in the foothills of the western Andes. At the bird sanctuary we found many birds in the entrance road as well as from the easily accessed and conveniently located Canopy tower, among them were; Rose faced Parrot, White whiskered Hermit, Purple chested Hummingbird, Choco Trogon, Red headed Barbet, Pale mandibled Aracari, Chestnut mandibled Toucan, nesting Guayaquil Woodpecker, Black cheeked Woodpecker, Ruddy Foliage Gleaner, Plain Xenops, Dot winged Antwren, Chestnut backed Antbird, Choco Tyrannulet, Scale crested Pygmy Tyrant, Acadian Flycatcher, Streak Flycatcher, Masked Tityra, Blue crowned and White bearded Manakins, Lesser Greenlet, Purple crowned Fairy, Fulvous vented Euphonia, Yellow tufted and Scarlet thighed Dacnis. The combo of tanagers that mostly occurred during a frenetic mix foraging flock included; Emerald, Silver throated, Blue whiskered, Golden hooded, Grey and gold, Bay headed, White shouldered, Dusky faced and Tawny crested!!

Not wanting to leave, we returned to our lodge to have a nice typical lunch and had time to check the plentiful feeders to find yet more special ones like: Brown Inca, Fawn breasted Brilliant, White necked Jacobin and the nice Purple throated Woodstar, all of them showing beautifully in almost every imaginable pose.

In the afternoon we decided to explore Milpe road and bird sanctuary and rapidly met flocks of Bronze winged Parrots, with nearby Sooty headed Tyrannulet, Buff fronted and Scaly throated Foliage Gleaners, amongst others. Inside the bird sanctuary we had trouble in finding the exciting lekking Club winged Manakin, it started to rain and our plans had to change! At the feeders we found good shelter and more new ones to us including the gaudy Green Thorntail, Green crowned Woodnymph and Green crowned Brilliant. We then returned to the lodge for a well earned nice meal and rest, providing time to recharge our batteries for a very promising upcoming journey the next day. Before dinner we had eye to eye views with a Black and White Owl that usually frequents the parking area street lamp where it secures large morsels.

Day 4

Sunday 10th November

Antpitta Farm - Milpe Bird Sanctuary

This awaited customary early start to experience the magnificent lekking of the Cock of the Rock had us all excited and ready, walking into the forest with torches while still dark!. Just prior to entering the blind, the unique vocalizations of this fantastic bird announced the beginning of another good day. We enjoyed the spectacular displaying males as they chased each other, bowing and flapping wings incessantly, calling and defending their perches, hoping for the time to be picked up by a female. After admiring such a brilliant and loud performance we couldn't avoid the Antpitta show! As we ascended the slope the show continued, first Giant Antpitta, a massive and until recently almost mythical bird!, then along came the gaudy and minute Ochre breasted, and soon the middle sized Moustached was in plain view for us all.

At the reserve we birded at several fruiting trees providing great encounters with Wattled and Sickle winged Guans, Golden headed Quetzal, Crimson rumped Toucanet, Tawny bellied Hermit, Lineated Foliage Gleaner, Tyrannine Woodcreeper, Orange breasted Fruiteater, and some nice tanagers such as Golden, Metallic green, Black capped and Golden naped, finding also some unexpected Yellow bellied Siskins en route.

Once at the main entrance we feasted on a well deserved typical breakfast that was followed by a visit to an area with a tame Ocellated Tapaculo - Angel and Wilson, his brother, are truly magical!. We then returned to the lodge to rest and have a tasty lunch before venturing out again.

The afternoon was spent at Milpe Rd and the bird sanctuary, where we had better weather and good looks of many new birds including Scrub Blackbird, the austral migrant Snowy throated Kingbird, One coloured and Black and white Becards, Slaty Antwren, Slaty capped Flycatcher, Three striped Warbler, Choco Toucan, Choco Brush Finch (formerly Tricolored)...and in the dense understorey were the gaudy Masked Water Tyrant, Blue necked Tanager and an unexpected Bicolored Hawk. Fortunately, today we also managed excellent views of several males of the spectacular Club winged Manakin! After dinner we had the chance of more views of the Black and White Owl that usually frequents the parking area.

Day 5

Monday 11th November

Mashpi- Calacalí- Quito

This was another special day, devoted to the “recently” discovered new hot-spot of birding in the northwest of Ecuador - Mashpi. This location stands out for its unique set of Choco endemics, and our day didn't disappoint us. Upon arrival we walked the road that borders the protected forest and found many new good ones over the morning, including the smart Indigo Flowerpiercer, Choco Warbler, Plain breasted and barred Hawks, Maroon tailed Parakeets (pacific race, Pacific or Choco Parakeet to some), Bay Wren, Red billed Parrot, Little and Squirrel Cuckoos, Chestnut collared Swift, and Purple bibbed Whitetip. Continuing further a common bird along the road was the superb Moss backed Tanager, easier here than anywhere else! More came in the order of Golden Olive Woodpecker, Red faced Spinetail, Ashy headed Tyrannulet, Ornate Flycatcher, Bronze olive Pygmy Tyrant, Barred Becard, Black chinned Mountain Tanager, and Black winged Saltator, among others.

After digesting our lunch and hefty morning of birding we travelled to Quito, stopping en route at a unique type of dry inter-andean valley, wherein with afternoon light we were soon enjoying views of American Kestrel, Harris Hawk, Yellow bellied Seedeater, Southern Yellow Grosbeak, Golden rumped Euphonia, and Scaly Ground Doves. As a surprise came a pair of Tropical Mockingbirds, a recent settler in Ecuador. We then resumed our journey to Quito, had dinner, relaxed and prepared for our eastern slope and paramo days ahead.

Day 6

Tuesday 12th November

Old Papallacta Rd – “Elfin” forests - Hot Springs

Leaving Quito we drove past the Chiche Canyon, as we ascended the Andes we found it to be very clear and during the rest of the morning had a number of stops along the old road to the famous Papallacta Pass. Many high Andes specialties were found such as the mighty Andean Condor, Black chested Buzzard Eagle, the debated Variable Hawk, Andean Gull, Sparkling Violetear, Blue mantled Thornbill, Tufted Tit Tyrant, Many striped Canastero, Stout billed Cinclodes, Brown backed Chat Tyrant, Black billed Shrike Tyrant, Andean Tit Spinetail, the rare Red rumped Bush Tyrant, and Black Flowerpiercer. At the pass the conditions were good albeit activity was low due to the time of the day and wind, we only found a brave and smart Plumbeous Sierra Finch.

After a nice field lunch overlooking the vastness of the paramo and the magnificent Andes, we travelled on to our conveniently located hotel to check in and enjoyed a quick dip in the thermal pools before continuing with our productive afternoon of birding.

We drove to the edge of Cayambe Coco Ecological Reserve and although a bit windy, we quickly worked an explosive flock containing a handsome Golden crowned Tanager, a hectic family group of Black backed Bush Tanagers, together with a group of the handsome Blue backed Conebill, a pair of Glossy Flowerpiercers, and a fast moving White throated Tyrannulet that displayed properly. Later on while we descended the slope, another set of birds were encountered and to our good fortune a party of very flashy Red crested Cotingas showed, accompanied by very active pair of Scarlet bellied Mountain Tanagers, Viridian Metaltail, Shinning Sunbeam, Tawny Antpitta, and White chinned Thistletail. To finish the day we saw a Tapeti Rabbit before later relaxing in the hot springs again, and enjoying a nice meal for supper.

Day 7

Wednesday 13th November

San Isidro - Guango

We had an early start, and decided to go in search of more birds down the slope, to the prominent subtropical cloud forests around Las Caucheras road. As we reached our destination, birds were literally everywhere! Subtropical Cacique, Russet backed Oropendola, Masked Trogon, Inca Jay, Pale edge Flycatcher, Black billed Peppershrike, Crested Quetzal, and many others, all feasting on the moths that are attracted to the street lights overnight.

We then had time for a welcome break and enjoyed our breakfast while more new species were added to the list, including; White capped Parrot, Cinnamon Flycatcher, Glossy black Thrush and Russet crowned Warbler, Golden crowned Flycatcher, Brown capped Vireo, many Blackburnian Warblers, a Canada Warbler, and Masked Flowerpiercer. Mid morning had us ready to set off to attempt yet another Antpitta, and soon enough we were enjoying great views of a pair of gaudy White bellied Antpittas. We headed further into the forest wherein most of us were disappointed with a shy Chestnut crowned Antpitta that showed only very briefly!

While the day continued, we drove the road to the scientific station and beyond, finding very busy mix foraging flocks, after an hour of watching we found many new species, with new and special ones to us such as Emerald (Andean; albivitta subspecies) Toucanet, Golden Collared Honeycreeper, a pair of the scarce Chestnut breasted Chlorophonia, Saffron crowned Tanager, Bluish Flowerpiercer, a group of Northern Mountain Caciques, the entertaining and explosive Rufous crowned Tody Flycatcher, Pearl Treerunner, Rufous crested Tanager, Long tailed Antbird, White tailed Tyrannulet, and the sombre Olive backed Woodcreeper. Further on we got great looks at several of the gaudy Southern Lapwing, a “recent” settler in this part of the country.

Before lunch started we decided to check the hummingbird feeders and found the aptly named Long tailed Sylph, Bronzy and Collared Incas, together with Chestnut breasted Coronet and Speckled Hummingbird. Afterwards we feasted on the customary delicious lunch provided at the site.

On the way to our next location, we enjoyed a drive with nice waterfalls and sightseeing as we travelled to Guango for more birding.

Upon arriving we encountered new hummingbirds here including the impressive Sword billed, elegant White bellied Woodstar, Buff tailed Coronet, Buff winged Starfrontlet, and Tourmaline Sunangel. Later on a Glowing Puffleg did a quick appearance before the end of the afternoon. After a period of rain we set off to scout the river and while on the trails found Black capped and Black eared Hemispingus, Hooded Mountain Tanager doing an aerial display?!, Mountain Wren, Torrent Tyrannulet, and White capped Dipper. At the end of the afternoon after such a productive day we proceeded to relax before our exquisite supper.

Day 8

Thursday 14th November

Guango - Antisana - Quito

We started the day by enjoying a nice breakfast, while still experiencing mixed weather we set off to tackle the Torrent Duck, and we succeeded!. The conditions this morning were certainly better in the interandean valley than in the eastern slope, and with an unexpected delay due to road improvements we started our ascent, birding along the way to Antisana Ecological Reserve. The wind was blowing but we still managed nice views of Carunculated Caracara, two morphs (species?) of the Variable Hawk, and more Andean Condors! Later we stopped at a more sheltered site and discovered foraging Stout and Chestnut winged Cinclodes (the latter formerly Bar winged), Hooded Siskins, Grassland Yellow Finches, Plumbeous Sierra Finch, Many striped Canastero, Black winged Ground Doves, and a handsome pair of Andean Lapwings.

Quite delighted with the first part of the morning we reached the highland plateau whereafter a careful search we couldn't manage to locate the rare and scarce Black faced Ibis. While scanning we found lots of Carunculated Caracaras walking and foraging in the paramo grasslands and together were a few loose flocks of the nice juveniles. Our journey continued, soon we had the Micacocha high Andean lake in plain view, this captivating scenery combined with views of the massive Antisana glaciers made the observations of additional Condors in the distance even more memorable. At the lake we found loitering Andean Coots, several pairs of the localized Silvery Grebe, Andean Teal, Yellow billed Pintail and the warmly coloured Andean Ruddy Duck. Having sorted the typical high Andean waterfowl we drove to enjoyed a nice lunch accompanied later views of female Ecuadorian Hillstar carrying nesting material, the sole species ranging this high up in the Andes of Ecuador.

On our way down we discovered a very nice Giant Hummingbird we have been looking for all day! ...the way it soars resembles a swallow, and to our surprise this graceful master of flight eventually came to feed at a nearby flowering shrub. With our eyes and hearts fulfilled, we returned to Quito and reviewed the upcoming days as we were going to start a completely different portion of the journey, the incursion into the mighty and vast Amazon lowlands.

Day 9

Friday 15th November

Botanical Gardens - Quito – Sacha Lodge

This was our only chance for a lie in during the trip, but some decided on taking the opportunity of birding at the botanical gardens instead. We enjoyed a leisurely breakfast, before getting ourselves organised for the next leg of our adventure. Soon enough we reached the grounds and quickly found one of the recent settlers of this rather urban setting, the gaudy pair of Crested Cardinals really caused an impression!

Further in we had luck with Yellow Warbler, Swainsons Thrush, Cinereous Conebill, Summer Tanager, Blue and yellow Tanager, Rusty Flowerpiercer, Red eyed Vireo, among others.

Having packed what items we needed for the coming days, we had our mid-morning pick up and were taken to the airport in order to catch our short flight to Puerto Francisco de Orellana, locally known as 'Coca'. Upon landing we were greeted by Sacha Lodge staff and after a quick stop at their headquarters, we boarded a motorised dug-out canoe and headed off downstream on the Napo River. We relaxed as the river life passed us and recorded some of the more conspicuous birds from the boat including White-winged Swallow, Cocoi Heron, Great Egret, Black and Yellow headed Caracacas, Black and Turkey Vultures, some nice Swallow tailed Kites, and Ringed Kingfisher.

After a couple of hours on the boat, we arrived at the lodge's warehouse area where we started a short and welcoming stroll along the boardwalk towards the creek, where more new birds like Yellow-rumped Cacique and Russet-backed Oropendola greeted us nosily, and an obliging White eared Jacamar performed in close range. We then boarded a dugout canoe and were paddled across the blackwater Pilchicocha Lake to reach the lodge.

On our arrival at the lodge, we were welcomed with a refreshing cocktail and some nibbles, and had a briefing on what we could look forward to over the coming days and the lodges operation. After having been shown our rooms we arranged a time and had our first exploration of the oxbow lake birdlife. This provided us with our first unforgettable experience of birding in the Amazon, getting the famous Hoatzin with its unique appearance, Pale vented Pigeon, kleptotilic Neotropical Palm Swift (this species steals feathers from other birds, while on the wing!, in order to build its nest), Greater Ani, Eastern Kingbird, Piratic Flycatcher, Masked Crimson Tanager, Red capped Cardinal, and the melodious Black capped Donacobius, amongst others.

At the end of the day we marvelled as the light faded and a palette of colour displayed in the skies. Dinner was plentiful and we settled down, organized our upcoming days, and listened to the chorus of nocturnal wildlife that provided the soundtrack to our first night in the Amazon.

Day 10-12

Saturday 16th - Monday 18th November

Sacha Lodge

Over the course of the days at Sacha we managed to explore the array of different habitats that are easy to access, including terra firme, varzea (seasonally flooded rainforest), oxbow lake, river islands, swamps, creeks, river edge, and clay licks. We also managed the canopy wildlife thanks to the lodge's main attraction – the 500 ft. (300 m.) long canopy walkway and its equally imposing kapok tower.

Luckily the heavens were nice to us and we managed to enjoy very pleasant weather, with only half a morning of rain, and saw a good array of typical as well as some of the more special Amazonian birds including; White throated and Channel billed Toucans, Black-fronted Nunbird, Ringed Woodpecker, Red-bellied Macaws, many colourful tanagers like Paradise, Opal rumped and crowned, Green and gold, Masked and Turquoise, White tailed, Amazonian and Collared Trogons, Scarlet-crowned and Gilded Barbets, and many of the new world flycatchers. A Double-toothed Kite perched nearby and Spix's Guan was seen near a tree with Red Howler Monkeys. Maroon-tailed Parakeets and Oranged-winged Parrots and a pair of Chestnut –fronted Macaw crossed between the trees.

From elevated vantage points we enjoyed several White-lored Euphonia, Blue and Black-faced Dacnis, Scale breasted Woodpecker, Dugands Antwren, and White fronted Nunbird. The real stars in the toucan family were the Aracaris; Many banded, Chestnut eared, Ivory billed, and Lettered, not to forget the strange looking Golden Collared Toucanet. A party of White fronted Capuchins showed well through the scope and binoculars and we also enjoyed good views of several Cotingas in the names of Bare-necked and Purple throated Fruitcrow, Plum-throated and Spangled Cotingas, and the minute White browed Purplethroat. Almost an invisible beast, a Brown Three-toed Sloth gave superb canopy eye level views as it slowly moved in its home tree well above the ground.

As the days warmed up, raptors became more active with Slender-billed and Plumbeous Kite, Crane, White and Slate coloured Hawks, Black Caracara and Greater Yellow-headed Vultures along with many Short tailed and Grey-rumped Swifts.

One of the days we arrived at the lodge in time to find and enjoy the unique and tiny Pygmy Marmosets (the smallest Neotropical primate!), a Black Agouti near the Butterfly garden, and Black Caiman roosting under the kitchen! Despite the Caiman sighting we enjoyed a truly refreshing dip in the black waters of Pilchicocha Oxbow Lake, whilst other guest watched the fishing of piranhas happening from the same deck!

We paddled several creeks and walked several trails in search of some of the elusive species of the forest floor. Highlights included Fasciated Antshrike, Plumbeous Antbird, Silvery Antbird, as well as troops of enquiring Squirrel Monkeys. Further along came Green and Rufous Kingfishers, Rufescent Tiger Heron, and one of the most commented birds: the prized Agami Heron, a richly coloured and secretive bird with a very menacing dagger bill that is seldom encountered. For many the undoubted highlight however was a superb roosting pair of the imposing Crested Owl and the family group of Night Monkeys.

One of the days we visited riverine islands. New birds encountered as we worked the mixed weather included Lesser Hornero, Dark-breasted, White-bellied and Parker's Spinetail and several new flycatchers and seedeaters such as Mottle backed Elaenia and Chestnut bellied and Caqueta Seedeaters, together with the stunning Oriole Blackbirds. Another special bird was the Olive-spotted Hummingbird but the diminutive and extremely secretive Grey-breasted Crake stole the show as it was ambushed into full view! Foraging through the thick vegetation we had only fly bys of Black and White Antbird, another skulking localised island inhabitant.

We then took the motorized canoe and set off to the clay licks in Yasuni N.P. stopping frequently for new birds en route. We drifted downstream to the edge of the park entrance stopping to photograph a pair of Ladder-tailed Nightjars roosting at the river bank! At the first parrot-lick, the surrounding trees held good numbers of Blue-headed and Mealy Parrots and swirling flocks of Dusky-headed Parakeets. We continued to the other parrot lick to check if there was any more activity only to find that it was a bit slow. We had good scope views of the Yellow-crowned Parrot, later the raucous calls of hundreds of Cobalt-winged Parakeets started, finally descending on to a small exposed cave at ground level a group of Scarlet Macaws also came, in the company of the gaudy Orange checked Parrot.

As the final night came, we enjoyed a couple of well-earned drinks in the bar before gathering on the fishing deck to enjoy a farewell barbeque served on the deck under an inky black night and delighted ourselves with the feast.

Day 13

Tuesday 19th November

Coca – Quito – Botanical Gardens

We had our customary early breakfast, which was supplemented with a session of understory birding that yielded good results in the names of Warbling and White shouldered Antbirds. Further yet awaited another of the morning specials, the seldom encountered Chestnut capped Puffbird. Suddenly something flew over the trees, and the star attraction appeared in the shape of Amazonian Umbrellabird, complete with long wattle and large quaff!

Sadly we needed to continue heading back to Coca to catch our return flight to Quito. The flight was on time and once in Quito, we headed to our hotel to rest for a couple of hours. We enjoyed a late afternoon walk around the botanical gardens which gave good views of the birds in the area. Later we met for a drink and had our briefing for our upcoming final day, before heading out into Quito to celebrate the success of the trip in advance with traditional live music and an Andean dinner.

Day 14

Wednesday 20th November

Yanacocha – Quito

Our last day of full on activity started with an early breakfast and quickly we were on the road to Yanacocha. On the way we enjoyed again the magnificence of the eastern Andes, with the snow caps of Cayambe and the tip of the sharp peak of Cotacachi. Upon arriving at the reserve we started our relaxed stroll, slowly encountering nice birds such as Northern Rufous naped Brush Finch, White banded Tyrannulet, Blue backed Conebill, Streak Tuftedcheek, Scarlet bellied Mountain Tanager, Smoky Bush Tyrant, Pearl Treerunner, Grass green Tanager, Spectacled Whitestar, Rufous Wren, Brown bellied Swallow, Superciliated Hemispingus and the gaudy Rufous breasted Chat Tyrant.

With beautiful weather we continued our birding walk along the famous Inca Ditch Trail, where we were enthralled with several mixed flocks enjoying the activity and the great views of the imposing Pichincha Volcano. The feeders at Yanacocha are always a spectacle to enjoy, and while doing so we managed new ones to us such as Golden breasted and Sapphire vented Puffleg, with an oddly billed Mountain Velvetbreast performing near to an equally shocking Sword billed Hummingbird. As a surprise came two extravagant and cooperative Rufous Antpittas that we managed easily with the aid of a few worms!

On the way back we found a very welcome Black chested Mountain Tanager that greeted us at lunch time, but first we stopped to pick up a sluggish White browed Spinetail that finally revealed well. Among the other interesting ground dwellers were a Tawny Antpitta that recently has been trained to eat earthworms and luckily for us this ended with a very tame bird right in front of us, allowing unparalleled views.

With our list well over the 500's we decided it was wise to have lunch and then head towards the airport before hitting traffic. Some participants leaving that day had the time to make the necessary arrangements in order to catch their flights back home, the rest of us returned to the hotel in Quito where others rested before venturing on to their extensions to the enchanted Galápagos archipelago...good travelling everyone!

Day 15

Thursday 21st November

Return to Europe

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species List

Birds (H = Heard only; L = Leader Only)

	Common name	Scientific name			Common name	Scientific name	
1	Cinereous Tinamou	<i>Crypturellus cinereus</i>	H	288	Chestnut-backed Antbird	<i>Myrmeciza exsul</i>	
2	Little Tinamou	<i>Crypturellus soui</i>	H	289	Plumbeous Antbird	<i>Myrmeciza hyperythra</i>	
3	Undulated Tinamou	<i>Crypturellus undulatus</i>	H	290	White-shouldered Antbird	<i>Myrmeciza melanoceps</i>	
4	Curve-billed Tinamou	<i>Notoproctha curvirostris</i>		291	Immaculate Antbird	<i>Myrmeciza immaculata</i>	H
5	Salvins` Currasow	<i>Mitu salvini</i>		292	Bicolored Antbird	<i>Gymnopithys leucaspis</i>	
6	Silvery Grebe	<i>Podiceps occipitalis</i>		293	Spot-backed Antbird	<i>Hylophylax naevioides</i>	
7	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>		294	Dot-backed Antbird	<i>Hylophylax naevia</i>	
8	Anhinga	<i>Anhinga anhinga</i>		295	Black-faced Antthrush	<i>Formicarius analis</i>	H
9	Andean Teal	<i>Anas andium</i>		296	Black headed Antthrush	<i>Formicarius nigricapillus</i>	H
10	Blue-winged Teal	<i>Anas discors</i>		297	Rufous-breasted Antthrush	<i>Formicario rufipectus</i>	H
11	Yellow-billed Pintail	<i>Anas spinicauda</i>		298	Undulated Antpitta	<i>Grallaria squamigera</i>	H
12	Torrent Duck	<i>Merganetta armata</i>		299	Giant Antpitta	<i>Grallaria gigantea</i>	
13	Andean Duck	<i>Oxyura ferruginea</i>		300	Moustached Antpitta	<i>Grallaria alleni</i>	
14	Cocoi Heron	<i>Ardea cocoi</i>		301	Plain backed Antpitta	<i>Grallaria haplonota</i>	H
15	Great Egret	<i>Ardea alba</i>		302	Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>	
16	Striated Heron	<i>Butorides striatus</i>		303	Chestnut naped Antpitta	<i>Grallaria nuchalis</i>	H
17	Agami Heron	<i>Agamia agami</i>		304	White bellied Antpitta	<i>Grallaria hypoleuca</i>	
18	Cattle Egret	<i>Bulbulcus ibis</i>		305	Rufous Antpitta	<i>Grallaria rufula</i>	
19	Black-crowned Night-heron	<i>Nycticorax nycticorax</i>		306	Tawny Antpitta	<i>Grallaria quitensis</i>	
20	Rufescent Tiger-heron	<i>Tigrisoma lineatum</i>		307	Ochre breasted Antpitta	<i>Grallaricula flavirostris</i>	
21	Andean Condor	<i>Vultur gryphus</i>		308	Chestnut-belted Gnateater	<i>Conopophaga aurita</i>	
22	King Vulture	<i>Sarcoramphus papa</i>		309	Rusty-belted Tapaculo	<i>Liosceles thoracicus</i>	
23	Black Vulture	<i>Coragyps atratus</i>		310	Blackish Tapaculo	<i>Scytalopus latrans</i>	H
24	Turkey Vulture	<i>Cathartes aura</i>		311	Narino Tapaculo	<i>Scytalopus vicinior</i>	H
25	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>		312	Spillmann's Tapaculo	<i>Scytalopus spillmannii</i>	H
26	Osprey	<i>Pandion haliaetus</i>		313	Paramo Tapaculo	<i>Scytalopus canus</i>	H
27	Hook-billed Kite	<i>Chondrohierax uncinatus</i>		314	Ocellated Tapaculo	<i>Acropternis orthonyx</i>	
28	Swallow-tailed Kite	<i>Elanoides forficatus</i>		315	Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>	
29	Slender-billed Kite	<i>Rostrhamus hamatus</i>		316	Ashy-headed Tyrannulet	<i>Phyllomyias cinereiceps</i>	
30	Double-toothed Kite	<i>Harpagus bidentatus</i>		317	Slender-footed Tyrannulet	<i>Zimmerius gracilipes</i>	
31	Plumbeous Kite	<i>Ictinia plumbea</i>		318	Choco Tyrannulet	<i>Zimmerius albigularis</i>	

Common name	Scientific name		Common name	Scientific name	
32 Crane Hawk	<i>Geranospiza caerulescens</i>		319 White-lored Tyrannulet	<i>Ornithion inerme</i>	
33 Plain-breasted Hawk	<i>Accipiter ventralis</i>		320 Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>	
34 Bicoloured Hawk	<i>Accipiter bicolor</i>		321 Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	
35 Slate-coloured Hawk	<i>Leucopternis schistacea</i>		322 Yellow crowned Elaenia	<i>Myiopagis flavivertex</i>	
36 Barred Hawk	<i>Leucopternis princeps</i>		323 Greenish Elaenia	<i>Myiopagis viridicata</i>	
37 White Hawk	<i>Leucopternis albicollis</i>		324 Mottle-backed Elaenia	<i>Elaenia gigas</i>	
38 Black-chested Eagle	<i>Geranoaetus melanoleucus</i>		325 Sierran Elaenia	<i>Elaenia pallatangue</i>	
39 Roadside Hawk	<i>Buteo magnirostris</i>		326 White-crested Elaenia	<i>Elaenia albiceps</i>	
40 Broad-winged Hawk	<i>Buteo platypterus</i>		327 White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>	
41 Short-tailed Hawk	<i>Buteo brachyurus</i>		328 White-tailed Tyrannulet	<i>Mecocerculus poecilocercus</i>	
42 White-rumped Hawk	<i>B. leucorrhous</i>		329 White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>	
43 Variable (Puna) Hawk	<i>Buteo polyosoma</i>		330 Torrent Tyrannulet	<i>Serpophaga cinerea</i>	
44 Harris's Hawk	<i>Parabuteo unicinctus</i>		331 Lesser Wagtail-Tyrant	<i>Stigmatura napensis</i>	
45 Black Caracara	<i>Daptrius ater</i>		332 Tufted Tit-tyrant	<i>Anairetes parulus</i>	
46 Carunculated Caracara	<i>Phalcoboenus carunculatus</i>		333 Bronze Olive Pygmy Tyrant	<i>Pseudotriccus pelzelni</i>	
47 Yellow-headed Caracara	<i>Milvago chimachima</i>		334 Streak-necked Flycatcher	<i>Mionectes striaticollis</i>	
48 Laughing Falcon	<i>Herpetotheres cachinnans</i>	H	335 Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	
49 American Kestrel	<i>Falco sparverius</i>		336 Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>	
50 Peregrine Falcon	<i>Falco peregrinus</i>		337 Scale-crested Pygmy-Tyrant	<i>Lophotriccus pileatus</i>	
51 Speckled Chachalaca	<i>Ortalis guttata</i>		338 Rufous-crowned Tody-Tyrant	<i>Poecilotriccus ruficeps</i>	
52 Andean Guan	<i>Penelope montagnii</i>		339 Yellow-browed Tody-Flycatcher	<i>Todirostrum chrysocrotaphum</i>	H
53 Spix's Guan	<i>Penelope jacquacu</i>		340 Common Tody-Flycatcher	<i>Todirostrum cinereum</i>	
54 Wattled Guan	<i>Aburria aburri</i>		341 Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>	
55 Sickie-winged Guan	<i>Chamaepetes goudotii</i>		342 Zimmer's Flatbill	<i>Tolmomyias assimilis</i>	
56 Dark-backed Wood-Quail	<i>Odontophorus melanonotus</i>	H	343 Gray-crowned Flatbill	<i>Tolmomyias poliocephalus</i>	
57 Chestnut-headed Crane	<i>Anurolimnas castaneiceps</i>		344 Yellow-margined Flatbill	<i>Tolmomyias flavotectus</i>	
58 Black-banded Crane	<i>Laterallus fasciatus</i>	H	345 Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomea</i>	
59 Gray-breasted Crane	<i>Laterallus exilis</i>		346 Eulers` Flycatcher	<i>Lathrotriccus euleri</i>	
60 Andean Coot	<i>Fulica ardesiaca</i>		347 Ornate Flycatcher	<i>Myiotriccus ornatus</i>	
61 Sungrebe	<i>Heliornis fulica</i>		348 Acadian Flycatcher	<i>Empidonax virescens</i>	
62 Greater Yellowlegs	<i>Tringa melanoleuca</i>		349 Smoke-coloured Pewee	<i>Contopus fumigatus</i>	
63 Lesser Yellowlegs	<i>Tringa flavipes</i>		350 Black Phoebe	<i>Sayornis nigricans</i>	
64 Solitary Sandpiper	<i>Tringa solitaria</i>		351 Vermillion Flycatcher	<i>Pyrocephalus rubinus</i>	
65 Spotted Sandpiper	<i>Actitis macularia</i>		352 Brown-backed Chat-tyrant	<i>Ochthoeca fumicolor</i>	
66 Southern Lapwing	<i>Vanellus chilensis</i>		353 Rufous-breasted Chat-Tyrant	<i>Ochthoeca rufipectoralis</i>	

	Common name	Scientific name		Common name	Scientific name		
67	Andean Lapwing	<i>Vanellus resplendens</i>		354	Slaty-backed Chat-tyrant	<i>Ochthoeca cinnamomeiventris</i>	
68	Pied Lapwing	<i>Hoploxypterus cayanus</i>		355	Yellow-bellied Chat-tyrant	<i>Silvicultrix diadema</i>	
69	Collared Plover	<i>Charadrius collaris</i>	L	356	Masked Water-Tyrant	<i>Fluvicola nengeta</i>	
70	Andean Gull	<i>Larus serranus</i>		357	Drab Water Tyrant	<i>Ochthornis littoralis</i>	
71	Yellow-billed Tern	<i>Sterna superciliaris</i>		358	Red-rumped Bush-Tyrant	<i>Cnemarchus erythropygius</i>	
72	Feral Pigeon	<i>Columba livia 'feral'</i>		359	Smoky Bush-tyrant	<i>Myiotheretes fumigatus</i>	
73	Band-tailed Pigeon	<i>Columba fasciata</i>		360	Black-billed Shrike-Tyrant	<i>Agriornis montana</i>	
74	Pale-vented Pigeon	<i>Columba cayennensis</i>		361	Paramo Ground Tyrant	<i>Muscisaxicola alpina</i>	
75	Ruddy Pigeon	<i>Columba subvinacea</i>		362	Cinnamon Attila	<i>Attila cinnamomeus</i>	
76	Plumbeous Pigeon	<i>Columba plumbea</i>		363	Citron bellied Attila	<i>Attila citriniventris</i>	H
77	Eared Dove	<i>Zenaida auriculata</i>		364	Cinereous Mourner	<i>Laniocera hypopyrra</i>	H
78	Scaly Ground-Dove	<i>Columbina passerina</i>		365	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	
79	Ruddy Ground-Dove	<i>Columbina talpacoti</i>		366	Short-crested Flycatcher	<i>Myiarchus ferox</i>	
80	Black-winged Ground-dove	<i>Metriopelia melanoptera</i>		367	Pale edge Flycatcher	<i>Myiarchus cephalotes</i>	
81	White-tipped Dove	<i>Leptotila verreauxi</i>		368	Great Kiskadee	<i>Pitangus sulphuratus</i>	
82	Pallid Dove	<i>Leptotila pallida</i>	L	369	Lesser Kiskadee	<i>Pitangus lictor</i>	
83	Gray-fronted Dove	<i>Leptotila rufaxilla</i>		370	Boat-billed Flycatcher	<i>Megarhynchus pitangua</i>	
84	Sapphire Quail-dove	<i>Geotrygon saphirina)</i>	H	371	Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	
85	White-throated Quail-Dove	<i>Geotrygon frenata</i>	H	372	Social Flycatcher	<i>Myiozetetes similis</i>	
86	Blue and Yellow Macaw	<i>Ara ararauna</i>		373	Gray-capped Flycatcher	<i>Myiozetetes granadensis</i>	
87	Scarlet Macaw	<i>Ara macao</i>		374	Dusky-chested Flycatcher	<i>Myiozetetes luteiventris</i>	
88	Chestnut-fronted Macaw	<i>Ara severa</i>		375	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	
89	Red-bellied Macaw	<i>Orthopsittaca manilata</i>		376	Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>	
90	Dusky-headed Parakeet	<i>Aratinga weddellii</i>		377	Piratic Flycatcher	<i>Legatus leucophaeus</i>	
91	Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>		378	Sulphury Flycatcher	<i>Tyrannopsis sulphurea</i>	
92	Scarlet-shouldered Parrotlet	<i>Touit huetii</i>		379	Eastern Kingbird	<i>Tyrannus tyrannus</i>	
93	Blue-fronted Parrotlet	<i>Touit dilectissima</i>	H	380	Tropical Kingbird	<i>Tyrannus melancholicus</i>	
94	Cobalt-winged Parakeet	<i>Brotogeris cyanopectera</i>		381	Snowy-throated Kingbird	<i>Tyrannus niveigularis</i>	
95	Black-headed Parrot	<i>Pionites melanocephala</i>		382	Barred Becard	<i>Pachyramphus versicolor</i>	
96	Rose-faced Parrot	<i>Pionopsitta pulcha</i>		383	White-winged Becard	<i>Pachyramphus polychopterus</i>	
97	Orange-cheeked Parrot	<i>Pionopsitta barrabandi</i>		384	Black-and-white Becard	<i>Pachyramphus albogriseus</i>	
98	Blue-headed Parrot	<i>Pionus menstruus</i>		385	One-coloured Becard	<i>Pachyramphus homochrous</i>	
99	Red-billed Parrot	<i>Pionus sordidus</i>		386	Black-tailed Tityra	<i>Tityra cayana</i>	
100	White-capped Parrot	<i>Pionus seniloides</i>		387	Masked Tityra	<i>Tityra semifasciata</i>	
101	Bronze-winged Parrot	<i>Pionus chalcopterus</i>		388	Red-crested Cotinga	<i>Ampelion rubrocristatus</i>	

Common name	Scientific name		Common name	Scientific name	
102 Yellow-crowned Parrot	<i>Amazona ochrocephala</i>		389 Green and Black Fruiteater	<i>Pipreola riefferii</i>	
103 Orange-winged Parrot	<i>Amazona amazonica</i>		390 Barred Fruiteater	<i>Pipreola arcuata</i>	H
104 Red lored Parrot	<i>Amazona autumnalis</i>	H	391 White-browed Purpletuft	<i>Iodopleura isabellae</i>	
105 Scaly-naped Amazon	<i>Amazona mercenaria</i>	H	392 Orange-breasted Fruiteater	<i>Pipreola jucunda</i>	
106 Mealy Parrot	<i>Amazona farinosa</i>		393 Screaming Piha	<i>Lipaugus vociferans</i>	
107 Squirrel Cuckoo	<i>Piaya cayana</i>		394 Plum-throated Cotinga	<i>Cotinga maynana</i>	
108 Little Cuckoo	<i>Piaya minuta</i>		395 Spangled Cotinga	<i>Cotinga cayana</i>	
109 Greater Ani	<i>Crotophaga major</i>		396 Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>	
110 Smooth-billed Ani	<i>Crotophaga ani</i>		397 Purple-throated Fruitcrow	<i>Querula purpurata</i>	
111 Hoatzin	<i>Opisthocomus hoazin</i>		398 Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>	
112 Tropical Screech-Owl	<i>Otus choliba</i>		399 Andean Cock-of-the-rock	<i>Rupicola peruviana</i>	
113 Tawny-bellied Screech-Owl	<i>Otus watsonii</i>		400 Blue-crowned Manakin	<i>Pipra pipra</i>	
114 Crested Owl	<i>Lophostrix cristata</i>		401 Wire-tailed Manakin	<i>Pipra filicauda</i>	
115 Ferruginous Pygmy-owl	<i>Glaucidium brasilianum</i>		402 White-bearded Manakin	<i>Manacus manacus</i>	
116 Andean Pygmy-Owl	<i>Glaucidium jardinii</i>	H	403 Club-winged Manakin	<i>Machaeropterus deliciosus</i>	
117 Cloud-forest Pygmy-Owl	<i>Glaucidium nubicola</i>	H	404 Dwarf Tyrant-Manakin	<i>Tyranneutes stolzmanni</i>	
118 Black-and-white Owl	<i>Strix nigrolineata</i>		405 Turquoise Jay	<i>Cyanolyca turcosa</i>	
119 Great Potoo	<i>Nyctibius grandis</i>		406 Violaceous Jay	<i>Cyanocorax violaceus</i>	
120 Common Potoo	<i>Nyctibius griseus</i>		407 Inca Jay	<i>Cyanocorax yncas</i>	
121 Band-winged Nightjar	<i>Caprimulgus longirostris</i>		408 Black-billed Peppershrike	<i>Cyclarhis nigrirostris</i>	
122 Ladder-tailed Nightjar	<i>Hydropsalis climacocerca</i>		409 Red-eyed Vireo	<i>Vireo olivaceus</i>	
123 White-collared Swift	<i>Streptoprocne zonaris</i>		410 Brown-capped Vireo	<i>Vireo leucophrys</i>	
124 Chestnut-collared Swift	<i>Cypseloides rutilus</i>		411 Dusky-capped Greenlet	<i>Hylophilus hypoxanthus</i>	L
125 Short-tailed Swift	<i>Chaetura brachyura</i>		412 Lesser Greenlet	<i>Hylophilus decurtatus</i>	
126 Gray-rumped Swift	<i>Chaetura cinereiventris</i>		413 Andean Solitaire	<i>Myadestes ralioides</i>	
127 Pale-rumped Swift	<i>Chaetura egregia</i>		414 Black Solitaire	<i>Entomodestes coracinus</i>	
128 Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>		415 Swainson's Thrush	<i>Catharus ustulatus</i>	
129 Neotropical Palm-Swift	<i>Tachornis squamata</i>		416 Great Thrush	<i>Turdus fuscater</i>	
130 White-whiskered Hermit	<i>Phaethornis yaruqui</i>		417 Glossy-black Thrush	<i>Turdus serranus</i>	
131 Tawny-bellied Hermit	<i>Phaethornis symmatophorus</i>		418 Black-billed Thrush	<i>Turdus ignobilis</i>	
132 Great-billed Hermit	<i>Phaethornis malaris</i>		419 Lawrence's Thrush	<i>Turdus lawrecii</i>	H
133 Straight-billed Hermit	<i>Phaethonis bourcierii</i>		420 Hauxwell's Thrush	<i>Turdus hauxwelli</i>	H
134 White-necked Jacobin	<i>Florisuga mellivora</i>		421 Ecuadorian Thrush	<i>Turdus maculirostris</i>	H
135 Green Violet-ear	<i>Colibri thalassinus</i>		422 White-capped Dipper	<i>Cinclus leucocephalus</i>	
136 Sparkling Violet-ear	<i>Colibri coruscans</i>		423 Brown-chested Martin	<i>Progne tapera</i>	

Common name	Scientific name	Common name	Scientific name
137 Green Thorntail	<i>Popelairia conversii</i>	424 Gray-breasted Martin	<i>Progne chalybea</i>
138 Blue-tailed Emerald	<i>Chlorostilbon mellisugus</i>	425 White-winged Swallow	<i>Tachycineta albiventer</i>
139 Fork-tailed Woodnymph	<i>Thalurania furcata</i>	426 Brown-bellied Swallow	<i>Notiochelidon murina</i>
140 Green-crowned Woodnymph	<i>Thalurania fannyi</i>	427 Blue and White Swallow	<i>Notiochelidon cyanoleuca</i>
141 Olive-spotted Hummingbird	<i>Leucippus chlorocercus</i>	428 White-banded Swallow	<i>Atticora fasciata</i>
142 Glittering-throated Emerald	<i>Amazilia fimbriata</i>	429 Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>
143 Purple-chested Hummingbird	<i>Amazilia rosenbergi</i>	430 Sand Martin	<i>Riparia riparia</i>
144 Andean Emerald	<i>Amazilia franciae</i>	431 Barn Swallow	<i>Hirundo rustica</i>
145 Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	432 Black-capped Donacobius	<i>Donacobius atricapillus</i>
146 Bronzy Inca	<i>Coeligena coeligena</i>	433 Thrush-like Wren	<i>Campylorhynchus turdinus</i>
147 Speckled Hummingbird	<i>Adelomyia melanogenys</i>	434 Rufous Wren	<i>Cinnycerthia unirufa</i>
148 Purple-bibbed Whitetip	<i>Urosticte benjamini</i>	435 Grass Wren	<i>Cistothorus platensis</i>
149 Empress Brilliant	<i>Heliodoxa imperatrix</i>	436 Plain-tailed Wren	<i>Thryothorus euophrys</i>
150 Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>	437 Bay Wren	<i>Thryothorus nigricapillus</i>
151 Green-crowned Brilliant	<i>Heliodoxa jacula</i>	438 Southern House-Wren	<i>Troglodytes musculus</i>
152 Ecuadorian Hillstar	<i>Oreotrochilus chimborazo</i>	439 Mountain Wren	<i>Troglodytes solstitialis</i>
153 Giant Hummingbird	<i>Patagona gigas</i>	440 Gray-breasted Wood-Wren	<i>Henicorhina leucophrys</i>
154 Shining Sunbeam	<i>Aglaeactis cupripennis</i>	441 Southern Nightingale-Wren	<i>Microcerculus marginatus</i>
155 Mountain Velvetbreast	<i>Lafresnaya lafresnayi</i>	442 Slate-throated Gnatcatcher	<i>Polioptila schistaceigula</i>
156 Great Sapphirewing	<i>Pterophanes cyanopterus</i>	443 Tropical Mockingbird	<i>Mimus gilvus</i>
157 Brown Inca	<i>Coeligena wilsoni</i>	444 Paramo Pipit	<i>Anthus bogotensis</i>
158 Collared Inca	<i>Coeligena torquata</i>	445 Tropical Parula	<i>Parula pitayumi</i>
159 Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>	446 Yellow Warbler	<i>Dendroica aestiva</i>
160 Sword-billed Hummingbird	<i>Ensifera ensifera</i>	447 Blackburnian Warbler	<i>Dendroica fusca</i>
161 Buff-tailed Coronet	<i>Boissonneaua flavescens</i>	448 Olive-crowned Yellowthroat	<i>Geothlypis semiflava</i>
162 Chestnut-breasted Coronet	<i>B. matthewsii</i>	449 Canada Warbler	<i>Wilsonia canadensis</i>
163 Velvet-purple Coronet	<i>Boissonneaua jardini</i>	450 Slate-throated Whitestart	<i>Myioborus miniatus</i>
164 Gorgeted Sunangel	<i>Heliangelus strophianus</i>	451 Spectacled Whitestart	<i>Myioborus melanocephalus</i>
165 Tourmaline Sunangel	<i>Heliangelus exortis</i>	452 Three-striped Warbler	<i>Basileuterus tristriatus</i>
166 Sapphire-vented Puffleg	<i>Eriocnemis luciani</i>	453 Black-crested Warbler	<i>Basileuterus nigrocristatus</i>
167 Golden-breasted Puffleg	<i>Eriocnemis mosquera</i>	454 Choco Warbler	<i>Basileuterus chlorophrys</i>
168 Blue-mantled Thornbill	<i>C. stanleyi</i>	455 Russet-crowned Warbler	<i>Basileuterus coronatus</i>
169 Booted Racket-tail	<i>Ocreatus underwoodii</i>	456 Buff-rumped Warbler	<i>Basileuterus fulvicauda</i>
170 Black-tailed Trainbearer	<i>Lesbia victoriae</i>	457 Bananaquit	<i>Coereba flaveola</i>
171 Viridian Metaltail	<i>Metallura williami</i>	458 Yellow-collared Chlorophonia	<i>Chlorophonia flavirostris</i>

Common name	Scientific name		Common name	Scientific name	
172 Tyrian Metaltail	<i>Metallura tyrianthina</i>		459 Chestnut breasted Chlorophonia	<i>Chlorophonia pyrrhophrys</i>	
173 Long-tailed Sylph	<i>Agelaiocercus kingi</i>		460 Golden-rumped Euphonia	<i>Eufonia cyanocephala</i>	
174 Violet-tailed Sylph	<i>Agelaiocercus coelestis</i>		461 Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	
175 Purple-crowned Fairy	<i>Heliathryx barroti</i>		462 Fulvous-vented Euphonia	<i>Euphonia fulvicrissa</i>	
176 Purple-throated Woodstar	<i>Calliphox mitchellii</i>		463 Thick-billed Euphonia	<i>Euphonia laniirostris</i>	
177 White-bellied Woodstar	<i>Acestrura mulsant</i>		464 Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>	
178 Golden-headed Quetzal	<i>Pharomachrus uriceps</i>		465 White-lored Euphonia	<i>Euphonia chrysopasta</i>	
179 Crested Quetzal	<i>Pharomachrus antisianus</i>		466 Cinereous Conebill	<i>Conirostrum cinereum</i>	
180 Black-tailed Trogon	<i>Trogon melanurus</i>		467 Blue-backed Conebill	<i>Conirostrum sitticolor</i>	
181 Choco Trogon	<i>Trogon comptus</i>		468 Capped Conebill	<i>Conirostrum albifrons</i>	
182 Amazonian White-tailed Trogon	<i>Trogon viridis</i>		469 Masked Flower-piercer	<i>Diglossa cyanea</i>	
183 Western White-tailed Trogon	<i>Trogon chionurus</i>		470 Glossy Flower-piercer	<i>Diglossa lafresnayii</i>	
184 Collared Trogon	<i>Trogon collaris</i>		471 Black Flower-piercer	<i>Diglossa humeralis</i>	
185 Amazonian Violaceous Trogon	<i>Trogon violaceus</i>		472 Rusty Flower-piercer	<i>Diglossa sittoides</i>	
186 Masked Trogon	<i>Trogon personatus</i>		473 White-sided Flower-piercer	<i>Diglossa albilatera</i>	
187 Ringed Kingfisher	<i>Megaceryle torquata</i>		474 Indigo Flowerpiercer	<i>Diglossa indigotica</i>	
188 Amazon Kingfisher	<i>Chloroceryle amazona</i>		475 Bluish Flowerpiercer	<i>Diglossopsis caerulescens</i>	
189 Green and Rufous Kingfisher	<i>Chloroceryle inda</i>		476 Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	
190 Broad-billed Motmot	<i>Electron platyrhynchum</i>		477 Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>	
191 Rufous Motmot	<i>Baryphthengus martii</i>	H	478 Green Honeycreeper	<i>Chlorophanes spiza</i>	
192 Blue-crowned Motmot	<i>Momotus momota</i>		479 Golden-collared Honeycreeper	<i>Iridophanes pulcherrima</i>	
193 Highland Motmot	<i>Momotus aequatorialis</i>		480 Blue Dacnis	<i>Dacnis cayana</i>	
194 White-eared Jacamar	<i>Galbalcyrhynchus leucotis</i>		481 Black-faced Dacnis	<i>Dacnis lineata</i>	
195 Yellow-billed Jacamar	<i>Galbula albirostris</i>		482 Yellow-tufted Dacnis	<i>Dacnis egregia</i>	
196 White-chinned Jacamar	<i>Galbula tombacea</i>	H	483 Yellow-bellied Dacnis	<i>Dacnis flaviventris</i>	
197 Purplish Jacamar	<i>Galbula chalcothorax</i>		484 Scarlet-thighed Dacnis	<i>Dacnis venusta</i>	
198 White-necked Puffbird	<i>Notharchus macrorhynchus</i>		485 Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>	
199 Pied Puffbird	<i>Notharchus tectus</i>	H	486 Glistening-green Tanager	<i>Chlorochrysa phoencotis</i>	L
200 Chestnut-capped Puffbird	<i>Bucco macrodactylus</i>		487 Opal-rumped Tanager	<i>Tangara velia</i>	
201 Black-fronted Nunbird	<i>Monasa nigrifrons</i>		488 Opal-crowned Tanager	<i>Tangara callophrys</i>	
202 White-fronted Nunbird	<i>Monasa morphoeus</i>		489 Paradise Tanager	<i>Tangara chilensis</i>	
203 Swallow-wing	<i>Chelidoptera tenebrosa</i>		490 Green and Gold Tanager	<i>Tangara schrankii</i>	
204 Scarlet-crowned Barbet	<i>Capito aurovirens</i>		491 Emerald Tanager	<i>Tangara florida</i>	
205 Gilded Barbet	<i>Capito auratus</i>		492 Blue-whiskered Tanager	<i>Tangara johannae</i>	
206 Red-headed Barbet	<i>Eubucco bourcierii</i>		493 Rufous-throated Tanager	<i>Tangara rufigula</i>	

Common name	Scientific name		Common name	Scientific name
207 Toucan Barbet	<i>Semnornis rampastinus</i>		494 Golden Tanager	<i>Tangara arthus</i>
208 Emerald Toucanet	<i>Aulacorhynchus prasinus</i>		495 Silvery-throated Tanager	<i>Tangara icterocephala</i>
209 Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>		496 Saffron-crowned Tanager	<i>Tangara xanthocephala</i>
210 Pale-mandibled Aracari	<i>Pteroglossus erythropygus</i>		497 Flame-faced Tanager	<i>Tangara parzudacki</i>
211 Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>		498 Metallic-green Tanager	<i>Tangara labradorides</i>
212 Many-banded Aracari	<i>Pteroglossus pluricinctus</i>		499 Blue-necked Tanager	<i>Tangara cyanicollis</i>
213 Lettered Aracari	<i>Pteroglossus inscriptus</i>		500 Masked Tanager	<i>Tangara nigrocincta</i>
214 Ivory-billed Aracari	<i>Pteroglossus azara</i>		501 Golden-hooded Tanager	<i>Tangara larvata</i>
215 Golden-collared Toucanet	<i>Selenidera reinwardtii</i>		502 Golden-naped Tanager	<i>Tangara rufivertex</i>
216 Plate-billed Mountain-toucan	<i>Andigena laminirostris</i>		503 Turquoise Tanager	<i>Tangara mexicana</i>
217 Channel-billed Toucan	<i>Ramphastos vitellinus</i>		504 Gray and Gold Tanager	<i>Tangara palmeri</i>
218 Choco Toucan	<i>Ramphastos brevis</i>		505 Bay-headed Tanager	<i>Tangara gyrola</i>
219 Chestnut-mandibled Toucan	<i>Ramphastos swainsonii</i>		506 Beryl-spangled Tanager	<i>Tangara nigroviridis</i>
220 White-throated Toucan	<i>Ramphastos tucanus</i>		507 Blue-and-black Tanager	<i>Tangara vassorii</i>
221 Crimson-mantled Woodpecker	<i>Piculus rivolii</i>		508 Black-capped Tanager	<i>Tangara heinei</i>
222 Golden-olive Woodpecker	<i>Piculus rubiginosus</i>		509 Golden-crowned Tanager	<i>Iridosornis rufivertex</i>
223 Cinnamon Woodpecker	<i>Celeus loricatus</i>	H	510 Scarlet-bellied Mountain-Tanager	<i>Anisognathus igniventris</i>
224 Chestnut Woodpecker	<i>Celeus elegans</i>		511 Blue-winged Mountain-Tanager	<i>Anisognathus somptuosus</i>
225 Ringed Woodpecker	<i>Celeus torquatus</i>		512 Black-chinned Mountain-Tanager	<i>Anisognathus notabilis</i>
226 Cream-coloured Woodpecker	<i>Celeus flavus</i>		513 Hooded Mountain-Tanager	<i>Buthraupis montana</i>
227 Guayaquil Woodpecker	<i>Campephilus gayaquilensis</i>		514 Black-chested Mountain-Tanager	<i>Buthraupis eximia</i>
228 Lineated Woodpecker	<i>Dryocopus lineatus</i>	H	515 Moss-backed Tanager	<i>Bangsia edwardsi</i>
229 Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>		516 Swallow Tanager	<i>Tersina viridis</i>
230 Black-cheeked Woodpecker	<i>Melanerpes pucherani</i>		517 Blue-gray Tanager	<i>Thraupis episcopus</i>
231 Smoky-brown Woodpecker	<i>Veniliornis fumigatus</i>	H	518 Palm Tanager	<i>Thraupis palmarum</i>
232 Bar-bellied Woodpecker	<i>Veniliornis nigriceps</i>		519 Blue-capped Tanager	<i>Thraupis cyanocephala</i>
233 Stout-billed Cinclodes	<i>Cinclodes excelsior</i>		520 Blue and Yellow Tanager	<i>Thraupis bonariensis</i>
234 Bar-winged Cinclodes	<i>Cinclodes fuscus</i>		521 Silver-beaked Tanager	<i>Ramphocelus carbo</i>
235 Pacific Hornero	<i>Furnarius cinnamomeus</i>		522 Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>
236 Lesser Hornero	<i>Furnarius minor</i>		523 Lemon-rumped Tanager	<i>Ramphocelus icteronotus</i>
237 Andean Tit-spinetail	<i>Leptasthenura andicola</i>		524 Flame-crested Tanager	<i>Tachyphonus cristatus</i>
238 White-chinned Thistletail	<i>Schizoeaca fuliginosa</i>		525 Summer Tanager	<i>Piranga rubra</i>
239 Azara's Spinetail	<i>Synallaxis azarae</i>		526 White-shouldered Tanager	<i>Tachyphonus luctuosus</i>
240 Dark-breasted Spinetail	<i>Synallaxis albigularis</i>	H	527 Tawny-crested Tanager	<i>Tachyphonus delatrii</i>
241 White-bellied Spinetail	<i>Synallaxis propinqua</i>		528 Rufous crested Tanager	<i>Creurgops verticalis</i>

Common name	Scientific name		Common name	Scientific name
242 Rufous Spinetail	<i>Synallaxis unirufa</i>		529 Dusky-faced Tanager	<i>Mitrospingus cassinii</i>
243 White-browed Spinetail	<i>Hellmayrea gularis</i>		530 Guira Tanager	<i>Hemithraupis guira</i>
244 Red-faced Spinetail	<i>Cranioleuca erythrops</i>		531 Orange-headed Tanager	<i>Thlypopsis sodida</i>
245 Parker's Spinetail	<i>Cranioleuca vulpecula</i>		532 Rufous-chested Tanager	<i>Thlypopsis ornata</i>
246 Many-striped Canastero	<i>Asthenes flammulata</i>		533 Common Bush-Tanager	<i>Chlorospingus ophthalmicus</i>
247 Streak-backed Canastero	<i>Asthenes wyatii</i>		534 Dusky Bush-Tanager	<i>Chlorospingus semifuscus</i>
248 Spotted Barbtail	<i>Premnoplex brunnescens</i>		535 Black-backed Bush-Tanager	<i>Urothraupis stolzmanni</i>
249 Pearled Treerunner	<i>Margarornis squamiger</i>		536 Black-capped Hemispingus	<i>Hemispingus atropileus</i>
250 Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii</i>		537 Superciliated Hemispingus	<i>Hemispingus superciliaris</i>
251 Lineated Foliage-gleaner	<i>Syndactyla subalaris</i>		538 Black-eared Hemispingus	<i>H. melanotis</i>
252 Uniform Treehunter	<i>Thripadectes ignobilis</i>		539 Grass-green Tanager	<i>Chlorornis riefferii</i>
253 Scaly-throated Foliage-gleaner	<i>Anabacerthia variegaticeps</i>		540 Buff-throated Saltator	<i>Saltator maximus</i>
254 Buff-fronted Foliage-gleaner	<i>Philydor rufus</i>		541 Black-winged Saltator	<i>Saltator atripennis</i>
255 Ruddy Foliage-gleaner	<i>Automolus rubiginosus</i>		542 Grayish Saltator	<i>Saltator coerulescens</i>
256 Plain Xenops	<i>Xenops minutus</i>		543 Red-capped Cardinal	<i>Paroaria gularis</i>
257 Black-tailed Leaf-tosser	<i>Sclerurus caudacutus</i>		544 Southern Yellow-Grosbeak	<i>Pheucticus chrysogaster</i>
258 Tyrannine Woodcreeper	<i>Dendrocincla tyrannina</i>		545 Grassland Yellow-Finch	<i>Sicalis luteola</i>
259 Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>		546 Golden-faced Grassquit	<i>Tiaris olivacea</i>
260 Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>		547 Yellow-faced Grassquit	<i>Tiaris olivacea</i>
261 Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>		548 Variable Seedeater	<i>Sporophila aurita</i>
262 Long-billed Woodcreeper	<i>Nasica longirostris</i>	H	549 Caqueta Seedeater	<i>Sporophila murallae</i>
263 Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>		550 Lesson's Seedeater	<i>Sporophila bouvronides</i>
264 Straight-billed Woodcreeper	<i>Xiphorhynchus picus</i>		551 Black and White Seedeater	<i>Sporophila luctuosa</i>
265 Spix's Woodcreeper	<i>Xiphorhynchus spixii</i>	H	552 Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>
266 Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>		553 Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>
267 Black-striped Woodcreeper	<i>Xiphorhynchus lachrymosus</i>	H	554 Plain-colored Seedeater	<i>Catamenia inornata</i>
268 Spotted Woodcreeper	<i>Xiphorhynchus erythropygius</i>		555 Plumbeous Sierra-finch	<i>Phrygilus unicolor</i>
269 Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>		556 Pale-naped Brush-Finch	<i>Atlapetes pallidinucha</i>
270 Montane Woodcreeper	<i>Lepidocolaptes lachrymiger</i>		557 Rufous-naped Brush-Finch	<i>Atlapetes rufinucha</i>
271 Fasciated Antshrike	<i>Cymbilaimus lineatus</i>		558 Tricolored Brush-Finch	<i>Atlapetes tricolor</i>
272 Uniform Antshrike	<i>Thamnophilus unicolor</i>	H	559 Slaty Brush-Finch	<i>Atlapetes schistaceus</i>
273 Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>	H	560 Stripe-headed Brush-Finch	<i>Buarremon torquatus</i>
274 Western Slaty Antshrike	<i>Thamnophilus atrinucha</i>	H	561 Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>
275 Dusky-throated Antshrike	<i>Thamnomanes ardesiacus</i>		562 Rufous-collared Sparrow	<i>Zonotrichia capensis</i>
276 Cinereous Antshrike	<i>Thamnomanes caesius</i>		563 Giant Cowbird	<i>Scaphidura oryzivora</i>

Common name	Scientific name		Common name	Scientific name
277 White-flanked Antwren	<i>Myrmotherula axillaris</i>		564 Crested Oropendola	<i>Psarocolius decumanus</i>
278 Slaty Antwren	<i>Myrmotherula schisticolor</i>		565 Russet-backed Oropendola	<i>Psarocolius angustifrons</i>
279 Dugand's Antwren	<i>Herpsilochmus dugandi</i>		566 Yellow-rumped Cacique	<i>Cacicus cela</i>
280 Dot-winged Antwren	<i>Microrhopias quixensis</i>		567 Subtropical Cacique	<i>Cacicus uropygialis</i>
281 Long-tailed Antbird	<i>Drymophila caudata</i>		568 Scarlet-rumped Cacique	<i>Cacicus microrhynchus</i>
282 Gray Antbird	<i>Cercomacra cinerascens</i>	H	569 Northern Mountain-Cacique	<i>Cacicus leucoramphus</i>
283 Dusky Antbird	<i>Cercomacra tyrannina</i>	H	570 Scrub Blackbird	<i>Dives warszewiczi</i>
284 Black-faced Antbird	<i>Myrmoborus myotherinus</i>		571 Moriche Oriole	<i>Icterus chryscephalus</i>
285 Warbling Antbird	<i>Hypocnemis cantator</i>		572 Oriole Blackbird	<i>Gymnomystax mexicanus</i>
286 Black and White Antbird	<i>Myrmochanes hemileucus</i>	L	573 Hooded Siskin	<i>Carduelis magellanica</i>
287 Silvered Antbird	<i>Sclateria naevia</i>		574 Yellow-bellied Siskin	<i>Carduelis xanthrogastra</i>



Ocellated Tapaculo