

Ecuador - The Andes & Amazon

Naturetrek Tour Report

6 - 19 November 2013



Black-mantled Tamarin by Dennis Eraut



Crimson-rumped Toucanet by Ian Tilder



Giant Hummingbird by Dennis Eraut



Sparkling Violetearby by Dennis Eraut

Report compiled by Gustavo Cañas-Valle
Images courtesy of Dennis Eraut and Ian Tilden



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader:	Gustavo Cañas-Valle	
Local Guides:	Randy Vickers	Cloud forest and Highlands
	Marcelo Andy	Amazonian lowlands
Participants:	Dennis Eraut	
	Stephy Eraut	
	Nick Harris	
	Andy Middleton	
	Andy Leggatt	
	Keith Vinicombe	
	Mark Ponsford	
	Ali Bourne	
	Judy Copeland	
	Darren Noble	
Ian Tilden		

Summary

During this adventure across the northern Andes, our group of eleven had some great moments: the series of mixed flocks at the top of the tower in Rio Silanche and the instant when we finally watched the Rufous-bellied Seedsnipe adult walking with her three chicks into the cloudy and misty horizon at a trail located 4.000 meters above sea level. From the western upper foothills (circa 934 m.a.s.l.) through the Inter-Andean valleys and Andean Cordilleras (highest point explored at 4500 m.a.s.l.), to the eastern tropics (circa 300 m.a.s.l.), we watched range-restricted, rare, and endangered species. We recorded 53 species of hummingbirds, including some regional endemics such as White-whiskered Hermit, Ecuadorian Hillstar, Brown Inca, Velvet-purple Coronet, Gorgeted Sunangel, Golden-breasted Puffleg and Violet-tailed Sylph. Specialties seen within this group included Tawny-bellied Hermit, Purple-bibbed Whitetip, and Giant Hummingbird. In total we recorded 529 species.

One of them is endemic to Ecuador: Pale-mandibled Aracari. Also in our list, there are 25 regional endemics from north-western South America including two that reach Panama: Dusky Pigeon and Grey-and-gold Tanager, and four that reach Bolivia: Wedge-billed Hummingbird, Collared Inca, Sword-billed Hummingbird and Crested Quetzal. Fourteen species in our trip list exist in South America, in either scattered or restricted populations: Andean Potoo, Black-faced Ibis, Rufous-bellied Seedsnipe, Olive-spotted Hummingbird, River Tyrannulet, Yellow Tyrannulet, Paramo Pipit, Golden-rumped Euphonia, Orange-eared Tanager, White-winged tanager, Gray-hooded Bush-tanager, Slaty Finch, Slaty Brush-finch, and Yellow-bellied Siskin. Finally, we spotted also 14 species described as endangered: VU (Vulnerable) or NT (Near-threatened) by the IUCN: Agami Heron VU, Ruddy Pigeon VU, Scarlet-shouldered Parrotlet VU, Giant Antpitta VU, Moustached Antpitta VU, Scarlet-breasted Dacnis VU, Zigzag heron NT, Andean Condor NT, Wattled Guan NT, Marbled Woodquail NT, Orange-cheeked parrot NT, Castelnau's Antshrike NT, Ochre-breasted Antpitta NT, and Giant Conebill NT. All of these were great finds.

Day 1

Wednesday 6th November

Arriving in Quito

The local guide Randy Vickers welcomed the group to Quito and led the way from our brand new airport in the outskirts of the city: Tababela, to the hotel. After winding through the traffic and crossing the Tumbaco dry-forest valley, the group arrived in Hotel Sebastián, located in the modern downtown area of the city, near La Mariscal. The group went to bed in order to be ready for an early start the next morning.

Day 2

Thursday 7th November

Yanacocha to Sachatamia

Today the sunny weather, combined with some rolling clouds coming up the mountains, welcomed us to the Inca Trail. We walked in the shade of the mountain but we enjoyed the landscape with bright green tones of the hillsides to the blue sky dotted with clouds. Along the trail we spotted two Slaty-finch females and one juvenile. We watched them and photographed them. At the hummingbird feeders, our highlights were Sword-billed Hummingbird and Golden-breasted Puffleg. The feeding station gave us the opportunity to watch for long periods the hummers and flowerpiercers that came for a sip of sugar-water: Sapphire-vented Puffleg and Masked Flowerpiercer, amongst others.

After lunch at the parking lot, we slowly drove down the hill to find Red-crested Cotinga, White-crested Elaenia, and Andean Lapwing. The Alambi River was our next stop. Along, the way to Bellavista we, literally, chased a pair of Torrent ducks up the stream. However, only part of the group had some looks at them. We continued walking along the river and found two pairs of White-capped Dippers flying up stream. Some of our group members successfully photographed them. Further along the road -past Tandayapa on the way to San Tadeo- we went looking for Plate-billed Mountain Toucans. A group of three flew by our heads. In order to arrive during daylight to our next overnight spot, we drove down the road to Sachatamia for our overnight stay. We drove in the cloud that gathers in the evenings at around 2000 metres. In Sachatamia, at the porch, we were welcomed by Velvet-purple Coronet, a Chocó endemic, and other hummers.

Day 3

Friday 8th November

Sachatamia and Mindo

During the morning we birded in the Sachatamia trails and parking lot. We did have great looks at frequent but very local specialties such as Scrub Blackbird, Pacific Hornero, Choco Brush-finch, and Velvet-purple Coronet. Tanagers arrived at the banana feeders as we had breakfast at the view point: Flame-faced and Golden-naped. At the mid-morning session we went birding the lower section of the Sachatamia property and obtained better views of several birds, including the colourful Fawn-breasted Tanager. We had lunch in Sachatamia, so we could eat overlooking the Mindo Valley and watch the banana feeders. After a birding lunch seeing tanagers and saltators, we drove to Mindo for the afternoon. We arrived at a hidden corner of Mindo for birding - a garden designed as a bird heaven. There we spotted specialties like Wedge-billed Hummingbird, Green Thorntail, Green-crowned Woodnymph and Long-billed Starthroat. After a good time photographing hummers, we walked the road to the Nambillo River and stopped at selected spots for seedeaters, parrots and flycatchers, like Yellow Tyrannulet.

To close the day with the icing on the cake we went after Sunbittern. After careful scanning, and driving along the Mindo River, we stopped at a gap of vegetation allowing an open view over the river. As we were about to leave, Nick spotted the bird. It was walking towards us across the river. We enjoyed long and great views of the bird. It was an exciting group moment that ended at dusk.

Day 4

Saturday 9th November

Río Silanche and Milpe Road

Still in the darkness we left for the lowlands, at about 300 to 350 metres, to the Rio Silanche Private Reserve. There, we started the day chasing the Rufous-fronted Woodquail along the loop trail, where the previous days I had created temporal feeding stations with split corn. The quails responded positively but not all the group was able to see them. There was a persistent drizzle so we decided to return to the tower to have breakfast there. Enduring the light rain at the tower while enjoying coffee and the other bits of our packed breakfast, we started watching flocks of birds and some toucans perched on top of the trees. We had great views of Choco Toucan, Slate-throated Gnatcatcher, Scarlet-breasted Dacnis, Metallic-green, Golden-hooded, Rufous winged, and White-shouldered Tanagers, Sooty-crowned Flycatcher, Brown-capped Tyrannulet, Snowy-throated Kingbird, and Dot-winged Antwren. When exploring the trails again we spotted Chestnut-backed Antbird. As we left the reserve, we birded the road down to the bridge over the Silanche River. As we stopped at the river we spotted a pair of Purple-throated Fruitcrows perched high in the canopy.

We returned to Sachatamia to have lunch. After lunch we arrived at the Milpe Road. There we had good views of Choco Toucan and White-bearded Manakin and attempted Scale-crested Pygmy-tyrant. Our walk ended at a tree we found various tanagers including the shared endemic Grey-and-gold Tanager and the endemic Pale-mandibled Aracari. After a bright afternoon birding at about 1000 metres, we decided to return to Sachatamia and hoped to find Toucan Barbet. Today we had no success with the bird but enjoyed a beautiful sunset along with beautiful hummers such as Violet-tailed Sylph.

Day 5

Sunday 10th November

Angel Paz then Bellavista Road and Quito

Today we visited the Angel Paz Bird Reserve - we started with a very early morning quick snack at the lodge, and left in the dark. Also, still in the dark, we arrived at the reserve. We first stopped to watch an Andean Cock-of-the-rock lek. We had our pack breakfast and saw six Cock-of-the-rocks! After this show of colourful birds, we started our search for antpittas. The first one was Yellow-breasted Antpitta, a shared endemic which inhabits Ecuador and Colombia. A plethora of interesting birds followed: Lyra-tailed Nightjar, Crimson-rumped Toucanet, Toucan Barbet, Moustached Antpitta, Ochre-breasted Antpitta and Rufous-breasted Antthrush. They appeared at corners of the trails and at the fruit feeders.

After a mid-morning snack we birded on the way out. We arrived at some banana feeders where we enjoyed more chances to look for colourful Lemon-rumped Tanagers, and Green Honeycreeper. There we took our packed lunch. For our afternoon session, we birded the way to the upper Bellavista road. At the road we looked for a nest of Plate-billed Mountain-toucan, whose location we had been shared by fellow birders.

We eventually found it. As we found it, the male and female gave us a long show. They kept on coming to the nest with pieces of meat. They managed to remove the bones and throw them outside the nest. We all collected great pictures of both adults in action.

Our afternoon session ended with two very interesting birds. We watched a Common Potoo with features that resemble Andean Potoo. Then, we found a Gorgeted Sun-angel, a local and range-restricted specialty of our Cloud Forest, at Bellavista Lodge, where we also had a coffee. Eventually, we arrived for dinner in Puenbo.

Day 6

Monday 11th November

Puenbo Dry Forest and Papallacta pass

As we waited for breakfast to be served, we birded at the hotel. There we spotted Rusty Flowerpiercer, Vermilion Flycatcher and Golden-breasted Euphonia among others. Right after breakfast we left for Papallacta. On our way up the Pass, we took the dirt road which is surrounded by patches of native vegetation. We stopped to look for Giant Conebill with no success. However we found Many-striped Canastero and heard Tawny Antpitta, which some of us had seen already in Yanacocha.

Looking for the Rufous-bellied Seedsnipe we slowly hiked up and around the Antennas Hill. Progressing through a narrow mountain path, neither the cloud, nor the rain and wind, distracted these birders from their appointed search. Amidst the cloud, in the middle of the drizzle, we saw an adult leading the way to three juveniles. Some of us were surprised by the sudden appearance of some of them right on the path. Some others saw them as they walked away to the horizon line, seeing their silhouettes in the mist. Happy with our find, we started descending slowly to the parking area. On our way to our van we spotted Paramo Ground-tyrant and the shared endemic Stout-billed Cinclodes.

In order to have lunch at a sheltered spot we descended to Papallacta. There we added to our pack lunch with some warm soup. As we left the restaurant, on the cliffs above the village, we spotted Black-chested Buzzard-eagles: two adults and two nestlings. We arrived to Termas for a technical stop. Some of our group wanted to stay so I helped with the check-in while the rest enjoyed a Shining Sunbeam hummingbird near to the foyer. Then we went up the road to the access point of the Cayambe-Coca National Park. Two of the highlights of the walk were Black-backed Bush-tanager and White-chinned Thistletail. Weather worsened as the afternoon progressed, so we returned to the lodge for a dip in the thermal pools.

Day 7

Tuesday 12th November

Above Termas then Guango

Today we drove down, in the dark, to have breakfast at the access road to Las Caucheras & San Isidro Lodge. We arrived at dawn and birded the beginning of the road. We spotted some Inca Jays and Saffron-crowned Tanagers, amongst others. We also heard Black-billed Peppershrike, which we saw at the San Isidro Lodge. After snacking on our packed breakfast, we had planned to attend the antpitta show in San Isidro and to have a cup of coffee there. We arrived at San Isidro just in time for the show. First we saw White-bellied Antpitta. Then we heard from the first two groups that the Chestnut-crowned did not come to the worms. Anyway we decided to give it a try, and we were in luck...as we were about to leave the feeding station, it arrived, and we all saw it for a brief moment.

After coffee, we paid for our visit and left to check the day perch of an Andean Potoo. As we expected, we found the bird on top of its normal snag. Birding is always good along this dirt road so we drove slowly as we headed out to the tarmac and away to Baeza. Of course, we did stop at times by the Cosanga River and its tributaries, expecting to see Torrent Duck. The search was not successful. Not even dippers showed up!

Our next stop was a view point of the Quijos river valley at the old Baeza Road. We walked down the hill looking for birds under the tropical sun. We explored the scattered vegetation down to the Quijos River. Along our hike we saw Red-billed, White-capped and Scaly-naped Parrots and Orange-eared Tanager. With high expectations, we arrived at the river to look again for Torrent Ducks. As we scanned the river downstream we saw them. We found them standing on the rocky banks at the furthest away end of the river. After the excitement of the encounter with the ducks, we had lunch. After lunch, we closed the climb along the tarmac road searching for and finding Red bellied Grackle. As we drove to Guango, we spotted a pair of Southern Lapwings on a field to the right of the vehicle. At the Guango lodge we checked in and continued with a birding session at the hummingbird feeders before going to our rooms to get ready for dinner. Highlights at the lodge were Sword-billed Hummingbird and Long-tailed Sylph.

Day 8

Wednesday 13th November

Full day Guango lodge then Quito

We started the day with an early morning breakfast in a cosy dining hall. Rain and then drizzling restricted our birding at the feeder. As the rain eased we walked to the trails. Again the weather was not an obstacle for our group...with an umbrella or a coat, we birded the trails and found Hooded, Lacrimous and Buff-breasted Mountain-tanagers, Gray-hooded Bush-tanager, Oleaginous Hemispingus and the rare and colourful Red-hooded Tanager. Other specialties during our hike up to lunch time were; Pearled Treerunner, Blue-backed and Capped Conebill, White-capped Dipper and Torrent Duck. Right after another tasty meal in Guango we then departed for Quito.

On our way back, we stopped at the Papallacta Pass in order to try again for Giant Conebill. We slowly walked along the edge of the paramo vegetation and we spotted Pale-naped Brush-finch, Red-crested Cotinga, Brown-backed Chat-tyrant and once more a Many-stripped Canastero. Using playback was the last strategy to attempt to see the conebill. Ten minutes after playback, we were tired of waiting with no answers and we decided to leave. As Keith and friends were the last ones climbing in the bus, I thought I heard a call. We all rushed down from the bus and looked over the hillside in the canopy of the Polylepis trees. Difficult as it was, Keith spotted the bird and then progressively we all saw it moving silently along the branches. Mission accomplished, we drove down to Puenbo for our overnight stay.

Day 9

Thursday 14th November

Puenbo, flight to Coca, Birding along the Napo River and Access trail to Sacha Lodge

Before breakfast, in our hotel, we were able to enjoy Scrub Tanager, Vermilion Flycatcher, and Golden-rumped Euphonia. Right after breakfast in Puenbo Birding Garden (PBG) we added, Western Emerald, Black-tailed Trainbearer, and Giant Hummingbird as well.

After smooth departure procedures at the new Quito airport, we enjoyed a short and comfortable flight to Coca. The birding transfer along the Napo River allowed us to collect some common eastern lowlands birds: Black Caracara, Greater yellow-headed Vulture, Anhinga, and White-banded Swallow. We had a packed lunch at the Kichwa interpretation centre, where we also spotted some interesting birds including Lettered Aracari, Yellow-tufted, Little and Spotted Woodpeckers.

As we arrived at the floating dock, we split in two groups. This way, the keen birders went ahead with our local guide Marcelo, and the natural history lovers enjoyed plants and a more relaxed walk looking at birds at a gentler pace with me. At the walk we saw Striped, Buff-throated and Long-billed Woodcreepers, Scarlet-crowned and Gilded Barbets, Black-fronted Nunbird, and White-eared Jacamar. Common birds at the lake were Black-capped Donacobius, Hoatzin, Gray-breasted Martin, Short-tailed Swift, Neotropical Palm-swift, and Greater Ani. At the lodge, we were welcomed with a refreshing drink, and snacks before the introductory talk. Afterwards, we were led to our cabins so we could refresh before a sunset-evening exploration around the lake. Buffet dinner waited for us upon our return to the lodge.

Day 10

Friday 15th November

The Napo Wildlife Center salt lick and the Swamp Anaconda trails

We started the morning navigating the Napo River downstream, looking insistently for the Amazonian Umbrella Bird. From the canoe Marcelo spotted a male and we all followed looking at bits and pieces of the bird! He wanted to show it to us clearly, so we landed at a thin peninsula where an access trail to the Añangu community starts. We followed the bird along a trail in front of a chacra (farm land) planted with cassava and plantain. There we all saw it clearly perched on top of the Cecropis. As we canoed down the river, we also spotted Yellow-billed and Large-billed Terns. We stopped at islets to look for some specialties: Gray-breasted Crake, Olive-spotted Hummingbird, Castelanau's Antshrike and River Tyrannulet, plus some other birds: Collared Plover, and Burrowing Owl, not so rare in general but unusual at the Amazonian islets.

Then we went to look for parrots and macaws first on the cliff next to the Yasuní head quarters and then at the salt lick managed by the Añangu community. As we arrived at the clay-lick Rusty-belted Tapaculo kept us busy for quite a while until we all saw it well. The parrots that were seen at both clay licks included; Dusky-headed and Cobalt-winged Parakeets, Orange-cheeked, Yellow-crowned and Mealy Parrot, and Scarlet Macaw.

We adjusted to the conditions, and during the hours of increasing heat we birded under the canopy. Around mid-morning, we looked for manakins: Golden-headed and Striped. We explored the trail traversing rolling hills where both have territories. After we climbed about 100 metres we found them and enjoyed their swift movements and calls. Eventually, at the end of the trail we achieved one more of today's goals: watching Salvin's Curassow walking in the canopy. On our way out a Great-billed Hermit was perched and calling at its territory.

On our way back to the lodge, we collected Yellow-headed, and Black Caracaras, Slate-coloured Hawk and Osprey. After lunch at the landing point and floating dock, we also spotted unique birds such as White-chinned Jacamar and Amazonian White-tailed Trogon. On our way to the lake, as we explored the surroundings of the trails, we spotted White-lored Antpitta, Dusky-throated Antshrike and Plain-throated Antwren, amongst others. We closed today with a sunset canoe ride to the lodge, with Neotropical Palm Swifts above our heads.

Day 11

Saturday 16th November

Canopy walk and afternoon swamp channels

Early morning birding at the metal tower allowed us great views of guans: Speckled Chachalaca, and Spix's Guan, and at raptors. It was particularly interesting to watch Double-toothed Kite nesting at eye-level. A male and female kept on coming to the branch they chose as a site for their nest. The show continued as we moved away along the canopy walk. Other raptors seen from the metal towers were Swallow-tailed, Slender-billed, and Plumbeous Kites, Crane Hawk and Bat Falcon. From the tower we also spotted Black-headed and Blue-headed Parrot, Cobalt-winged and Maroon-tailed Parakeets. We spotted toucans and their allies, as well, as they were calling from exposed branches in the canopy: White-throated Toucan, Ivory-billed and Many-banded Aracari. Important highlights at the tower were also Rufous-tailed and Zimmer's Flatbill, plus Crested Oropendola.

On our way back to the lodge we watched Crested Owl: two adults and a chick still covered with down, at their diurnal perch. The forest was full of shadows as the sun rose to its peak. Along our walk we discovered hiding in the shadows birds like Purplish Jacamar and Pied Puffbird. We also encountered hermits at their territories, right on the edge of the forest where it meets the cabins: Straight-billed and the range-restricted Black-throated Hermit. The latter inhabits the Western Amazon only in Ecuador, Colombia and Peru.

In the afternoon, after lunch and a short break in our cabins, we explored the channels around the lake. There we looked for herons, woodpeckers, woodcreepers and antbirds. The canoe ride was quiet and under the canopy, so we had a refreshing and relaxing time in the heat of the day. Birds appeared here and there at branches hanging over the stream: Plain-throated, White-flanked, and Ornate Antwren. From our boat we also spotted Green-and-rufous Kingfisher flying ahead of us. Other specialties seen closer to the lake were: Boat-billed Heron, and the vulnerable Agami Heron. As the daylight vanished, we heard Zigzag Heron. With this guttural song in the background we canoed back to the lodge for dinner.

Day 12

Sunday 17th November

Wooden tower, channels, lake and Anaconda trail

In the morning we paddled across the lake under light rain, which turned into a heavy tropical storm as we arrived at the top of the tower. We used the top floor as a shelter for us to wait for the rain to ease. As soon as the rain ceased, birds started singing and flying to the branches of the Ceiba tree where the tower's scaffold is attached. All around us, and on the neighbouring trees, tanagers, cotingas, parrots and others, left their shelters and started drying out in plain sight. We spotted the Vulnerable Scarlet-shouldered Parrotlet, and other colourful birds and specialties: Gilded Barbet, Golden collared Toucanet, Chaneel-billed Toucan, Cream-coloured Woodpecker, Slender footed Tyrannulet, Cinnamon Attila, Grayish Mourner, Dusky-chested Flycatcher, White-browed Purpletuft, Plum-throated Cotinga, Bare-necked Fruitcrow, Purple Honeycreeper, Yellow-bellied Dacnis, Opal-rumped, Opal-crowned, Paradise, and Green-and-gold Tanager, and Moriche Oriole. Returning from the tower to the lodge we spotted Peruvian Warbling Antbird, Silvered, and Dot-backed Antbird. Still under some drizzle we crossed the lake to the cabins for us to have lunch at the lodge.

This afternoon, we planned to have two different programs. Our more bird-oriented crew left to explore the Anaconda trail and the channels connected to it.

Dennis, Stephanie, and I stayed around the cabins looking for plants, hoping for the Pygmy Marmosets, and discussing the history and culture of the indigenous tribes, mainly the Kichwa and Huaorani of the Amazon. Our exploring took us around the cabins and to the lake. There, we were able to dedicate a little longer time to take pictures of Hoatzins, Black-capped Donacobius, and Gray-breasted Martin.

We all gathered for barbecue dinner at the dock, overlooking the lake, and outlined the departure procedures for the next morning. We did the species checklist at the bar before going to bed.

Day 13

Monday 18th November

Transfer out to Coca, flight to Quito, Short Colonial City Tour and dinner

An early breakfast was had before beginning our ride to Coca. In the dark we paddled away from the lodge. On the other end of the wooden walk drizzle started and we rushed to arrive at our canoe before the rain set in. Only a few birds dared to be in the open looking for food during the heaviest rain: Osprey, Great, Snowy and Cattle Egrets, and White-winged Swallows. We arrived at Coca and transferred from the canoe to drive to the airport. On the way we had a comfort stop and changed into drier clothes.

As we arrived at Quito the group decided, in an afternoon session, to swiftly explore downtown Quito. We started at the Contemporary Art Centre to first enjoy the view of modern Quito: north from Downtown, and then to try local pastries and sorbets at a traditional cafe and bakery. Tropical flavours like passion fruit, and "guanabana" were favourites. Then, we stopped at the Basilica to watch the gargoyles inspired in Ecuadorian wildlife. We also explored two important Quito squares: the San Francisco and the Independence Plazas. The first harbours one folk art museum and fair-trade shop: Tianguuez, where we bought presents for friends and family. The latter allowed us to explore important aspects of our Ecuadorian national identity. The Independence Plaza was our gathering point. After the group decided to split to explore the area on their own, we met in front of the Presidential Palace. We all got together for our last evening meal in Quito, overlooking the lights of the Plaza.

Day 14

Tuesday 19th November

Morning birding Antizana volcano, and transfer to Quito Airport

Today we birded as we waited for breakfast to be served. Our first bird highlight was Golden-rumped Euphonia, one we had seen during previous days. This was our last day in Ecuador before arriving at the airport. Along the access road to Antizana, we first explored the southern slopes of the lava flow, one that includes the rocky faces that Condors use as areas for resting and for nesting. Birds seen as we arrived at our Condor view point included Giant Hummingbird, and Black-tailed Trainbearer, hovering around the hedges. We climbed down to the corridor of our lunch spot in order to have a better perspective of the cliffs in front of us. Careful scanning with the advice of our host Vladimir and we all saw two Andean Condors perched on the cliff close to our lunch spot. As we continued along the road into the mountain, we birded the roadsides. We stopped at the bridge, the old house, the Sheep-herds plateau, and La Mica Lake: all frequent and very birdy spots. Today's highlights in the Antizana Reserve included Silvery Grebe, Carunculated Caracara, Aplomado Falcon, Ecuadorian Hillstar, Many-striped and Streaked-backed Canastero, and Paramo Pipit.

After a warm meal overlooking the Secas Lake and the cliffs - just to try to have another look at the condors, we drove to the airport and said a warm farewell to our fellow birders. Then, we drove to Quito to drop Dennis and Stephanie at their hotel for their overnight stay to continue with their Ecuadorian Adventure...

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species List

Birds (h = heard only)

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
1	Great Tinamou	<i>Tinamus major</i>											h		h	
2	Little Tinamou	<i>Crypturellus soui</i>									h	h	h			
3	Undulated Tinamou	<i>Crypturellus undulatus</i>										h	h	h	h	
4	Silvery Grebe	<i>Podiceps occipitalis</i>														10
5	Anhinga	<i>Anhinga anhinga</i>									1			1		
6	Andean Teal	<i>Anas andium</i>					4									2
7	Yellow-billed Pintail	<i>Anas spinicauda</i>														28
8	Torrent Duck	<i>Merganetta armata</i>	2						5	1M						
9	Andean Duck	<i>Oxyura ferruginea</i>														16
10	Cocoi Heron	<i>Ardea cocoi</i>										2			4	
11	Great Egret	<i>Ardea alba</i>		1	2						4	3			4	
12	Snowy Egret	<i>Egretta thula</i>		2								1			1	
13	Striated Heron	<i>Butorides striatus</i>										1				
14	Zigzag Heron	<i>Zebrilus undulatus</i>											h			
15	Agami Heron	<i>Agamia agami</i>											1	1		
16	Black-faced Ibis	<i>Theristicus melanopis</i>														2
17	Cattle Egret	<i>Bulbulcus ibis</i>		30	20	38									40	
18	Boat-billed Heron	<i>Cochlearius cochlearius</i>											2	1		
19	Black-crowned Night-heron	<i>Nycticorax nycticorax</i>									1		2	h		
20	Rufescent Tiger-heron	<i>Tigrisoma lineatum</i>												1		
21	Andean Condor	<i>Vultur gryphus</i>														3
22	King Vulture	<i>Sarcoramphus papa</i>										1				
23	Black Vulture	<i>Coragyps atratus</i>		12	20	8	1		2	20	4		5	7		
24	Turkey Vulture	<i>Cathartes aura</i>		3	10	1		1		1						
25	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>									4	5	5	1	1	
26	Osprey	<i>Pandion haliaetus</i>										1			3	
27	Swallow-tailed Kite	<i>Elanoides forficatus</i>									1	2	2			
28	Slender-billed Kite	<i>Rostrhamus hamatus</i>											4	1		
29	Double-toothed Kite	<i>Harpagus bidentatus</i>			1								5			

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
30	Plumbeous Kite	<i>Ictinia plumbea</i>											30			
31	Crane Hawk	<i>Geranospiza caerulescens</i>											1			
32	Plain-breasted Hawk	<i>Accipiter ventralis</i>	1													
33	Slate-coloured Hawk	<i>Leucopternis schistacea</i>									1	2				
34	Black-chested Buzzard-eagle	<i>Geranoaetus melanoleucus</i>	1				2+2									
35	Grey Hawk	<i>Buteo plagiatus</i>			1											
36	Great Black Hawk	<i>Buteogallus urubitinga</i>									1					
37	Roadside Hawk	<i>Buteo magnirostris</i>			1	1					1	1				
38	Broad-winged Hawk	<i>Buteo platypterus</i>						1J								
39	Variable (Puna) Hawk	<i>Buteo polyosoma</i>	2													3
40	Black Caracara	<i>Daptrius ater</i>									4	8		1		
41	Carunculated Caracara	<i>Phalcoboenus carunculatus</i>														50
42	Yellow-headed Caracara	<i>Milvago chimachima</i>										2				
43	Laughing Falcon	<i>Herpetotheres cachinnans</i>		1	1											
44	American Kestrel	<i>Falco sparverius</i>	1Gr			1	2				1					2
45	Bat Falcon	<i>Falco ruficularis</i>											1			
46	Peregrine Falcon	<i>Falco peregrinus</i>													1	
47	Aplomado Falcon	<i>Falco femoralis</i>														1
48	Speckled Chachalaca	<i>Ortalis guttata</i>											3	4		
49	Andean Guan	<i>Penelope montagnii</i>	2							2						
50	Spix's Guan	<i>Penelope jacquacu</i>											2	1		
51	Wattled Guan NT	<i>Aburria aburri</i>							h							
52	Sickle-winged Guan	<i>Chamaepetes goudotii</i>				3										
53	Salvin's Curassow	<i>Mitu salvini</i>										2				
54	Marbled Wood-Quail	<i>Odontophorus gujanensis</i>									h					
55	Rufous-fronted Wood Quail	<i>Odontophorus erythrops</i>			1											
56	Gray-breasted Crake	<i>Laterallus exilis</i>										1				
57	Andean Coot	<i>Focha andina</i>														40
58	Sungrebe	<i>Heliornis fulica</i>											h			
59	Sunbittern	<i>Eurypyga helias</i>		1												
60	Greater Yellowlegs	<i>Tringa melanoleuca</i>										1				1
61	Spotted Sandpiper	<i>Actitis macularia</i>		4					1	1	3	1				

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
62	Rufous-bellied Seedsnipe	<i>Attagis gayi</i>					4									
63	Southern Lapwing	<i>Vanellus chilensis</i>							2							
64	Andean Lapwing	<i>Vanellus resplendens</i>	2													2
65	Collared Plover	<i>Charadrius collaris</i>										2				
66	Andean Gull	<i>Larus serranus</i>					2									120
67	Yellow-billed Tern	<i>Sterna superciliaris</i>										4				
68	Large-billed Tern	<i>Phaetusa simplex</i>										2				
69	Feral Pigeon	<i>Columba livia 'feral'</i>	10				2				1					80
70	Band-tailed Pigeon	<i>Columba fasciata</i>	6Gu	1		10				1						15
71	Pale-vented Pigeon	<i>Columba cayennensis</i>									2	10			6	
72	Ruddy Pigeon	<i>Columba subvinacea</i>		h	2	h			3			h	h	1		
73	Plumbeous Pigeon	<i>Columba plumbea</i>											1			
74	Dusky Pigeon	<i>Columba goodsoni</i>			h											
75	Eared Dove	<i>Zenaida auriculata</i>	10			2	4			1	3					40 40
76	Black-winged Ground-dove	<i>Metriopelia melanoptera</i>														50
77	White-tipped Dove	<i>Leptotila verreauxi</i>		1	h											
78	Pallid Dove	<i>Leptotila pallida</i>			h											
79	Gray-fronted Dove	<i>Leptotila rufaxilla</i>									1					
80	White-throated Quail-Dove	<i>Geotrygon frenata</i>				1										
81	Scarlet Macaw	<i>Ara macao</i>										2				
82	Red-and-green Macaw	<i>Ara chloropterus</i>													1	
83	Red-bellied Macaw	<i>Orthopsittaca manilata</i>										1		4		
84	Dusky-headed Parakeet	<i>Aratinga weddellii</i>										30				
85	Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>			12								1			
86	Scarlet-shouldered Parrotlet	<i>Touit huetii</i>													1	
87	Cobalt-winged Parakeet	<i>Brotogeris cyanoptera</i>										60+	20	60+	12	
88	Black-headed Parrot	<i>Pionites melanocephala</i>											4			
89	Rose-faced Parrot	<i>Pionopsitta pulcha</i>			1											
90	Orange-cheeked Parrot	<i>Pionopsitta barrabandi</i>										16				
91	Blue-headed Parrot	<i>Pionus menstruus</i>											1			
92	Red-billed Parrot	<i>Pionus sordidus</i>	h						2							
93	White-capped Parrot	<i>Pionus seniloides</i>							12							

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
94	Bronze-winged Parrot	<i>Pionus chalcopterus</i>		30	25											
95	Yellow-crowned Parrot	<i>Amazona ochrocephala</i>									6					
96	Scaly-naped Amazon	<i>Amazona mercenaria</i>						2								
97	Mealy Parrot	<i>Amazona farinosa</i>			h						4					
98	Squirrel Cuckoo	<i>Piaya cayana</i>		2										1		
99	Black-billed Cuckoo	<i>Piaya melanogaster</i>									1	1				
100	Little Cuckoo	<i>Piaya minuta</i>			1											
101	Greater Ani	<i>Crotophaga major</i>									2	1	2		1	
102	Smooth-billed Ani	<i>Crotophaga ani</i>			3			10			6	15	6	12	2	
103	Hoatzin	<i>Opisthocomus hoazin</i>									7	10	6	10	2	
104	Tropical Screech-Owl	<i>Otus choliba</i>									h		h	h		
105	Tawny-bellied Screech-Owl	<i>Otus watsonii</i>												1		
106	Crested Owl	<i>Lophotrix cristata</i>											3			
107	Ferruginous Pygmy-owl	<i>Glaucidium brasilianum</i>									h		1			
108	Andean Pygmy-Owl	<i>Glaucidium jardinii</i>	h													
109	Black-and-white Owl	<i>Strix nigrolineata</i>	1													
110	Black-banded Owl	<i>Strix huhula</i>			h											
111	Mottled Owl	<i>Strix virgata</i>			h											
112	Burrowing Owl	<i>Athene cunicularia</i>										1				
113	Great Potoo	<i>Nyctibius grandis</i>										1		1		
114	Common Potoo	<i>Nyctibius griseus</i>				2										
115	Andean Potoo	<i>Nyctibius maculosus</i>						1								
116	Pauraque	<i>Nyctidromus albicollis</i>									h			1		
117	Lyre-tailed Nightjar	<i>Uropsalis lyra</i>				1M										
118	White-collared Swift	<i>Streptoprocne zonaris</i>	4	16	30	6	20	60	8				2	3		
119	Chestnut-collared Swift	<i>Cypseloides rutilus</i>		2	10	20		6								
120	White-chested Swift	<i>Cypseloides lemosi</i>		4												
121	Short-tailed Swift	<i>Chaetura brachyura</i>									4		2			
122	Gray-rumped Swift	<i>Chaetura cinereiventris</i>			10											
123	Neotropical Palm-Swift	<i>Tachornis squamata</i>									24	20	15	20	x	
124	Rufous-breasted Hermit	<i>Glaucis hirsuta</i>												1		
125	White-whiskered Hermit	<i>Phaethornis yaruqui</i>		3	1											

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
126	Tawny-bellied Hermit	<i>Phaethornis syrmatorphorus</i>		1												
127	Great-billed Hermit	<i>Phaethornis malaris</i>										1	2			
128	Straight-billed Hermit	<i>Phaethornis bourcieri</i>											1			
129	Black-throated Hermit	<i>Phaethornis atrimentalis</i>											1			
130	Green-fronted Lancebill	<i>Doryfera ludovicae</i>				1										
131	White-necked Jacobin	<i>Florisuga mellivora</i>		3												
132	Green Violet-ear	<i>Colibri thalassinus</i>				1										
133	Sparkling Violet-ear	<i>Colibri coruscans</i>		1			1	2			3					3
134	Green Thorntail	<i>Popelairia conversii</i>		2												
135	Western Emerald	<i>Chlorostilbon melanorhynchus</i>									1F					
136	Fork-tailed Woodnymph	<i>Thalurania furcata</i>												1		
137	Green-crowned Woodnymph	<i>Thalurania fannyi</i>		3												
138	Wedge-billed Hummingbird	<i>Schistes geoffroyi</i>		1												
139	Olive-spotted Hummingbird	<i>Leucippus chlorocercus</i>										2				
140	Glittering-throated Emerald	<i>Amazilia fimbriata</i>									1					
141	Purple-chested Hummingbird	<i>Amazilia rosenbergi</i>			2											
142	Andean Emerald	<i>Amazilia franciae</i>		20	5	2										
143	Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	2	30	8	2					1					
144	Blue-chested Hummingbird	<i>Amazilia amabilis</i>			2											
145	Bronzy Inca	<i>Coeligena coeligena</i>						1								
146	Speckled Hummingbird	<i>Adelomyia melanogenys</i>	1			4		6	6							
147	Purple-bibbed Whitetip	<i>Urosticte benjamini</i>	1f	1M												
148	Empress Brilliant	<i>Heliodoxa imperatrix</i>		1M	1	5										
149	Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>	1	2	3	4		4								
150	Green-crowned Brilliant	<i>Heliodoxa jacula</i>		2												
151	Ecuadorian Hillstar	<i>Oreotrochilus chimborazo</i>														4
152	Giant Hummingbird	<i>Patagona gigas</i>									2					4
153	Shining Sunbeam	<i>Aglaeactis cupripennis</i>					8		2							
154	Mountain Velvetbreast	<i>Lafresnaya lafresnayi</i>					1M	1F								
155	Great Sapphirewing	<i>Pterophanes cyanopterus</i>	4													
156	Brown Inca	<i>Coeligena wilsoni</i>	1	1	3	1										
157	Collared Inca	<i>Coeligena torquata</i>				2				1M						

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
158	Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>	10							1M						
159	Sword-billed Hummingbird	<i>Ensifera ensifera</i>	2						1	2						
160	Buff-tailed Coronet	<i>Boissonneaua flavescens</i>				6				4						
161	Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>							10	10						
162	Velvet-purple Coronet	<i>Boissonneaua jardini</i>	4	5	5											
163	Gorgeted Sunangel	<i>Heliangelus strophianus</i>				2										
164	Tourmaline Sunangel	<i>Heliangelus exortis</i>								4						
165	Sapphire-vented Puffleg	<i>Eriocnemis luciani</i>	5													
166	Golden-breasted Puffleg	<i>Eriocnemis mosquera</i>	1													
167	Glowing Puffleg	<i>Eriocnemis vestita</i>								1						
168	Booted Racket-tail	<i>Ocreatus underwoodii</i>		4	5	h										
169	Black-tailed Trainbearer	<i>Lesbia victoriae</i>									1					1
170	Viridian Metaltail	<i>Metallura williami</i>								2						
171	Tyrian Metaltail	<i>Metallura tyrianthina</i>	1M													
172	Long-tailed Sylph	<i>Aglaiocercus kingi</i>							4	2						
173	Violet-tailed Sylph	<i>Aglaiocercus coelestis</i>	2	3M	5M	3M										
174	Long-billed Starthroat	<i>Helimaster longirostris</i>		1												
175	Purple-throated Woodstar	<i>Calliphox mitchellii</i>	2	2	1F	3										
176	White-bellied Woodstar	<i>Acestrura mulsant</i>							2M	6						
177	Golden-headed Quetzal	<i>Pharomachrus uriceps</i>	2	h	1	h			1F							
178	Crested Quetzal	<i>Pharomachrus antisianus</i>				h			h							
179	Black-tailed Trogon	<i>Trogon melanurus</i>									h					
180	Amazonian White-tailed Trogon	<i>Trogon viridis</i>									1					
181	Masked Trogon	<i>Trogon personatus</i>				2			2	1F						
182	Ringed Kingfisher	<i>Megaceryle torquata</i>									2			1		
183	Green and Rufous Kingfisher	<i>Chloroceryle inda</i>										1	1			
184	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>											1			
185	Rufous Motmot	<i>Baryphthengus martii</i>										h				
186	Blue-crowned Motmot (Amazonian)	<i>Momotus momota</i>									h	h		1		
187	White-eared Jacamar	<i>Galbalcyrhynchus leucotis</i>									1					
188	White-chinned Jacamar	<i>Galbula tombacea</i>										1	h			
189	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>			1Gr											

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
190	Purplish Jacamar	<i>Galbula chalcothorax</i>											1			
191	Great Jacamar	<i>Jacamerops aurea</i>										1				
192	Pied Puffbird	<i>Notharchus tectus</i>											1			
193	White-whiskered Puffbird	<i>Malacoptila panamensis</i>			1F											
194	White-faced Nunbird	<i>Hapaloptila castanea</i>										1				
195	Black-fronted Nunbird	<i>Monasa nigrifrons</i>									3	2				
196	Scarlet-crowned Barbet	<i>Capito aurovirens</i>									2					
197	Orange-fronted Barbet	<i>Capito squamatus</i>			2Gr											
198	Gilded Barbet	<i>Capito auratus</i>									2		2	1F		
199	Red-headed Barbet	<i>Eubucco bourcierii</i>		1M	h											
200	Toucan Barbet	<i>Semnornis rampastinus</i>				h										
201	Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>		1		1										
202	Pale-mandibled Aracari	<i>Pteroglossus erythropygius</i>			5											
203	Many-banded Aracari	<i>Pteroglossus pluricinctus</i>										1	8	5		
204	Lettered Aracari	<i>Pteroglossus inscriptus</i>									1					
205	Ivory-billed Aracari	<i>Pteroglossus azara</i>											2			
206	Golden-collared Toucanet	<i>Selenidera reinwardtii</i>												1		
207	Plate-billed Mountain-toucan	<i>Andigena laminirostris</i>	h			3										
208	Channel-billed Toucan	<i>Ramphastos vitellinus</i>												1		
209	Choco Toucan	<i>Ramphastos brevis</i>			3											
210	Chestnut-mandibled Toucan	<i>Ramphastos swainsonii</i>		2	1											
211	White-throated Toucan	<i>Ramphastos tucanus</i>											2	1		
212	Spot-breasted Woodpecker	<i>Colaptes punctigula</i>									2					
213	Crimson-mantled Woodpecker	<i>Piculus rivolii</i>						4								
214	Golden-olive Woodpecker	<i>Piculus rubiginosus</i>		1M	2F			1F								
215	Cinnamon Woodpecker	<i>Celeus loricatus</i>											h	1		
216	Cream-coloured Woodpecker	<i>Celeus flavus</i>												1M		
217	Lineated Woodpecker	<i>Dryocopus lineatus</i>			2F											
218	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>									4	2				
219	Black-cheeked Woodpecker	<i>Melanerpes pucherani</i>			4											
220	Little Woodpecker	<i>Veniliornis passerinus</i>									1M					
221	Red-rumped Woodpecker	<i>Veniliornis kirkii</i>			4											

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
222	Bar-bellied Woodpecker	<i>Veniliornis nigriceps</i>	1F													
223	Yellow-vented Woodpecker	<i>Veniliornis dignus</i>		1M												
224	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>										2	1			
225	Stout-billed Cinclodes	<i>Cinclodes excelsior</i>						3								12
226	Bar-winged Cinclodes	<i>Cinclodes fuscus</i>						1								4
227	Pacific Hornero	<i>Furnarius cinnamomeus</i>		2	2											
228	Andean Tit-spinetail	<i>Leptasthenura andicola</i>						2								
229	White-chinned Thistletail	<i>Schizoeaca fuliginosa</i>						1								
230	Azara's Spinetail	<i>Synallaxis azarae</i>	H						2							
231	Slaty Spinetail	<i>Synallaxis brachyura</i>		2												
232	Dark-breasted Spinetail	<i>Synallaxis albigularis</i>							h							
233	White-bellied Spinetail	<i>Synallaxis propinqua</i>										1				
234	Rufous Spinetail	<i>Synallaxis unirufa</i>								h						
235	White-browed Spinetail	<i>Hellmayrea gularis</i>	1													
236	Red-faced Spinetail	<i>Cranioleuca erythrops</i>	1	3												
237	Many-striped Canastero	<i>Asthenes flammulata</i>						1		1						2
238	Streak-backed Canastero	<i>Asthenes wyatii</i>														1
239	Rusty-winged Barbtail	<i>Premnornis guttuligera</i>	1													
240	Pearled Treerunner	<i>Margarornis squamiger</i>	1					2		10						
241	Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii</i>	1				1									
242	Scaly-throated Foliage-gleaner	<i>Anabacerthia variegaticeps</i>		1												
243	Streaked Xenops	<i>Xenops rutilans</i>			2											
244	Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>			1										1	
245	Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>			2							1				
246	Long-billed Woodcreeper	<i>Nasica longirostris</i>									1					
247	Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>		1		1		1								
248	Spix's Woodcreeper	<i>Xiphorhynchus spixii</i>											1			
249	Striped Woodcreeper	<i>Xiphorhynchus obsoletus</i>									1					
250	Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>									1	2				
251	Spotted Woodcreeper	<i>Xiphorhynchus erythropygius</i>			1											
252	Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>						1								
253	Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>			1											

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
254	Montane Woodcreeper	<i>Lepidocolaptes lachrymiger</i>		1		1			4							
255	Striped Treehunter	<i>Thripadectes holostictus</i>				1										
256	Castelnau's Antshrike	<i>Thamnophilus cryptoleucus</i>										1				
257	Dusky-throated Antshrike	<i>Thamnomanes ardesiacus</i>										1				
258	Pacific (Streaked-)Antwren	<i>Myrmotherula pacifica</i>			h											
259	Plain-throated Antwren	<i>Myrmotherula hauxwelli</i>										1	1			
260	White-flanked Antwren	<i>Myrmotherula axillaris</i>											1			
261	Dot-winged Antwren	<i>Microrhophias quixensis</i>			1											
262	Ornate Antwren	<i>Microrhophias ornata</i>											1			
263	Peruvian Warbling-Antbird	<i>Hypocnemis cantator</i>													1	
264	Silvered Antbird	<i>Sclateria naevia</i>													1	
265	Chestnut-backed Antbird	<i>Myrmeciza exsul</i>			2M											
266	Dot-backed Antbird	<i>Hylophylax naevia</i>													1	
267	Rufous-breasted Antthrush	<i>Formicario rufipectus</i>		h		1										
268	Giant Antpitta	<i>Grallaria gigantea</i>				1										
269	Moustached Antpitta	<i>Grallaria alleni</i>				1										
270	Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>	h			h			1	h						
271	White-bellied Antpitta	<i>Grallaria hypoleuca</i>							3							
272	Yellow-breasted Antpitta	<i>Grallaria flavotincta</i>		h		2										
273	Rufous Antpitta	<i>Grallaria rufula</i>	h													
274	Tawny Antpitta	<i>Grallaria quitensis</i>	1/h					h		2						h
275	White-lored Antpitta	<i>Hylopezus fulviventris</i>										1		1		
276	Ochre-breasted Antpitta	<i>Grallaricula flavirostris</i>				2										
277	Rusty-belted Tapaculo	<i>Liosceles thoracicus</i>										1				
278	Blackish Tapaculo	<i>Scytalopus latrans</i>	h													
279	Equatorial Rufous-vented Tapaculo	<i>Scytalopus micropterus</i>							h							
280	Narino Tapaculo	<i>Scytalopus vicini</i>		h												
281	Spillmann's Tapaculo	<i>Scytalopus spillmannii</i>	h			h										
282	Paramo Tapaculo	<i>Scytalopus canus</i>						h								
283	Ocellated Tapaculo	<i>Acropternis orthonyx</i>				h										
284	Sooty-headed Tyrannulet	<i>Phyllomyias griseiceps</i>			2											
285	Slender-footed Tyrannulet	<i>Zimmerius gracilipes</i>											4	1		

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
286	White-lored Tyrannulet	<i>Ornithion inermis</i>												1		
287	Brown-capped Tyrannulet	<i>Ornithion brunneicapillum</i>			2											
288	Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>					h				2					
289	Gray Elaenia	<i>Myiopagis caniceps</i>		1												
290	Mottle-backed Elaenia	<i>Elaenia gigas</i>									2					
291	Lesser Elaenia	<i>Elaenia chiriquensis</i>		1												
292	White-crested Elaenia	<i>Elaenia albiceps</i>	1													
293	Rufous-tailed Flatbill	<i>Ramphotrigon ruficauda</i>												1		
294	White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>	4													
295	White-tailed Tyrannulet	<i>Mecocerculus poecilocercus</i>	4	1		3		h								
296	White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>	2							4						
297	River Tyrannulet	<i>Serpophaga hypoleuca</i>										2				
298	Torrent Tyrannulet	<i>Serpophaga cinerea</i>		3					1	2						
299	Tufted Tit-tyrant	<i>Anairetes parulus</i>	1													
300	Streak-necked Flycatcher	<i>Mionectes striaticollis</i>	1			1										
301	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>			1											
302	Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>		2												
303	Yellow Tyrannulet	<i>Capsiempis flaveola</i>		3												
304	Rufous-headed Pygmy-Tyrant	<i>Pseudotriccus ruficeps</i>				2										
305	Scale-crested Pygmy-Tyrant	<i>Lophotriccus pileatus</i>		h	h											
306	Rufous-crowned Tody-Tyrant	<i>Poecilotriccus ruficeps</i>						1								
307	Yellow-browed Tody-Flycatcher	<i>Todirostrum chrysocrotaphum</i>													1	
308	Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>										1				
309	Zimmer's Flatbill	<i>Tolmomyias assimilis</i>												1		
310	Gray-crowned Flatbill	<i>Tolmomyias poliocephalus</i>												2		
311	Yellow-margined Flatbill	<i>Tolmomyias flavotectus</i>			1											
312	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomea</i>	h			1		1	1							
313	Ornate Flycatcher	<i>Myiobrotus ornatus</i>		2												
314	Eastern Wood-Pewee	<i>Contopus virens</i>		2							1					
315	Western Wood-Pewee	<i>Contopus sordidulus</i>			1											
316	Willow Flycatcher	<i>Empidonax traillii</i>									1F					
317	Smoke-coloured Pewee	<i>Contopus fumigatus</i>		2		1		1								

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
318	Black Phoebe	<i>Sayornis nigricans</i>	1	4		2		3								
319	Vermillion Flycatcher	<i>Pyrocephalus rubinus</i>					1M									
320	Brown-backed Chat-tyrant	<i>Ochthoeca fumicolor</i>	1				1		4							1
321	Rufous-breasted Chat-Tyrant	<i>Ochthoeca rufipectoralis</i>							h							
322	Slaty-backed Chat-tyrant	<i>Ochthoeca cinnamomeiventris</i>	1													
323	Crowned Chat-Tyrant	<i>Silvicultrix frontalis</i>	1													
324	Masked Water-Tyrant	<i>Fluvicola nengeta</i>		1												
325	Drab Water Tyrant	<i>Ochthornis littoralis</i>									6					
326	Smoky Bush-tyrant	<i>Myiotheretes fumigatus</i>	1													
327	Black-billed Shrike-Tyrant	<i>Agriornis montana</i>														1
328	Paramo Ground Tyrant	<i>Muscisaxicola alpina</i>					4		1							1
329	Cinnamon Attila	<i>Attila cinnamomeus</i>													1	
330	Grayish Mourner	<i>Rhytipterna simplex</i>													1	
331	Olivaceous Piha	<i>Snowornis cryptolophus</i>				3										
332	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>		1	1										1	
333	Pale-edged Flycatcher	<i>Myiarchus cephalotes</i>							4							
334	Sooty-crowned Flycatcher	<i>Myiarchus phaeocephalus</i>			1											
335	Great Kiskadee	<i>Pitangus sulphuratus</i>									1					
336	Lesser Kiskadee	<i>Pitangus lictor</i>								2	1	2				
337	Boat-billed Flycatcher	<i>Megarhynchus pitangua</i>								2	h					
338	Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>			3											
339	Social Flycatcher	<i>Myiozetetes similis</i>						2		2		2				
340	Dusky-chested Flycatcher	<i>Myiozetetes luteiventris</i>												1		
341	Streaked Flycatcher	<i>Myiodynastes maculatus</i>			1											
342	Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>		1		h		2								
343	Piratic Flycatcher	<i>Legatus leucophaius</i>											1			
344	Eastern Kingbird	<i>Tyrannus tyrannus</i>								20	2					
345	Tropical Kingbird	<i>Tyrannus melancholicus</i>		4	10	1	2	6	1	2	10	2	1			
346	Snowy-throated Kingbird	<i>Tyrannus niveigularis</i>			1											
347	Cinnamon Becard	<i>Pachyramphus cinnamomeus</i>		1	3											
348	Black-capped Becard	<i>Pachyramphus marginatus</i>										2				
349	Black-and-white Becard	<i>Pachyramphus albogriseus</i>				1M										

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
350	One-coloured Becard	<i>Pachyramphus homochrous</i>		1F	1F											
351	Pink-throated Becard	<i>Pachyramphus minor</i>									1					
352	Black-tailed Tityra	<i>Tityra cayana</i>										1M	1M			
353	Masked Tityra	<i>Tityra semifasciata</i>			1F											
354	Black-crowned Tityra	<i>Tityra inquisitor</i>									1M		10			
355	Red-crested Cotinga	<i>Ampelion rubrocristatus</i>	1				2		2							
356	Green and Black Fruiteater	<i>Pipreola riefferii</i>	1													
357	Barred Fruiteater	<i>Pipreola arcuata</i>	1													
358	White-browed Purpletuft	<i>Iodopleura isabellae</i>													2	
359	Screaming Piha	<i>Lipaugus vociferans</i>									2	h				
360	Plum-throated Cotinga	<i>Cotinga maynana</i>										1M	2			
361	Spangled Cotinga	<i>Cotinga cayana</i>										1				
362	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>									1F	2	6			
363	Purple-throated Fruitcrow	<i>Querula purpurata</i>			1M/1F							2				
364	Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>									2					
365	Andean Cock-of-the-rock	<i>Rupicola peruviana</i>				6										
366	Golden-headed Manakin	<i>Pipra erythrocephala</i>									2					
367	Wire-tailed Manakin	<i>Pipra filicauda</i>											1M			
368	White-bearded Manakin	<i>Manacus manacus</i>			1M							1				
369	Striped Manakin	<i>Machaeropterus regulus</i>									1					
370	Turquoise Jay	<i>Cyanolyca turcosa</i>				h			6							
371	Violaceous Jay	<i>Cyanocorax violaceus</i>									1	1				
372	Inca Jay	<i>Cyanocorax yncas</i>						20								
373	Black-billed Peppershrike	<i>Cyclarhis nigrirostris</i>						1								
374	Red-eyed Vireo	<i>Vireo olivaceus</i>	1	7	10	1		1			1	1	1			
375	Brown-capped Vireo	<i>Vireo leucophrys</i>		2		1										
376	Lesser Greenlet	<i>Hylophilus decurtatus</i>		1												
377	Andean Solitaire	<i>Myadestes ralloides</i>		h		h										
378	Swainson's Thrush	<i>Catharus ustulatus</i>			2			6	2		1					1
379	Great Thrush	<i>Turdus fuscater</i>	10				20		10	10						20
380	Glossy-black Thrush	<i>Turdus serranus</i>				h		1								
381	Black-billed Thrush	<i>Turdus ignobilis</i>						4		4						

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
382	Hauxwell's Thrush	<i>Turdus hauxwelli</i>												h		
383	Ecuadorian Thrush	<i>Turdus maculirostris</i>	h	4	6	h										
384	White-capped Dipper	<i>Cinclus leucocephalus</i>	5	1		1				2						
385	Brown-chested Martin	<i>Progne tapera</i>									6	2	2			
386	Gray-breasted Martin	<i>Progne chalybea</i>									1			2		
387	White-winged Swallow	<i>Tachycineta albiventer</i>									5	25	4		20	
388	Brown-bellied Swallow	<i>Notiochelidon murina</i>					25		20							20
389	Blue and White Swallow	<i>Notiochelidon cyanoleuca</i>	20	30	20	3	4	10		5						10
390	White-banded Swallow	<i>Atticora fasciata</i>								5						
391	White-thighed Swallow	<i>Neochelidon tibialis</i>			4											
392	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>			6			6								
393	Barn Swallow	<i>Hirundo rustica</i>									3					
394	Black-capped Donacobius	<i>Donacobius atricapillus</i>									5			4		
395	Thrush-like Wren	<i>Campylorhynchus turdinus</i>											h			
396	Grass Wren	<i>Cistothorus platensis</i>					4		h							1
397	Coraya Wren	<i>Thryothorus coraya</i>											h			
398	Bay Wren	<i>Thryothorus nigricapillus</i>			h											
399	Southern House-Wren	<i>Troglodytes musculus</i>		2	1											
400	Mountain Wren	<i>Troglodytes solstitialis</i>						6	2							
401	White-breasted Wood-Wren	<i>Henicorhina leucosticta</i>			h											
402	Gray-breasted Wood-Wren	<i>Henicorhina leucophrys</i>	h	h		h		1	1							
403	Southern Nightingale- Wren	<i>Microcerculus marginatus</i>			h											
404	Slate-throated Gnatcatcher	<i>Polioptila schistaceigula</i>			6											
405	Paramo Pipit	<i>Anthus bogotensis</i>														1
406	Black-and-white Warbler	<i>Mniotilta varia</i>						1								
407	Tropical Parula	<i>Parula pitiayumi</i>		3				1				1				
408	Blackburnian Warbler	<i>Dendroica fusca</i>	3	10		3		10	15							
409	Blackpoll Warbler	<i>Dendroica striata</i>										1NB				
410	Bay-breasted Warbler	<i>Dendroica castanea</i>		1												
411	Canada Warbler	<i>Wilsonia canadensis</i>						4								
412	Slate-throated Whitestart	<i>Myioborus miniatus</i>		4		1		4								
413	Spectacled Whitestart	<i>Myioborus melanocephalus</i>	6					2	10							

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
414	Black-crested Warbler	<i>Basileuterus nigrocristatus</i>							2	1						
415	Russet-crowned Warbler	<i>Basileuterus coronatus</i>	2			h			1	2						
416	Buff-rumped Warbler	<i>Basileuterus fulvicauda</i>			4											
417	Bananaquit	<i>Coereba flaveola</i>		4	1				1							
418	Golden-rumped Euphonia	<i>Eufonia cyanocephala</i>					2	2			1M					2
419	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>		4	1M	3										
420	Thick-billed Euphonia	<i>Euphonia laniirostris</i>		4											1	
421	White-lored (Golden-bellied) Euphonia	<i>Euphonia chrysopasta</i>									1		1	1F		
422	Cinereous Conebill	<i>Conirostrum cinereum</i>	2								1					
423	Blue-backed Conebill	<i>Conirostrum sitticolor</i>	4							1						
424	Capped Conebill	<i>Conirostrum albifrons</i>				1				2						
425	Giant Conebill NT	<i>Oreomanes fraseri</i>					h			2						
426	Masked Flower-piercer	<i>Diglossa cyanea</i>	10			1	1	1	6							
427	Glossy Flower-piercer	<i>Diglossa lafresnayii</i>	15				h									
428	Black Flower-piercer	<i>Diglossa humeralis</i>	1					3								
429	Rusty Flower-piercer	<i>Diglossa sittoides</i>						1								2
430	White-sided Flower-piercer	<i>Diglossa albilatera</i>				1M			1							
431	Bluish Flowerpiercer	<i>Diglossopsis caeruleus</i>							1							
432	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>													4	
433	Green Honeycreeper	<i>Chlorophanes spiza</i>			3										1M	
434	Blue Dacnis	<i>Dacnis cayana</i>											1			
435	Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>													1M	
436	Scarlet-breasted Dacnis	<i>Dacnis berlepschi</i>			1											
437	Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>		7												
438	Orange-eared Tanager	<i>Chlorochrysa calliparaea</i>							1							
439	Opal-rumped Tanager	<i>Tangara velia</i>													2	
440	Opal-crowned Tanager	<i>Tangara callophrys</i>													4	
441	Paradise Tanager	<i>Tangara chilensis</i>											2	1		
442	Green and Gold Tanager	<i>Tangara schrankii</i>												1		
443	Golden Tanager	<i>Tangara arthus</i>	4	4	1	2										
444	Saffron-crowned Tanager	<i>Tangara xanthocephala</i>							10							
445	Flame-faced Tanager	<i>Tangara parzudakki</i>		4		1										

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
446	Metallic-green Tanager	<i>Tangara labradorides</i>			1											
447	Blue-necked Tanager	<i>Tangara cyanicollis</i>		2	3	1		8								
448	Masked Tanager	<i>Tangara nigrocincta</i>												1		
449	Golden-hooded Tanager	<i>Tangara larvata</i>			1											
450	Golden-naped Tanager	<i>Tangara rufivertex</i>		2		4		1								
451	Scrub Tanager	<i>Tangara vitriolina</i>					4				2M					
452	Gray and Gold Tanager	<i>Tangara palmeri</i>			1											
453	Bay-headed Tanager	<i>Tangara gyrola</i>		1	3											
454	Rufous-winged Tanager	<i>Tangara lavinia</i>			2											
455	Beryl-spangled Tanager	<i>Tangara nigroviridis</i>				2		1								
456	Blue-and-black Tanager	<i>Tangara vassorii</i>	2							2						
457	Black-capped Tanager	<i>Tangara heinei</i>		2		1		2								
458	Golden-crowned Tanager	<i>Iridosornis rufivertex</i>	1													
459	Scarlet-bellied Mountain-Tanager	<i>Anisognathus igniventris</i>	6													
460	Lacrimose Mountain-Tanager	<i>Anisognathus lacrymosus</i>								8						
461	Blue-winged Mountain-Tanager	<i>Anisognathus somptuosus</i>	6	2		6										
462	Hooded Mountain-Tanager	<i>Buthraupis montana</i>								6						
463	Black-chested Mountain-Tanager	<i>Buthraupis eximia</i>	4													
464	Buff-breasted Mountain-Tanager	<i>Dubusia taeniata</i>								3						
465	Swallow Tanager	<i>Tersina viridis</i>		1M										2M		
466	Blue-gray Tanager	<i>Thraupis episcopus</i>		20	20	1		10		4		2	6			2
467	Palm Tanager	<i>Thraupis palmarum</i>		10	10			4		2		4	2			
468	Blue-capped Tanager	<i>Thraupis cyanocephala</i>	1													
469	Blue and Yellow Tanager	<i>Thraupis bonariensis</i>					2									
470	Silver-beaked Tanager	<i>Ramphocelus carbo</i>									1M		1M	2		
471	Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>											2	1M		
472	Lemon-rumped Tanager	<i>Ramphocelus icteronotus</i>	1F	30	30											
473	Summer Tanager	<i>Piranga rubra</i>			1F			3								
474	Scarlet Tanager	<i>Piranga olivacea</i>						3F								
475	White-winged Tanager	<i>Piranga leucoptera</i>		1M												
476	Red-hooded Tanager	<i>Piranga rubriceps</i>								2						
477	White-lined Tanager	<i>Tachyphonus rufus</i>		1F												

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
478	White-shouldered Tanager	<i>Tachyphonus luctuosus</i>			4											
479	Tawny-crested Tanager	<i>Tachyphonus delatrii</i>			4Gr											
480	Scarlet-browed Tanager	<i>Heterospingus xanthopygius</i>			1Gu											
481	Orange-headed Tanager	<i>Thlypopsis sodida</i>										2				
482	Common Bush-Tanager	<i>Chlorospingus ophthalmicus</i>							2	1						
483	Ashy-throated Bush-Tanager	<i>Chlorospingus canigularis</i>	4	2												
484	Dusky Bush-Tanager	<i>Chlorospingus semifuscus</i>	2	1												
485	Gray-hooded Bush-Tanager	<i>Cnemoscopus rubrirostris</i>									4					
486	Black-backed Bush-Tanager	<i>Urothraupis stolzmanni</i>						10								
487	Superciliated Hemispingus	<i>Hemispingus superciliaris</i>	1													
488	Oleaginous Hemispingus	<i>Hemispingus frontalis</i>								1						
489	Grass-green Tanager	<i>Chlorornis riefferii</i>	2							2						
490	Buff-throated Saltator	<i>Saltator maximus</i>	h	1	h											
491	Black-winged Saltator	<i>Saltator atripennis</i>		1	h	3										
492	Grayish Saltator	<i>Saltator coerulescens</i>										1				
493	Southern Yellow-Grosbeak	<i>Pheucticus chrysogaster</i>	1								1M					
494	Blue-black Grosbeak	<i>Cyanocompsa cyanoides</i>											1			
495	Variable Seedeater	<i>Sporophila aurita</i>		1	3											
496	Caqueta Seedeater	<i>Sporophila americana</i>										2M				
497	Black and White Seedeater	<i>Sporophila luctuosa</i>		1					15							
498	Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>		2	1F											
499	Chestnut-bellied Seedeater	<i>Sporophila castaneiventris</i>							2			1M				
500	Plain-colored Seedeater	<i>Catamenia inornata</i>	8F					1F								
501	Saffron Finch	<i>Sicalis flaveola</i>									11					
502	Slaty Finch	<i>Haplospiza rustica</i>	3													
503	Plumbeous Sierra-finch	<i>Phrygilus unicolor</i>						1M		1F						17
504	Ash-breasted Sierra-Finch	<i>Phrygilus plebejus</i>	1F													2
505	Pale-naped Brush-Finch	<i>Atlapetes pallidinuchq</i>						4		2						
506	Rufous-naped Brush-Finch	<i>Atlapetes rufinucha</i>	2													
507	Tricolored Brush-Finch	<i>Atlapetes tricolor</i>		4												
508	White-winged Brush-Finch	<i>Atlapetes leucopterus</i>				1										
509	Slaty Brush-Finch	<i>Atlapetes schistaceus</i>								h						

	Common name	Scientific name	November													
			7	8	9	10	11	12	13	14	15	16	17	18	19	
510	Chestnut-crowned Brush-finch	<i>Buarremon brunneinucha</i>								2						
511	Orange-billed Sparrow	<i>Arremon aurantiostris</i>			5											
512	Black-striped Sparrow	<i>Arremonops conirostris</i>		2												
513	Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>							6			1				
514	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	20	30	4	1	20	20	20	10						20
515	Shiny Cowbird	<i>Molothrus bonariensis</i>									6					
516	Giant Cowbird	<i>Scaphidura oryzivora</i>										1				
517	Crested Oropendola	<i>Psarocolius decumanus</i>											4	1		
518	Russet-backed Oropendola	<i>Psarocolius angustifrons</i>							15		20	10	3	20		
519	Yellow-rumped Cacique	<i>Cacicus cela</i>									20	10	6	10		
520	Subtropical Cacique	<i>Cacicus uropygialis</i>							4							
521	Scarlet-rumped Cacique	<i>Cacicus microrhynchus</i>			h											
522	Northern Mountain-Cacique	<i>Cacicus leucoramphus</i>								10						
523	Scrub Blackbird	<i>Dives warszewiczi</i>		7	2M											
524	Moriche Oriole	<i>Icterus chryscephalus</i>												1		
525	Oriole Blackbird	<i>Gymnomystax mexicanus</i>									3	4				
526	Red-breasted Blackbird	<i>Sturnella militaris</i>							5							
527	Hooded Siskin	<i>Carduelis magellanica</i>					10			3						3F
528	Olivaceous Siskin	<i>Carduelis olivacea</i>							7							
529	Yellow-bellied Siskin	<i>Carduelis xanthrogastra</i>			1M											

Mammals

1	Black Agouti	<i>Dasyprocta fuliginosa</i>										1		1		
2	Western (Central American) Agouti	<i>Dasyprocta punctata</i>		1F		1										
3	Amazonian Agouti	<i>Dasyprocta leporina</i>									1	1				
4	Northern Amazon Red Squirrel	<i>Sciurus igniventris</i>							2							
5	Red-tailed (Coastal) Squirrel	<i>Sciurus granatensis</i>		1	2	3										
6	Andean Coati	<i>Nasuella olivacea</i>	1													
7	Black-mantled Tamarind	<i>Saguinus nigricollis</i>									8	6	8	10		
8	Red Howler Monkey	<i>Alouatta seniculus</i>									7	8	h	h		
9	Squirrel Monkey	<i>Saimiri sciureus</i>									10	10	7	10		
10	White-fronted Capuchin Monkey	<i>Cebus albifrons</i>												6		

	Common name	Scientific name	November														
			7	8	9	10	11	12	13	14	15	16	17	18	19		
11	Large Fruit-bat	<i>Carollia sp.</i>										1					
12	Long Nosed Bat	<i>Leptonycteris sp.</i>													6		
13	Nine-banded Long nosed Armadillo	<i>Dasyus novemcinctus</i>															
14	White-tailed Deer	<i>Odocoileus virginianus</i>															