

Ecuador - The Andes & Amazon

Naturetrek Tour Report

10 - 24 February 2018



San Isidro Black-Banded Owl



Plate-Billed Mountain-Toucan

Report kindly compiled by Kim Fleming
Images courtesy of Howard Nelson



Naturetrek Mingledown Barn Wolf's Lane Chawton Alton Hampshire GU34 3HJ UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Manuel Sanchez (leader, except at Sacha Lodge), Edison Cisneros (driver)
With three Naturetrek clients.

Day 1

Saturday 10th February

Having arrived on the morning before the official start of the trip, our small party was collected by Edison and delivered at our comfortable hotel in Quito. After a short rest we decided to walk to the nearby La Carolina Park and Botanical Gardens to try to spot one or two bird species on our own. Though the park was thronged with people enjoying an extended public holiday weekend, we did manage to identify some birds – the Vermilion Flycatchers were easy, as were the common Great Thrushes, and we were pleased to see our first Black Flowerpiercers. As well as plenty of Sparkling Violetears, in the Botanical Garden we had prolonged views of a Black-tailed Trainbearer.

Day 2

Sunday 11th February

Manuel and Edison arrived early the next morning to take us north-west out of the city to the Yanacocha Reserve. Here at around between 3,500m (11,500ft) and 3,700m (12,100ft) we were in the clouds. Careful not to overdo it at the unfamiliar altitude, we slowly walked the main Inca Trail, starting to encounter the sudden multi-species flocks so typical of neotropical birdwatching. All at once were Pearled Treerunners, Streak-throated Bush Tyrants, Spectacled Whitestarts and Superciliaried Hemispingus. Along the trail were hummingbird feeders busy with species such as Tyrian Metaltails, Sword-billed Hummingbirds and Buff-winged Starfrontlets, as well as Glossy Flowerpiercers.

After a delicious lunch at the mountain hut, we digested to close views of Shining Sunbeam hummingbirds, and a variety of colourful birds gorging on the bananas, including Black-chested Mountain Tanagers. After good views of two Giant Conebills, an Andean species considered Near Threatened by the IUCN Red List and not often seen at Yanacocha, we continued westwards past steep grazing land to our lodge in the cloud forests of the Ecuadorian western slope. At stops along the way we saw White-capped Dipper in the mountain stream, and in a single group, Crimson-mantled Woodpecker, Crimson-rumped Toucanet, Toucan Barbet and Beautiful Jay, the last two birds being Chocó endemics.

Day 3

Monday 12th February

At Sacha Tamia Lodge (1,700 m/5,500 ft) the lights attract huge numbers of night insects, and so birds come to feed on them in the morning. The morning session was busy, hard work for us still trying to learn the commoner species, with plenty of types of flycatchers and tanagers in particular. Beautiful Blackburnian Warblers, Brown-capped and Red-eyed Vireos, Orange-bellied Euphonia and, Cinnamon Becards were mixed in, and we had superb views of an obliging Squirrel Cuckoo. Amongst the many hummingbird species at the feeders were the delightful and delicate White-booted Racket-tails.

Driving a short way from the lodge took us to a quiet road, where we saw Chestnut-mandibled Toucans, leading to the Milpe Reserve. Here were more hummingbird feeders. We walked a trail loop, practising our skills in the dense forest, straining up into the canopy and through the dense foliage. There were lots of birds, more tanagers, woodcreepers and dacnises. Through the verbiage we spotted a Crested Guan (our first of three species), and

with persistence, enjoyed the extraordinary clockwork spectacle of a displaying Club-winged Manakin. Beyond the forest edge patrolled graceful Swallow-tailed Kites.

After lunch we visited the Alambi hummingbird garden to get to grips with plenty more hummingbirds at practically touching range, including Empress Brilliant and Purple-bibbed Whitetip. Walking down to the river we saw our first Torrent Tyrannulet, charming little flycatchers, always in pairs, that hunt at the very stream edge.

Day 4

Tuesday 13th February

Today we started at the remarkable Angel Paz's reserve, set in attractive steep mixed forest and grazing land. As soon as it was light, we found ourselves watching a noisy Andean Cock-of-the-rock lek, the males, coloured like postboxes, squawking as they showed off to the skulking females. Angel called in a rare and poorly known Cloud-forest Pygmy Owl for us all to see. The next we saw of him, he was feeding a family of proverbially shy, globally endangered and Chocó endemics, Dark-backed Wood Quails. Then it was off in the van up the hill to the first antbird feeding point, this one a Rufous-breasted Antthrush. In all, Angel showed us four species of antpittas, the last the beautiful Chestnut-crowned Antpitta. In damper weather in the afternoon we walked a nearby road, finding Capped Conebill and Grass-green Tanager, and enjoying better views of Plate-billed Mountain Toucan.

Day 5

Wednesday 14th February

After a wet morning watching tanagers (including Chocóan Black-chinned Mountain Tanager), hummingbirds and Chocó Brush Finch at a local bird garden, and where we were treated to fabulous close views of a pair of Powerful Woodpeckers, we drove to Quito. The weather cleared as we climbed and approached the central valley. At a newly made lake at the edge of the airport we saw an Andean Gull, Andean Coots, Yellow-billed Pintail and a soaring pair of Black-chested Buzzard-Eagles. We stayed at the Puembo Bird Garden to the east of Quito, saying goodbye for now to Manuel and our attentive driver Edison.

Day 6

Thursday 15th February

At Quito airport, the helpful and efficient Sacha Lodge staff met and guided us smoothly through the check-in process to our journey to Coca. A short flight took us to the small port on the river Napo, where we stepped into a motorised canoe for the voyage downriver. The canoe accelerated quickly away from the town, forging eastwards. Since there had been unusually little rain, we had often to slow down so as to avoid the many clusters of tree debris in the river. Other than egrets and vultures, there were few birds along the river, but we had tantalising views of a variety of raptors circling over the forest on both sides.

After a little over two hours we arrived at the landing point for Sacha Lodge. A short boardwalk, from which we saw a Black-fronted Nunbird, took us to the departure point for a peaceful canoe ride to the lodge itself. Emerging from the creek to the lake in front of the hotel, we passed below a family of Hoatzins, their enormous feathers and absurd hissing striking us as most peculiar, a juvenile Rufescent Tiger Heron broke cover, and Smooth-billed Anis gawped at us. On the way to our rooms, we passed a resting Black-mantled Tamarin and a fossicking Black Agouti.

After lunch we made our first ascent to the 35-metre-high walkway over the forest. Though relatively quiet, we enjoyed views of Spix's Guan, Plumbeous Kite, White-browed Purpletufts, Cobalt-winged Parakeets, and a family of delightful Red-crowned Titi Monkeys.

Day 7

Friday 16th February

First thing, we made our way once again to the high-level walkway. Gradually the birds appeared, including Green-and-gold Tanagers, relaxed Pied Puffbirds, Spangled Cotingas and Lettered Aracaris. A Bat Falcon helpfully perched on the suspension wires, and we had fair views of a Purplish Jacamar and a Crane Hawk. On the way back to the lodge through the forest we admired from very close a roosting Crested Owl and saw well a Wire-tailed Manakin.

In the afternoon we had to turn back from our canoe ride due to heavy rain. In the evening we tried again, enjoying watching bats, Spectacled Caimans and bioluminescence of unknown origin in the forest.

Day 8

Saturday 17th February

After a night of heavy rain, we were paddled to the Kapok Tower, a 40-metre platform built around a huge and handsome kapok tree. The rain gradually ceased, and there seemed to be more birds than on the first two days, such as Opal-rumped Tanagers, Bare-necked Fruit-Crow, Purple-throated Cotingas, Cinnamon Attilas, a pair of Black-tailed Trogons, Gould's Jewelfront (a hummingbird) and a scarce Black-bellied Cuckoo. On our walk back on the forest floor we saw both Silvered and Dot-backed Antbirds.

The afternoon outing was again affected by heavy rain.

Day 9

Sunday 18th February

After more torrential rain in the night, we left in improving but misty conditions for a trip downriver to the parrot licks in the Yasuni National Park. The parrots were hard to see through the dense mist, but with help, we could make out large numbers of Mealy and Yellow-crowned Amazons and the smaller Blue-headed Parrots. Along the shore as the mist eased was a Cocoli Heron and Speckled Chachalaca. More birds appeared on and along the river, first an Osprey, and then a handsome Pied Plover and Yellow-headed Caracaras. Huge Green-banded *Urania* moths, looking exactly like Swallowtail butterflies, drifted across the river.

Arriving at the macaw pool, our guides ascertained that the birds were unlikely to arrive soon, so instead we took a trek through the surrounding forest. In the dense quiet of the undergrowth we saw a Ruddy Quail-Dove, Golden-headed Manakin, Red-stained Woodpecker and a displaying Long-winged Antwren. Back at the hide we arrived to see two Scarlet Macaws circumspectly make their way down from the canopy to drink quietly at the pool. On the journey back upstream, a party of three Roseate Spoonbills was feeding in the distance.

Soon after returning in the afternoon very heavy rain resumed, which we had been lucky to avoid.

Day 10

Monday 19th February

We left Sacha Lodge in the silence of the morning mist, enjoying last looks at the Hoatzins, Greater Anis and Red-capped Cardinals. After a fast ride back to Coca on a now fuller river and in warmer weather, we were glad to see Manuel and Edison once again. White-banded Swallows were perched on the telegraph wires by the port steps.

After a snack we were off in our vehicle east across the plain, heading for the east slope. As we started to climb a pair of Military Macaws flew over, preceded by a Pearl Kite along the road. Having taken a late packed lunch at a hummingbird garden, the final stop on the road was to enjoy our first family of Torrent Ducks. We arrived in the late afternoon at peaceful San Isidro Lodge (2,050m/6,800ft), venturing out after supper for fabulous views of the mysterious - and placid - San Isidro or Black-banded (or similar) Owl.

Day 11

Tuesday 20th February

After breakfast we concentrated on finding birds around the lodge, easily seeing many hummingbirds, flycatchers, migrant warblers and tanagers. The Inca Jays gobbled up the insects attracted by the lodge's night lights. A patient wait rewarded us with a White-bellied Antpitta. Outside the lodge we found Black-billed Mountain Toucans, Bluish Flowerpiercers and another party of Torrent Ducks. After lunch we drove to a mainly agricultural area, finding a small group of Southern Lapwings. The day ended early due to murky conditions.

Day 12

Wednesday 21st February

On the wires along the lodge entrance was a calm Crested Quetzal, and later in the morning we saw a Golden-headed Quetzal and a gorgeous Highland Motmot. We had fine views of a pair of endangered Lemon-browed Flycatchers, one of the easiest of the many flycatchers to identify. After lunch we drove out again, and soon came across a busy and prolonged passage of small birds, including Smoky-brown and Golden-olive Woodpeckers, Canada Warblers, Red-headed Barbets, Spectacled Pricketail, Golden-collared Honeycreeper and the scarce Wedge-billed Hummingbird.

This evening, in thick mist, we repaired to the Termas de Papallacta hot springs spa hotel (3,250m/10,600ft), enjoying the extra comfort.

Day 13

Thursday 22nd February

As soon as the overnight rain stopped, we drove up the track above the spa (3,700m/12,100ft) to the Cayambe-Coca Ecological Reserve, finding a variety of species amongst the hillside bushes, including Viridian Metaltail, Agile Tit-Tyrant, Scarlet-bellied Mountain Tanager and Red-crested Cotinga. After birding on this site, we drove to Guango Lodge (2,700m/8,800ft) to watch at their hummingbird feeders Tourmaline Sunangels and the tiny White-bellied Woodstars amongst others.

Leaving the Termas de Papallacta after lunch we drove up to the Papallacta Pass, turning off up a rough road to a communications station at 4,400m/14,400ft. Here we were in the páramo, the stunted vegetation and thin air giving a special atmosphere. The specialist birds included jovial Plumbeous Sierra Finches, Stout-billed and Chestnut-winged Cinclodes and the hardy Ecuadorian Hillstar.

Then we descended fast along the modern road to Quito, and our second stay at the Puembo Bird Garden (2,300m /7,500ft) on the central Andean dry valley east of the Ecuadorian capital.

Day 14

Friday 23rd February

An early start in rain once again seemed unpropitious but, by the time we reached the entrance to the Antisana reserve, it had stopped, and a quiet and mostly mild day was in prospect in the mountains. There were more birds at around the 4000-metre mark than expected, small flocks of Andean Lapwings being outnumbered by the distinctly patterned Andean Gulls, plus a single Andean Ibis (rare in Ecuador). Most impressive was a dispersed flock of perhaps some 300 Carunculated Caracaras, both adults and juveniles, feeding on a mass emergence of some kind of large flying beetle – perhaps chafers. Swooping amongst the caracaras at high speed were powerful White-collared Swifts, seeming huge at close range.

On the main lake amongst large numbers of Andean Coots we made out a Silvery Grebe and Andean Ruddy Ducks through the squalls of hail. Patient searching and calling resulted in decent views of a Páramo Pipit and Streak-backed Canastero amongst the wind-blown bushes.

Two fine species closed our list for the day as we enjoyed a delicious lunch at a nearby hacienda: an Andean Condor soared above, whilst a Giant Hummingbird visited the feeders in the garden. That left just the ride back down to Quito airport, and the flights home.

Day 15

Saturday 24th February

We arrived back in the UK after our wonderful, bird-filled tour.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Blue-winged Mountain-Tanager

Species Lists

Birds

	Common name	Scientific name		Common name	Scientific name
1	Torrent Duck	<i>Merganetta armata</i>	195	Undulated Antpitta	<i>Grallaria squamigera</i>
2	Blue-winged Teal	<i>Spatula discors</i>	196	Giant Antpitta	<i>Grallaria gigantea</i>
3	Andean Teal	<i>Anas andium</i>	197	Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>
4	Yellow-billed Pintail	<i>Anas georgica</i>	198	Yellow-breasted Antpitta	<i>Grallaria flavotincta</i>
5	Andean Duck	<i>Oxyura ferruginea</i>	199	White-bellied Antpitta	<i>Grallaria hypoleuca</i>
6	Speckled Chachalaca	<i>Ortalis guttata</i>	200	Rufous Antpitta	<i>Grallaria rufula</i>
7	Andean Guan	<i>Penelope montagnii</i>	201	Tawny Antpitta	<i>Grallaria quitensis</i>
8	Spix's Guan	<i>Penelope jacquacu</i>	202	Ochre-breasted Antpitta	<i>Grallaricula flavirostris</i>
9	Crested Guan	<i>Penelope purpurascens</i>	203	Narino Tapaculo	<i>Scytalopus vicini</i>
10	Wattled Guan	<i>Aburria aburri</i>	204	Spillmann's Tapaculo	<i>Scytalopus spillmanni</i>
11	Silvery Grebe	<i>Podiceps occipitalis</i>	205	Blackish Tapaculo	<i>Scytalopus latrans</i>
12	Pied-billed Grebe	<i>Podilymbus podiceps</i>	206	Tawny-rumped Tyrannulet	<i>Phyllomyias uropygialis</i>
13	Black-faced Ibis	<i>Theristicus melanopus</i>	207	White-crested Elaenia	<i>Elaenia albiceps</i>
14	Green Ibis	<i>Mesembrinibis cayennensis</i>	208	White-lored Tyrannulet	<i>Ornithion inerme</i>
15	Roseate Spoonbill	<i>Platalea ajaja</i>	209	White-throated Tyrannulet	<i>Mecocerculus leucophrys</i>
16	Rufescent Tiger Heron	<i>Tigrisoma lineatum</i>	210	White-tailed Tyrannulet	<i>Mecocerculus poecilocercus</i>
17	Boat-billed Heron	<i>Cochlearius cochlearius</i>	211	White-banded Tyrannulet	<i>Mecocerculus stictopterus</i>
18	Striated Heron	<i>Butorides striata</i>	212	Agile Tit-Tyrant	<i>Uromyias agilis</i>
19	Cocoi Heron	<i>Ardea cocoi</i>	213	Torrent Tyrannulet	<i>Serpophaga cinerea</i>
20	Great Egret	<i>Ardea alba</i>	214	Slender-footed Tyrannulet	<i>Zimmerius gracilipes</i>
21	Snowy Egret	<i>Egretta thula</i>	215	Golden-faced Tyrannulet	<i>Zimmerius chrysops</i>
22	Anhinga	<i>Anhinga anhinga</i>	216	Choco Tyrannulet	<i>Zimmerius albigularis</i>
23	Turkey Vulture	<i>Cathartes aura</i>	217	Marble-faced Bristle Tyrant	<i>Pogonotriccus ophthalmicus</i>
24	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	218	Streak-necked Flycatcher	<i>Mionectes striaticollis</i>
25	Black Vulture	<i>Coragyps atratus</i>	219	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>
26	Andean Condor	<i>Vultur gryphus</i>	220	Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>
27	Western Osprey	<i>Pandion haliaetus</i>	221	Ornate Flycatcher	<i>Myiotriccus ornatus</i>
28	Pearl Kite	<i>Gampsonyx swainsonii</i>	222	Cliff Flycatcher	<i>Hirundinea ferruginea</i>
29	Hook-billed Kite	<i>Chondrohierax uncinatus</i>	223	Handsome Flycatcher	<i>Nephelomyias pulcher</i>
30	Swallow-tailed Kite	<i>Elanoides forficatus</i>	224	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomeus</i>
31	Black-and-chestnut Eagle	<i>Spizaetus isidori</i>	225	Black Phoebe	<i>Sayornis nigricans</i>

	Common name	Scientific name		Common name	Scientific name
32	Double-toothed Kite	<i>Harpagus bidentatus</i>	226	Olive-sided Flycatcher	<i>Contopus cooperi</i>
33	Plumbeous Kite	<i>Ictinia plumbea</i>	227	Eastern Wood Pewee	<i>Contopus virens</i>
34	Snail Kite	<i>Rostrhamus sociabilis</i>	228	Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>
35	Crane Hawk	<i>Geranospiza caerulescens</i>	229	Drab Water Tyrant	<i>Ochthornis littoralis</i>
36	Slate-colored Hawk	<i>Buteogallus schistaceus</i>	230	Paramo Ground Tyrant	<i>Muscisaxicola alpinus</i>
37	Roadside Hawk	<i>Rupornis magnirostris</i>	231	Streak-throated Bush Tyrant	<i>Myiotheretes striaticollis</i>
38	White-rumped Hawk	<i>Parabuteo leucorrhous</i>	232	Slaty-backed Chat-Tyrant	<i>Ochthoeca cinnamomeiventris</i>
39	Variable Hawk	<i>Geranoaetus polyosoma</i>	233	Brown-backed Chat-Tyrant	<i>Ochthoeca fumicolor</i>
40	Broad-winged Hawk	<i>Buteo platypterus</i>	234	Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>
41	Andean Coot	<i>Fulica ardesiaca</i>	235	Social Flycatcher	<i>Myiozetetes similis</i>
42	Southern Lapwing	<i>Vanellus chilensis</i>	236	Grey-capped Flycatcher	<i>Myiozetetes granadensis</i>
43	Andean Lapwing	<i>Vanellus resplendens</i>	237	Great Kiskadee	<i>Pitangus sulphuratus</i>
44	Pied Plover	<i>Hoploxypterus cayanus</i>	238	Lemon-browed Flycatcher	<i>Conopias cinchoneti</i>
45	Greater Yellowlegs	<i>Tringa melanoleuca</i>	239	Golden-crowned Flycatcher	<i>Myiodynastes chrysocephalus</i>
46	Spotted Sandpiper	<i>Actitis macularius</i>	240	Streaked Flycatcher	<i>Myiodynastes maculatus</i>
47	Andean Gull	<i>Chroicocephalus serranus</i>	241	Tropical Kingbird	<i>Tyrannus melancholicus</i>
48	Rock Dove	<i>Columba livia</i>	242	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>
49	Band-tailed Pigeon	<i>Patagioenas fasciata</i>	243	Short-crested Flycatcher	<i>Myiarchus ferox</i>
50	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	244	Pale-edged Flycatcher	<i>Myiarchus cephalotes</i>
51	Plumbeous Pigeon	<i>Patagioenas plumbea</i>	245	Cinnamon Attila	<i>Attila cinnamomeus</i>
52	Eared Dove	<i>Zenaida auriculata</i>	246	Red-crested Cotinga	<i>Ampelion rubrocristatus</i>
53	Black-winged Ground Dove	<i>Metriopelia melanoptera</i>	247	Barred Fruiteater	<i>Pipreola arcuata</i>
54	Ruddy Quail-Dove	<i>Geotrygon montana</i>	248	Andean Cock-of-the-rock	<i>Rupicola peruvianus</i>
55	Hoatzin	<i>Opisthocomus hoazin</i>	249	Plum-throated Cotinga	<i>Cotinga maynana</i>
56	Greater Ani	<i>Crotophaga major</i>	250	Spangled Cotinga	<i>Cotinga cayana</i>
57	Smooth-billed Ani	<i>Crotophaga ani</i>	251	Purple-throated Cotinga	<i>Porphyrolaema porphyrolaema</i>
58	Squirrel Cuckoo	<i>Piaya cayana</i>	252	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>
59	Black-bellied Cuckoo	<i>Piaya melanogaster</i>	253	Purple-throated Fruitcrow	<i>Querula purpurata</i>
60	Colombian Screech Owl	<i>Megascops colombianus</i>	254	Club-winged Manakin	<i>Machaeropterus deliciosus</i>
61	Crested Owl	<i>Lophotrix cristata</i>	255	White-bearded Manakin	<i>Manacus manacus</i>
62	Andean Pygmy Owl	<i>Glaucidium jardinii</i>	256	Wire-tailed Manakin	<i>Pipra filicauda</i>
63	Cloud-forest Pygmy Owl	<i>Glaucidium nubicola</i>	257	Golden-headed Manakin	<i>Dixiphia erythrocephala</i>
64	Chestnut-collared Swift	<i>Streptoprocne rutila</i>	258	Black-tailed Tityra	<i>Tityra cayana</i>
65	White-collared Swift	<i>Streptoprocne zonaris</i>	259	White-browed Purpletuft	<i>Iodopleura isabellae</i>
66	Neotropical Palm Swift	<i>Tachornis squamata</i>	260	Cinnamon Becard	<i>Pachyramphus cinnamomeus</i>

	Common name	Scientific name		Common name	Scientific name
67	White-whiskered Hermit	<i>Phaethornis yaruqui</i>	261	Black-billed Peppershrike	<i>Cyclarhis nigrirostris</i>
68	Great-billed Hermit	<i>Phaethornis malaris</i>	262	Brown-capped Vireo	<i>Vireo leucophrys</i>
69	Tawny-bellied Hermit	<i>Phaethornis symmatophorus</i>	263	Red-eyed Vireo	<i>Vireo olivaceus</i>
70	White-necked Jacobin	<i>Florisuga mellivora</i>	264	Turquoise Jay	<i>Cyanolyca turcosa</i>
71	Brown Violetear	<i>Colibri delphinae</i>	265	Beautiful Jay	<i>Cyanolyca pulchra</i>
72	Sparkling Violetear	<i>Colibri coruscans</i>	266	Violaceous Jay	<i>Cyanocorax violaceus</i>
73	Violet-headed Hummingbird	<i>Klais guimeti</i>	267	Inca Jay	<i>Cyanocorax yncas</i>
74	Green Thorntail	<i>Discosura conversii</i>	268	White-winged Swallow	<i>Tachycineta albiventer</i>
75	Western Emerald	<i>Chlorostilbon melanorhynchus</i>	269	Grey-breasted Martin	<i>Progne chalybea</i>
76	Crowned Woodnymph	<i>Thalurania colombica</i>	270	Blue-and-white Swallow	<i>Notiochelidon cyanoleuca</i>
77	Fork-tailed Woodnymph	<i>Thalurania furcata</i>	271	Brown-bellied Swallow	<i>Notiochelidon murina</i>
78	Golden-tailed Sapphire	<i>Chrysuronia oenone</i>	272	White-banded Swallow	<i>Atticora fasciata</i>
79	Many-spotted Hummingbird	<i>Taphrospilus hypostictus</i>	273	Black-capped Donacobius	<i>Donacobius atricapilla</i>
80	Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	274	Thrush-like Wren	<i>Campylorhynchus turdinus</i>
81	Andean Emerald	<i>Amazilia franciae</i>	275	Sedge Wren	<i>Cistothorus platensis</i>
82	Glittering-throated Emerald	<i>Amazilia fimbriata</i>	276	Plain-tailed Wren	<i>Pheugopedius euophrys</i>
83	Speckled Hummingbird	<i>Adelomyia melanogenys</i>	277	Bay Wren	<i>Cantorchilus nigricapillus</i>
84	Gould's Jewelfront	<i>Heliodoxa aurescens</i>	278	House Wren	<i>Troglodytes aedon</i>
85	Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>	279	Mountain Wren	<i>Troglodytes solstitialis</i>
86	Green-crowned Brilliant	<i>Heliodoxa jacula</i>	280	Grey-breasted Wood Wren	<i>Henicorhina leucophrys</i>
87	Empress Brilliant	<i>Heliodoxa imperatrix</i>	281	Andean Solitaire	<i>Myadestes ralloides</i>
88	White-tailed Hillstar	<i>Urochroa bougueri</i>	282	Spotted Nightingale-Thrush	<i>Catharus dryas</i>
89	Buff-tailed Coronet	<i>Boissonneaua flavescens</i>	283	Swainson's Thrush	<i>Catharus ustulatus</i>
90	Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>	284	Pale-eyed Thrush	<i>Turdus leucops</i>
91	Velvet-purple Coronet	<i>Boissonneaua jardini</i>	285	Great Thrush	<i>Turdus fuscater</i>
92	Shining Sunbeam	<i>Aglaeactis cupripennis</i>	286	Glossy-black Thrush	<i>Turdus serranus</i>
93	Ecuadorian Hillstar	<i>Oreotrochilus chimborazo</i>	287	Ecuadorian Thrush	<i>Turdus maculirostris</i>
94	Bronzy Inca	<i>Coeligena coeligena</i>	288	White-capped Dipper	<i>Cinclus leucocephalus</i>
95	Brown Inca	<i>Coeligena wilsoni</i>	289	Paramo Pipit	<i>Anthus bogotensis</i>
96	Collared Inca	<i>Coeligena torquata</i>	290	Olivaceous Siskin	<i>Spinus olivacea</i>
97	Buff-winged Starfrontlet	<i>Coeligena lutetiae</i>	291	Hooded Siskin	<i>Spinus magellanica</i>
98	Sword-billed Hummingbird	<i>Ensifera ensifera</i>	292	Thick-billed Euphonia	<i>Euphonia lanirostris</i>
99	Great Sapphirewing	<i>Pterophanes cyanopterus</i>	293	Golden-rumped Euphonia	<i>Euphonia cyanocephala</i>
100	Giant Hummingbird	<i>Patagona gigas</i>	294	White-lored Euphonia	<i>Euphonia chrysopasta</i>
101	Gorgeted Sunangel	<i>Heliangelus strophianus</i>	295	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>

	Common name	Scientific name		Common name	Scientific name
102	Sapphire-vented Puffleg	<i>Eriocnemis luciani</i>	296	Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>
103	Golden-breasted Puffleg	<i>Eriocnemis mosquera</i>	297	Tropical Parula	<i>Setophaga pitiayumi</i>
104	Purple-bibbed Whitetip	<i>Urosticte benjamini</i>	298	Blackburnian Warbler	<i>Setophaga fusca</i>
105	White-booted Racket-tail	<i>Ocreatus underwoodii</i>	299	Black-crested Warbler	<i>Myiothlypis nigrocristata</i>
106	Black-tailed Trainbearer	<i>Lesbia victoriae</i>	300	Buff-rumped Warbler	<i>Myiothlypis fulvicauda</i>
107	Tyrian Metaltail	<i>Metallura tyrianthina</i>	301	Choco Warbler	<i>Myiothlypis chlorophrys</i>
108	Viridian Metaltail	<i>Metallura williami</i>	302	Russet-crowned Warbler	<i>Myiothlypis coronata</i>
109	Long-tailed Sylph	<i>Agelaiocercus kingii</i>	303	Canada Warbler	<i>Cardellina canadensis</i>
110	Violet-tailed Sylph	<i>Agelaiocercus coelestis</i>	304	Slate-throated Whitestart	<i>Myioborus miniatus</i>
111	Wedge-billed Hummingbird	<i>Schistes geoffroyi</i>	305	Spectacled Whitestart	<i>Myioborus melanocephalus</i>
112	Purple-throated Woodstar	<i>Calliphlox mitchellii</i>	306	Red-breasted Blackbird	<i>Sturnella militaris</i>
113	White-bellied Woodstar	<i>Chaetocercus mulsant</i>	307	Russet-backed Oropendola	<i>Psarocolius angustifrons</i>
114	Violet-headed Hummingbird	<i>Klais guimeti</i>	308	Crested Oropendola	<i>Psarocolius decumanus</i>
115	Golden-headed Quetzal	<i>Pharomachrus auriceps</i>	309	Scarlet-rumped Cacique	<i>Cacicus microrhynchus</i>
116	Crested Quetzal	<i>Pharomachrus antisianus</i>	310	Subtropical Cacique	<i>Cacicus uropygialis</i>
117	Black-tailed Trogon	<i>Trogon melanurus</i>	311	Northern Mountain Cacique	<i>Cacicus leucoramphus</i>
118	Guianan trogon	<i>Trogon violaceus</i>	312	Shiny Cowbird	<i>Molothrus bonariensis</i>
119	Black-throated Trogon	<i>Trogon rufus</i>	313	Scrub Blackbird	<i>Dives waczewiczi</i>
120	Collared Trogon	<i>Trogon collaris</i>	314	Oriole Blackbird	<i>Gymnomystax mexicanus</i>
121	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>	315	Bananaquit	<i>Coereba flaveola</i>
122	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	316	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>
123	Andean Motmot	<i>Momotus aequatorialis</i>	317	Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>
124	Broad-billed Motmot	<i>Electron platyrhynchum</i>	318	Orange-billed Sparrow	<i>Arremon aurantirostris</i>
125	Purplish Jacamar	<i>Galbula chalcothorax</i>	319	Choco Brushfinch	<i>Atlapetes crassus</i>
126	Pied Puffbird	<i>Notharchus tectus</i>	320	Gray-browed Brushfinch	<i>Arremon assimilis</i>
127	Black-fronted Nunbird	<i>Monasa nigrifrons</i>	321	Pale-naped Brush Finch	<i>Atlapetes pallidinucha</i>
128	White-fronted Nunbird	<i>Monasa morphoeus</i>	322	Yellow-breasted Brush Finch	<i>Atlapetes latinuchus</i>
129	Gilded Barbet	<i>Capito auratus</i>	323	Slaty Brush Finch	<i>Atlapetes schistaceus</i>
130	Red-headed Barbet	<i>Eubucco bourcierii</i>	324	White-winged Brush Finch	<i>Atlapetes leucopterus</i>
131	Toucan Barbet	<i>Semnornis ramphastinus</i>	325	Common Bush Tanager	<i>Chlorospingus flavopectus</i>
132	Emerald Toucanet	<i>Aulacorhynchus prasinus</i>	326	Dusky Bush Tanager	<i>Chlorospingus semifuscus</i>
133	Crimson-rumped Toucanet	<i>Aulacorhynchus haematopygus</i>	327	Yellow-throated Bush Tanager	<i>Chlorospingus flavigularis</i>
134	Lettered Aracari	<i>Pteroglossus inscriptus</i>	328	Red-capped Cardinal	<i>Paroaria gularis</i>
135	Ivory-billed Aracari	<i>Pteroglossus azara</i>	329	Superciliaried Hemispingus	<i>Hemispingus superciliaris</i>
136	Many-banded Aracari	<i>Pteroglossus pluricinctus</i>	330	Black-eared Hemispingus	<i>Hemispingus melanotis</i>

	Common name	Scientific name		Common name	Scientific name
137	Pale-mandibled Aracari	<i>Pteroglossus erythropygius</i>	331	Flame-crested Tanager	<i>Tachyphonus cristatus</i>
138	Plate-billed Mountain Toucan	<i>Andigena laminirostris</i>	332	White-shouldered Tanager	<i>Tachyphonus luctuosus</i>
139	Black-billed Mountain Toucan	<i>Andigena nigrirostris</i>	333	White-lined Tanager	<i>Tachyphonus rufus</i>
140	Choco Toucan	<i>Ramphastos brevis</i>	334	Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>
141	White-throated Toucan	<i>Ramphastos tucanus</i>	335	Silver-beaked Tanager	<i>Ramphocelus carbo</i>
142	Black-mandibled Toucan	<i>Ramphastos ambiguus</i>	336	Lemon-rumped Tanager	<i>Ramphocelus icteronotus</i>
143	Lafresnaye's Piculet	<i>Picumnus lafresnayi</i>	337	Blue-grey Tanager	<i>Thraupis episcopus</i>
144	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	338	Palm Tanager	<i>Thraupis palmarum</i>
145	Smoky-brown Woodpecker	<i>Picoides fumigatus</i>	339	Hooded Mountain Tanager	<i>Buthraupis montana</i>
146	Red-stained Woodpecker	<i>Veniliornis affinis</i>	340	Black-chested Mountain Tanager	<i>Buthraupis eximia</i>
147	Golden-olive Woodpecker	<i>Colaptes rubiginosus</i>	341	Scarlet-bellied Mountain Tanager	<i>Anisognathus igniventris</i>
148	Crimson-mantled Woodpecker	<i>Colaptes rivolii</i>	342	Blue-winged Mountain Tanager	<i>Anisognathus somptuosus</i>
149	Chestnut Woodpecker	<i>Celeus elegans</i>	343	Black-chinned Mountain Tanager	<i>Anisognathus notabilis</i>
150	Lineated Woodpecker	<i>Dryocopus lineatus</i>	344	Grass-green Tanager	<i>Chlorornis riefferii</i>
151	Powerful Woodpecker	<i>Campephilus pollens</i>	345	Golden-crowned Tanager	<i>Iridosornis rufivertex</i>
152	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	346	Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>
153	Carunculated Caracara	<i>Phalcoboenus carunculatus</i>	347	Orange-eared Tanager	<i>Chlorochrysa calliparaea</i>
154	Yellow-headed Caracara	<i>Milvago chimachima</i>	348	Green-and-gold Tanager	<i>Tangara schrankii</i>
155	American Kestrel	<i>Falco sparverius</i>	349	Golden Tanager	<i>Tangara arthus</i>
156	Bat Falcon	<i>Falco rufigularis</i>	350	Silver-throated Tanager	<i>Tangara icterocephala</i>
157	Military Macaw	<i>Ara militaris</i>	351	Saffron-crowned Tanager	<i>Tangara xanthocephala</i>
158	Scarlet Macaw	<i>Ara macao</i>	352	Golden-eared Tanager	<i>Tangara chrysotis</i>
159	Chestnut-fronted Macaw	<i>Ara severus</i>	353	Flame-faced Tanager	<i>Tangara parzudakii</i>
160	Red-bellied Macaw	<i>Orthopsittaca manilatus</i>	354	Bay-headed Tanager	<i>Tangara gyrola</i>
161	Dusky-headed Parakeet	<i>Aratinga weddellii</i>	355	Scrub Tanager	<i>Tangara vitriolina</i>
162	Maroon-tailed Parakeet	<i>Pyrrhura melanura</i>	356	Golden-naped Tanager	<i>Tangara ruficervix</i>
163	Barred Parakeet	<i>Bolborhynchus lineola</i>	357	Metallic-green Tanager	<i>Tangara labradorides</i>
164	Cobalt-winged Parakeet	<i>Brotogeris cyanoptera</i>	358	Blue-necked Tanager	<i>Tangara cyanicollis</i>
165	Black-headed Parrot	<i>Pionites melanocephalus</i>	359	Beryl-spangled Tanager	<i>Tangara nigroviridis</i>
166	Blue-headed Parrot	<i>Pionus menstruus</i>	360	Black-capped Tanager	<i>Tangara heinei</i>
167	Red-billed Parrot	<i>Pionus sordidus</i>	361	Opal-rumped Tanager	<i>Tangara velia</i>
168	White-capped Parrot	<i>Pionus seniloides</i>	362	Black-faced Dacnis	<i>Dacnis lineata</i>
169	Bronze-winged Parrot	<i>Pionus chalcopterus</i>	363	Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>
170	Yellow-crowned Amazon	<i>Amazona ochrocephala</i>	364	Blue Dacnis	<i>Dacnis cayana</i>
171	Orange-winged Amazon	<i>Amazona amazonica</i>	365	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>

Common name	Scientific name	Common name	Scientific name
172 Mealy Amazon	<i>Amazona farinosa</i>	366 Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>
173 Buff-winged Cinclodes	<i>Cinclodes fuscus</i>	367 Green Honeycreeper	<i>Chlorophanes spiza</i>
174 Stout-billed Cinclodes	<i>Cinclodes excelsior</i>	368 Golden-collared Honeycreeper	<i>Iridophanes pulcherrimus</i>
175 Streak-backed Canastero	<i>Asthenes wyatti</i>	369 Cinereous Conebill	<i>Conirostrum cinereum</i>
176 Azara's Spinetail	<i>Synallaxis azarae</i>	370 Blue-backed Conebill	<i>Conirostrum sitticolor</i>
177 Red-faced Spinetail	<i>Cranioleuca erythropis</i>	371 Capped Conebill	<i>Conirostrum albifrons</i>
178 Pearled Treerunner	<i>Margarornis squamiger</i>	372 Giant Conebill	<i>Oreomanes fraseri</i>
179 Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii</i>	373 Glossy Flowerpiercer	<i>Diglossa lafresnayii</i>
180 Montane Foliage-gleaner	<i>Anabacerthia striaticollis</i>	374 Black Flowerpiercer	<i>Diglossa humeralis</i>
181 Spectacled Prickletail	<i>Siptornis striaticollis</i>	375 White-sided Flowerpiercer	<i>Diglossa albilatera</i>
182 Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>	376 Bluish Flowerpiercer	<i>Diglossa caerulescens</i>
183 Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	377 Masked Flowerpiercer	<i>Diglossa cyanea</i>
184 Long-billed Woodcreeper	<i>Nasica longirostris</i>	378 Plumbeous Sierra Finch	<i>Phrygilus unicolor</i>
185 Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus</i>	379 Saffron Finch	<i>Sicalis flaveola</i>
186 Spotted Woodcreeper	<i>Xiphorhynchus erythropygius</i>	380 Grassland Yellow Finch	<i>Sicalis luteola</i>
187 Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>	381 Variable Seedeater	<i>Sporophila corvina</i>
188 Montane Woodcreeper	<i>Lepidocolaptes lacrymiger</i>	382 Yellow-bellied Seedeater	<i>Sporophila nigricollis</i>
189 Uniform Antshrike	<i>Thamnophilus unicolor</i>	383 Plain-colored Seedeater	<i>Catamenia inornata</i>
190 Long-winged Antwren	<i>Myrmotherula longipennis</i>	384 Summer Tanager	<i>Piranga rubra</i>
191 Silvered Antbird	<i>Sclateria naevia</i>	385 Scarlet Tanager	<i>Piranga olivacea</i>
192 Chestnut-backed Antbird	<i>Myrmeciza exsul</i>	386 Buff-throated Saltator	<i>Saltator maximus</i>
193 Dot-backed Antbird	<i>Hylophylax punctulatus</i>	387 Black-winged Saltator	<i>Saltator atripennis</i>
194 Rufous-breasted Antthrush	<i>Formicarius rufipectus</i>		

Mammals

Common name	Scientific name	Common name	Scientific name
1 Black-mantled Tamarin	<i>Saguinus nigricollis</i>	7 Brazilian Rabbit	<i>Sylvilagus brasiliensis</i>
2 Squirrel Monkey	<i>Saimiri sciureus</i>	8 Black Agouti	<i>Dasyprocta fuliginosa</i>
3 White-fronted Capuchin Monkey	<i>Cebus albifrons</i>	9 Andean White-tailed Deer	<i>Odocoileus ustus</i>
4 Red Howler Monkey	<i>Alouatta seniculus</i>	10 Central American Agouti	<i>Dasyprocta punctata</i>
5 Red-crowned Titi Monkey	<i>Callicebus discolor</i>	11 Gualea's Red Brocket	<i>Mazama gualea</i>
6 Red-tailed Squirrel	<i>Sciurus granatensis</i>	12 Humboldt's Woolly Monkey	<i>Lagothrix lagothricha</i>


Other Taxa

	Common name	Scientific name
1	Spectacled Caiman	<i>Caiman crocodilus</i>
2	Scarlet Peacock	<i>Anartia amathea</i>

	Common name	Scientific name
4	89 butterfly sp	<i>Diaethria</i> sp
5	Green-banded Urania moth	<i>Urania leilus</i>



Booted Racket Tail



Squirrel Monkey



Squirrel Cuckoo