

# The French Pyrenees

Naturetrek Tour Report

5 - 12 June 2010

---



Gedre



Isard



Alpine Marmot



Heath Fritillary

Report and images compiled by David Morris

Plant list by David Tattersfield



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Leaders: David Tattersfield (Naturetrek leader & Botanist)  
David Morris (Co-leader & Ornithologist)

Participants: Paul Burrige  
Sara Burrige  
Rowan Hillson  
John Hornsby  
Neil Sherman  
Denice Caulfield

## Day 1

Saturday 5th June

Hot and sunny, 30 °C

We arrived in to a hot and sunny Pau from our early morning flight from London Stansted. After a brief refreshment stop, we all boarded our minibus and set off into the rising Pyrenean Massif en-route to our hotel in Gedre. After a brief stop to unload our luggage and check in to our rooms, we made our way up the Heas Valley to enjoy a picnic in a small riverside meadow. The meadow was full of wild flowers, many endemic, giving us a taste of thing to come with the Pyrenean flora. Spring squall, yellow and purple verities of Elder-flowered Orchid were in bloom but unfortunately the magnificent Pyrenean Lily, *Lilium pyrenaica* was still in bud due to the later spring up here. Butterflies were abundant in the warm weather with Duke of Burgundy, Little Blue, Wood White and Green Hairstreak plentiful as we ate our lunch.

After lunch we continued up the valley towards the small hamlet of Heas. The meadows were abundant with butterflies feeding on the numerous orchids and wildflowers. Pyrenean Hyacinth, Horned Pansy, Globeflower and a number of orchids including Burnt-tip, Fragrant and Early Purple were abundant in the meadows. Butterflies here were also good with us adding Clouded Apollo, Bright-eyed Ringlet and Heath Fritillary to the list. We returned to the hotel with David joking about the “6.30pm Lammergeier” over the hotel. Much to our amazement, upon getting out of the minibus, Lammergeier flew over on cue!

## Day 2

Sunday 6th June

Cool and cloudy with occasional showers, 10 -15 °C

Today we woke to cool, overcast morning preceding the early morning thunderstorm originating from Spain. Low level cloud quickly developed so we decided to gain altitude in order to avoid a total white out. We headed towards Gavarnie then drove into the Osseu Valley. We paused up the valley around Savin’s wood, picking up Tree Pipit and Black Redstart. A scan of the adjacent cliff for raptors proved quiet but as the air warmed up Lammergeier, Griffon Vulture and Chough all became active over the ridge. We walked down into the woods noting Sword-leaved Helleborine and *Ramonda myconi* but with the low level cloud fast approaching, we moved out towards the barrage to escape it. As we climbed in altitude, Alpine Marmot became evident making their whistling calls as they climbed among the rocks and grazed on the turf.

We had lunch around the van as the cloud and rain caught us up before setting off on foot around the Barage d'Ossoue. Thankfully the rain was light so allowed us to enjoy a colony of the dainty Rush-leaved Daffodil that thrives on a patch of dark limestone rock, completely different to its usual lower altitude habitat in southern Europe. The walk around the barrage gave us good views of Water Pipit, Northern Wheatear, Crag Martin and Black Redstart. As the rain stopped and clouds lifted we were treated to the sight of a stunning male Rock Thrush displaying around us with its song flight and revealing its rich orange under parts. Flowers in the areas of snow melt were equally as good with fine displays of Oxlip, Hair Primrose, Spring and Trumpet Gentian, Snowbell and an impressive bank of the early flowering Pyrenean Squill. As we made our way back to the bus after an enjoyable walk, a pair of Lammergeier plus Golden Eagle was flying around over the adjacent crag.

## Day 3

Monday 7th June

Hot and sunny, 25 °C

After a cool start from the previous night, the clouds lifted to reveal a glorious day. As we left the hotel to get in the bus, we were treated to the sight of 2 stunning adult Lammergeier with a juvenile and a pair of Griffon Vultures flying around the opposite cliff before landing to give outstanding views. The bright plumage of one adult Lammergeier particularly stood out with its orange trousers and neck and its back and wings looking iridescent in the sunlight.

As the weather looked set to be good, we headed on up to Gavarnie in order to do a fine walk around the Cirque de Gavarnie. As we walked up by the river, the adjacent meadows and bank sides were alive with butterflies and other insects. Swallowtail, Adonis Blue, Little Blue and various skippers were numerous. As we climbed further towards the cirque we entered floristically rich pastures containing Greater Butterfly, Fragrant, Heath Spotted and Burnt- tip orchids along with Pyrenean and Martagon Lily that were unfortunately not in flower yet because of the late season. Spring and Trumpet Gentians adorned the slopes and Birds-eye Primrose, Broad-leaved Marsh Orchid and Large-flowered Butterwort filled the flushes. Rock Bunting, Garden Warbler and Firecrest were found in the boulder strewn slopes and scrub.

As we approached the cirque both Chough and Alpine Chough were abundant. We climbed the final rise before the panorama of the Cirque de Gavarnie opened up before us giving views over to the massive cliffs and La Grande Cascade, Europe's highest waterfall. We picnicked in the cirque with accompanying Alpine Chough and Isard on the snow opposite before making our way out via the eastern flank of the Gavarnie Valley.

As we paused briefly at the café at the base of the cirque, a pair of Citril Finches flew in to give us good views. Our route back to Gavarnie took us along a contour path against cliffs, woodland and Alpine pasture. At one point on the walk we observed Pyrenean Yam on the scree and Long-leaved Butterwort on seepage areas on the cliffs. The woods contained Short-toed Treecreeper, Firecrest and Coal Tit but as we reached the high part of the route at 1800m we entered Alpine pasture. Here we had excellent views of a pair of Ring Ouzel busy collecting worms and a small group of Citril Finch at close range on the grass in front of us.

We then descended back down the path to enjoy a refreshing ice-cream and drink in the Gavarnie, the perfect end to an enjoyable day.

## Day 4

Tuesday 8th June

Warm and overcast with thick cloud and drizzle at lower levels, 15-23°C

Today we woke to a mild but overcast day with thick, low cloud settling in. In order to avoid it we needed to gain altitude so we drove towards the Lac de Glorettes and sure enough we left the murk in the valley below. We set off towards the dam noting the acid-loving flora on the rocky banking on the way. Parsley, Oak and Beech Fern grew amongst the rocks and *Rhododendron furrugineum* was starting to bloom. Water Pipit, Yellowhammer, and Black Redstart occupied the hillsides. As we made our way past the glacial turquoise blue waters of the Lac de Glorettes and up the valley, the temperature started to rise. With the brightening conditions raptors started to appear with squadrons of Griffons passing overhead before a couple of Lammergeiers gave exceptional fly-pasts causing great alarm with the resident Marmots. We came upon a fresh dead sheep in the river, so David bravely waded in to remove it in the hope of attracting vultures for a better view!

We picnicked up the valley before moving further towards the Cirque d' Estaubé. The slopes were covered in English Iris, yet to flower, but towards the cirque we found a superb group of Pyrenean Fritillary. Careful searching of a number of the streams produced 2 Pyrenean Brook Newts, an endemic amphibian that lives within the cool, clear waters of Pyrenean streams.

Upon descending the valley towards the dam we quickly realised the plan to pull the dead sheep out of the river was a good one as a number of Griffon Vultures had started to investigate the area. We decided to sit up on the hillside to observe the amassing flock. Once we settled down, vultures started falling out of the sky from all around squabbling for scraps in front of us. They quickly devoured the sheep carcass and made off giving us fantastic views as they flew over our heads. As we headed to the bottom of the valley part of the group went back to the bus for a steady drive back to the hotel and a small number decided to walk back to Gedre allowing outstanding views of the surrounding mountain scenery and finding Vanilla Orchid and Rock Thrush.

## Day 5

Wednesday 9th June

Cool with rain and low cloud most of the day, 7-13°C

Today we woke to a heavy sky and showers. Nevertheless, we set off after breakfast for the Cirque de Troumouse. Wheatear, Water Pipit and a stunning male Rock Thrush were seen en-route to the top, but due to heavy rain we decided to return to the Oberge du Maillet for refreshments and shelter. Given that the weather looked set in for the day, we got our waterproofs and set off up the final stretch to the cirque. We briefly paused before the car park and found 3 handsome Alpine Accentors feeding around a snow patch along with Wheatear and more Water Pipits. The weather at the cirque was truly awful and it would have been unwise of us to try and walk further to find Snow Finch and Alpine flora.

We decided to descend back to the oberge observing *Daphne cneorum* and *Daphne mazzerium* in flower. At the café we enjoyed a hearty bowl of local duck soup before moving back towards Gedre to avoid the high altitude weather. As the weather was breaking at lower levels we took a scenic walk down the Heas Valley through hay meadows full of orchids and the odd butterfly braving the improving conditions. Red-backed Shrikes were found towards the bottom as they perched on overhead wires.

For the remainder of the afternoon we headed up to the Plateau de Sauge to observe the floristically species rich meadows that were truly breathtaking with the colour and the number of plant species within. Here we found Hobby, Tree Pipit and Quail calling.

## Day 6

Thursday 10th June

Cool with sun and showers at high altitude and hot and sunny at lower altitudes, 7 - 25°C

With the forecast set for sun and showers we headed off via Luz and Cauterets to the Pont d'Espagne. The journey towards the Pont was a scenic one through mountain passes clad with pines. The previous night's rainfall had swollen the streams and rivers making the many waterfalls dramatic as the water poured down the valley. After a brief pause in a café to shelter from a shower we walked up the Vallee du Marcadau observing Crested Tit, Dipper and a small group of Citril Finches at close range. Golden Eagles circled overhead and Isard grazed the steep upper hillsides. Unfortunately we failed to find a much hoped for Black Woodpecker, but we did manage to see a couple of their distinctive oval nest holes on some of the pines.

We enjoyed a picnic in the pine woods before the clouds closed in and the temperature dropped to 7°C before it started to rain. Due to the bad weather we decided to abandon our plan to get a chairlift higher to the Lac de Gaube and instead opted for lower altitudes. As we drove down the valley the weather cleared to give us 25°C and bright sun. We explored an area of grass and scrub around Soulom finding Bug, Woodcock, and Pyramidal Orchid along with Marbled White, Heath Fritillary and Adonis Blue Butterflies. Birds here included Tree Sparrow and Green Woodpecker.

After exploring the valley bottom we headed on to the ski resort at Hautacam which we could see was basking in glorious sunshine. The summit had an interesting area of Juniper scrub and Tree Heather was flowering as was Large Mediterranean Spurge. From the top we had excellent views of birds of prey and as we headed in the direction of circling vultures we found the carcass of a dead cow. From a dirt track we had fantastic views of over 100 Griffon Vultures dropping in along with Black and Red Kites, a single Egyptian Vulture and close views of adult and juvenile Lammergeier. With the fantastic site of a feeding frenzy of raptors to end the day, we headed back to the hotel to enjoy local wines and a superb traditional barbeque.

## Day 7

Friday 11th June

Cool with heavy rain and snow at altitude, clearing in afternoon, 2 -13°C

On our last day it was our intention to head on up the valley and walk to the Spanish border. First thing the weather looked fine so we set off, parking above the ski resort where we put on our warm and waterproof clothing and set off en-route to the Spanish border at Port de Boucharo. We walked along the old abandoned road to the border that was once hoped to connect France and Spain, as we did the weather started to close in but our journey was brightened with the yellow flowers of *Vitalina primuliflora* within the scree slopes. As we got to the summit, snow drifts covered the end of the road, providing feeding habitat for Water Pipit, Black Redstart and Northern Wheatear. A small group of us pushed on the short distance to cross the border and hoped to encounter a Snow Finch above the snow line but the weather started to close in further, so we had to make do with a party of Alpine Chough and a Golden Eagle soaring through the rain and sleet. Given the weather, we made our way back to the bus and descended back to the hotel for lunch and to warm up.

After lunch we explored an area between the hotel and Bue while dodging the occasional shower. Short-toed Eagle, Lammergeier and Griffon Vulture put in appearances between cloud breaks and a large flock of Serin plus Golden Oriole was located near Ayrues. With the weather improving into the evening we decided a last ditch effort for Snow Finch at the Cirque de Troumouse. The weather was improving and turned out to be a pleasant early evening walk. We had close views of a group of Isard and a couple of Alpine Accentors but Snow Finch was not to be found.

Satisfied with a pleasant evening walk and an enjoyable few days, we returned to the hotel for a pleasant evening meal and to pack in preparation for our morning flight back to the UK. Given the variable weather conditions from hot sun to snow we all had an enjoyable trip with plenty of good birds, plants and butterflies seen during the week.

## Day 8

Saturday 12th June

Return to London

### Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

### Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

## Species Lists

Birds (H = heard only)

	Common name	Scientific name	June							
			5	6	7	8	9	10	11	
1	Cattle Egret	<i>Bubulcus ibis</i>	✓							
2	Grey Heron	<i>Ardea cinerea</i>	3						1	
3	Black Stork	<i>Ciconia nigra</i>	1							
4	Black Kite	<i>Milvus migrans</i>	100+		1				30	2
5	Red Kite	<i>Milvus milvus</i>	2					2	10	2
6	Lammergeier	<i>Gypaetus barbatus</i>	1	4	5	3			2	2
7	Egyptian Vulture	<i>Neophron percnopterus</i>							1	
8	Griffon Vulture	<i>Gyps fulvus</i>	5	8	10+	30+	1		100+	10+
9	Northern Sparrowhawk	<i>Accipiter nisus</i>	1							
10	Honey Buzzard	<i>Pernis apivorus</i>								2
11	Common Buzzard	<i>Buteo buteo</i>	4		4	1	1		5	2
12	Golden Eagle	<i>Aquila chrysaetos</i>	1	2					3	1
13	Short-toed Eagle	<i>Circaetus gallicus</i>	1							2
14	Common Kestrel	<i>Falco tinnunculus</i>	✓	2	✓	1			1	3
15	Hobby	<i>Falco subbuteo</i>	1					1		
16	Peregrine Falcon	<i>Falco peregrinus</i>		1						
17	Red-legged Partridge	<i>Alectoris rufa</i>							1	
18	Quail	<i>Coturnix coturnix</i>						H		
19	Rock Dove / Feral Pigeon	<i>Columba livia</i>	✓						✓	✓
20	Woodpigeon	<i>Columba palumbus</i>	✓		1	2			✓	
21	Collared Dove	<i>Streptopelia decaocto</i>	✓					✓	✓	
22	Swift	<i>Apus apus</i>	✓							
23	Wryneck	<i>Jynx torquilla</i>						H		
24	Green Woodpecker	<i>Picus viridis</i>			1	1	1		1	H
25	Great Spotted Woodpecker	<i>Dendrocopos major</i>	1		1					1
26	Skylark	<i>Alauda arvensis</i>						1		
27	Crag Martin	<i>Ptyonoprogne rupestris</i>	✓	✓	✓	✓	✓		✓	✓
28	Swallow	<i>Hirundo rustica</i>	✓						✓	10
29	House Martin	<i>Delichon urbica</i>	✓	✓		100+				20
30	Water Pipit	<i>Anthus spinoletta</i>		6		6+	20+			10
31	Tree Pipit	<i>Anthus trivialis</i>		1				2	1	2
32	White Wagtail	<i>Motacilla alba</i>	6		3	3			3	
33	Grey Wagtail	<i>Motacilla cinerea</i>	2	3	2	2	2		6	2
34	Dipper	<i>Cinclus cinclus</i>		1		1	1		1	
35	Wren	<i>Troglodytes troglodytes</i>		H	H	H	H		H	
36	Dunnock	<i>Prunella modularis</i>		6	H	10	6		6	
37	Alpine Accentor	<i>Prunella collaris</i>						3		3
38	Robin	<i>Erithacus rubecula</i>		H	✓	✓	H		✓	H
39	Black Redstart	<i>Phoenicurus ochruros</i>	2	10	2	✓	8		5	8
40	Northern Wheatear	<i>Oenanthe oenanthe</i>		25+		15+	✓			✓
41	Rock Thrush	<i>Monticola saxatilis</i>		1		1	1			
42	Ring Ouzel	<i>Turdus torquatus</i>			2					
43	Blackbird	<i>Turdus merula</i>	✓		✓	✓	✓		✓	✓
44	Song Thrush	<i>Turdus philomelos</i>				1	1			1
45	Mistle Thrush	<i>Turdus viscivorus</i>		2	1				✓	2
46	Garden Warbler	<i>Sylvia borin</i>		2	4	H	H			
47	Blackcap	<i>Sylvia atricapilla</i>	H	H	✓	H			H	H

	Common name	Scientific name	June						
			5	6	7	8	9	10	11
48	Chiffchaff	<i>Phylloscopus collybita</i>			H	H			H
49	Goldcrest	<i>Regulus regulus</i>			3	2		H	
50	Firecrest	<i>Regulus ignicapillus</i>	H		6	4	H	H	H
51	Crested Tit	<i>Lophophanes cristatus</i>			H	H		H	
52	Long-tailed Tit	<i>Aegithalos caudatus</i>			10				
53	Coal Tit	<i>Periparus ater</i>			3	H	1	6	
54	Great Tit	<i>Parus major</i>		3	✓	✓	4	✓	✓
55	Blue Tit	<i>Cyanistes caeruleus</i>	2			3	2	3	✓
56	Nuthatch	<i>Sitta europaea</i>			1	H	3	2	
57	Treecreeper	<i>Certhia familiaris</i>			3				
58	Red-backed Shrike	<i>Lanius collurio</i>	1			1	1		6
59	Starling	<i>Sturnus vulgaris</i>	10					2	
60	Golden Oriole	<i>Oriolus oriolus</i>							H
61	Jay	<i>Garrulus glandarius</i>	1		3	6	2	✓	✓
62	Magpie	<i>Pica pica</i>	✓					✓	
63	Alpine Chough	<i>Pyrrhocolax graculus</i>			50	10	20		6
64	Chough	<i>Pyrrhocolax pyrrhocolax</i>	6	15	10	40	H	20	30
65	Raven	<i>Corvus corax</i>	2	4	6	8	3	✓	2
66	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓	✓	✓
67	Tree Sparrow	<i>Passer montanus</i>						10+	
68	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	
69	Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓
70	Citril Finch	<i>Serinus citrinella</i>			8	2		6	
71	Serin	<i>Serinus serinus</i>	6	4	✓	✓	H	H	15
72	Goldfinch	<i>Carduelis carduelis</i>						3	3
73	Bullfinch	<i>Pyrrhula pyrrhula</i>			4	H			2
74	Linnet	<i>Acanthis cannabina</i>	H			2	20	10	1
75	Crossbill	<i>Loxia curvirostra</i>			H				
76	Yellowhammer	<i>Emberiza citrinella</i>		3	1	3	6	1	
78	Rock Bunting	<i>Emberiza cia</i>		1	2	1			



## Butterflies

	Common name	Scientific name		Common name	Scientific name
1	Swallowtail	<i>Papilio machaon</i>	20	Silver-studded Blue	<i>Plebejus agus</i>
2	Scarce Swallowtail	<i>Iphiclides podalirius</i>	21	Northern Wall Brown	<i>Lasiommata petropolitana</i>
3	Clouded Apollo	<i>Parnassius mnemosyne</i>	22	Meadow Brown	<i>Maniola jurtina</i>
4	Wood White	<i>Leptidea sinapis</i>	23	Bright-eyed Ringlet	<i>Erebia oeme</i>
5	Black-veined White	<i>Aporia crataegi</i>	24	Piedmont Ringlet	<i>Erebia meolans</i>
6	Large White	<i>Pieris brassicae</i>	25	Marbled White	<i>Melanargia galathea</i>
7	Green-veined White	<i>Pieris napi</i>	26	Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>
8	Mountain Green-v. White	<i>Pieris bryoniae</i>	27	Camberwell Beauty	<i>Nymphalis antiopa</i>
9	Bath white	<i>Pontia daplidice</i>	28	Small Tortoiseshell	<i>Aglais urticae</i>
10	Orange Tip	<i>Anthocharis cardamines</i>	29	Painted Lady	<i>Vanessa cardui</i>
11	Clouded Yellow	<i>Colias crocea</i>	30	Spotted Fritillary	<i>Melitaea didyma</i>
12	Brimstone	<i>Gonepteryx rhamni</i>	31	Heath Fritillary	<i>Mellicta athalia</i>
13	Cleopatra	<i>Gonepteryx cleopatra</i>	32	Dingy Skipper	<i>Erynnis tages</i>
14	Duke of Burgundy	<i>Hamaeris lucina</i>	33	Red-underwing Skipper	<i>Spialia sertorius</i>
15	Green Hairstreak	<i>Callophrys rubi</i>	34	Grizzled Skipper	<i>Pyrgus malvae</i>
16	Sooty Copper	<i>Lycaena tityrus</i>	35	Oberthur's Grizzled Skipper	<i>Pyrgus armoricanus</i>
17	Little Blue	<i>Cupido minimus</i>	36	Chequered Skipper	<i>Carterocephalus palaemon</i>
18	Common Blue	<i>Polyommatus icarus</i>	37	Small Skipper	<i>Thymelicus sylvestris</i>

## Other Taxa

Common name	Scientific name	Common name	Scientific name
Alpine Marmot	<i>Marmota marmota</i>	Common Frog	<i>Rana temporaria</i>
Isard	<i>Rupicapra pyrenaica</i>	Common Wall Lizard	<i>Podarcis muralis</i>
Brown Hare	<i>Lepus europaeus</i>	Pyrenean Brook Newt	<i>Euproctus asper</i>

## Plants

The term 'endemic' is applied to plants restricted to the Pyrenees.  
For ease of reference, plant families are listed in alphabetic order.

Scientific Name	Common Name	Location
<b>PTERIDOPHYTA</b>		
<b>Aspidiaceae</b>		
<i>Dryopteris abbreviata</i>	Mountain Male Fern	Acidic boulder scree
<i>Dryopteris assimilis</i>		Acidic screes
<i>Dryopteris borneri</i>	Scaly Male Fern	Occasional. Woods
<i>Dryopteris dilatata</i>	Broad buckler Fern	Forest. Pont d'Espagne
<i>Dryopteris filix-mas</i>	Male Fern	Forest and shady places
<i>Polystichum aculeatum</i>	Prickly Shield-fern	Common. Woods
<i>Polystichum lonchitis</i>	Holly Fern	Limestone rocks
<i>Polystichum setiferum</i>	Soft Shield-fern	Occasional. Woods
<b>Aspleniaceae</b>		
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Rocks
<i>Asplenium ruta-muraria</i>	Wall-rue	Rocks and walls
<i>Asplenium septentrionale</i>	Forked Spleenwort	Boulders and scree
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Rocks and walls
<i>Asplenium viride</i>	Green Spleenwort	Shaded rocks
<i>Ceterach officinarum</i>	Rusty-back Fern	Occasional on rocks
<b>FERNS &amp; FERN ALLIES</b>		
<b>Spleenwort Family</b>		

Scientific Name	Common Name	Location
<b>Athyriaceae</b> <i>Athyrium distentifolium</i> <i>Athyrium filix-femina</i> <i>Cystopteris fragilis</i>	<b>Athyrium Family</b> Alpine Lady-fern Lady-fern Brittle Bladder-fern	Mountain rocks Common Rocks and walls
<b>Blechnaceae</b> <i>Blechnum spicant</i>	<b>Blechnum Family</b> Hard Fern	Acidic soils
<b>Cryptogrammaceae</b> <i>Cryptogramma crispa</i>	<b>Parsley Fern Family</b> Parsley Fern	Acidic boulder scree
<b>Dennstaedtiaceae</b> <i>Pteridium aquilinum</i>	<b>Bracken Family</b> Bracken	Widespread
<b>Equisetaceae</b> <i>Equisetum arvense</i> <i>Equisetum hiemale</i> <i>Equisetum palustre</i>	<b>Horsetail Family</b> Field Horsetail Occasional. Wet places Wet acidic pasture	Common
<b>Lycopodiaceae</b> <i>Huperzia selago</i>	<b>Clubmoss Family</b> Fir Clubmoss	Acidic mountain pasture
<b>Ophioglossaceae</b> <i>Botrychium lunaria</i>	<b>Adder's Tongue Family</b> Moonwort	Common. Mountain turf
<b>Polypodiaceae</b> <i>Polypodium vulgare</i>	<b>Polypody Family</b> Common Polypody	Occasional on rocks
<b>Selaginellaceae</b> <i>Selaginella selaginoides</i>	<b>Lesser Clubmoss Family</b> Lesser Clubmoss	Damp turf, Troumouse
<b>Thelypteridaceae</b> <i>Gymnocarpium dryopteris</i> <i>Phegopteris connectilis</i>	<b>Thelypteris Family</b> Oak Fern Beech Fern	Common in shade Common in shade
<b>GYMNOSPERMAE</b>	<b>CONIFERS</b>	
<b>Cupressaceae</b> <i>Juniperus communis</i> subsp. <i>alpina</i> <i>Juniperus communis</i> subsp. <i>communis</i>	<b>Cypress Family</b> Juniper Juniper	Mountain turf Common. Hautacam
<b>Pinaceae</b> <i>Abies alba</i> <i>Picea abies</i> <i>Pinus sylvestris</i> <i>Pinus uncinata</i>	<b>Pine Family</b> Silver Fir Norway Spruce Scots Pine Mountain Pine	Mountain forests Planted. Not native Montane forests Subalpine slopes
<b>Taxaceae</b> <i>Taxus baccata</i>	<b>Yew Family</b> Yew	St. Savin's Wood
<b>ANGIOSPERMAE</b>	<b>FLOWERING PLANTS</b>	
	<b>DICOTYLEDONS</b>	
<b>Aceraceae</b>	<b>Maple Family</b>	

Scientific Name	Common Name	Location
<i>Acer campestre</i>	Field Maple	Common
<i>Acer pseudoplatanus</i>	Sycamore	Common
<b>Apiaceae</b>	<b>Carrot Family</b>	
<i>Angelica sylvestris</i>	Wild Angelica	Occasional. Wet places
<i>Anthriscus sylvestris</i>	Cow Parsley	Common
<i>Astrantia major</i>	Masterwort	Occasional
<i>Chaerophyllum hirsutum</i>	Damp places	
<i>Conopodium majus</i>	Pignut	Meadows
<i>Conopodium pyrenaicum</i>	Pyrenean Pignut	Meadows. Endemic
<i>Daucus carota</i>	Wild Carrot	Roadsides
<i>Eryngium bourgati</i>	Pyrenean Eryngo	Common. Endemic
<b><i>Eryngium campestre</i></b>	<b>Field Eryngo</b>	<b>Stony places</b>
<i>Heracleum sphondylium</i> subsp. <i>pyrenaicum</i>	Pyrenean Hogweed	Frequent
<i>Laserpitium gallicum</i>	French Sermountain	
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Scree
<i>Laserpitium siler</i>	Narrow-leaved Sermountain	Scree and meadows
<i>Ligusticum lucidum</i>	Pyrenean Lovage	Occasional
<i>Meum athamanticum</i>	Spignet	Occasional. Scree
<i>Myrrhis odorata</i>	Sweet Cicely	Common
<i>Peucedanum ostruthium</i>	Masterwort	Streamsides
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	Stony places on limestone
<b>Apocyanaceae</b>	<b>Periwinkle Family</b>	
<i>Vinca minor</i>	Lesser Periwinkle	Shaded banks
<b>Aquifoliaceae</b>	<b>Holly Family</b>	
<i>Ilex aquifolium</i>	Holly	Occasional in forest
<b>Araliaceae</b>	<b>Ivy Family</b>	
<i>Hedera helix</i>	Ivy	Common
<b>Asclepiadaceae</b>	<b>Milkweed Family</b>	
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Rocky pasture
<b>Asteraceae</b>	<b>Daisy Family</b>	
<i>Achillea millefolium</i>	Yarrow	Meadows
<i>Adenostyles alliariae</i>	Adenostyles	Occasional. Streamsides
<i>Antennaria dioica</i>	Mountain Everlasting	Mountain turf
<i>Anthemis cretica</i>	Mountain Dog-daisy	Rocky places
<i>Arctium minus</i>	Lesser Burdock	Roadsides
<i>Arnica montana</i>	Arnica	Frequent. Acidic turf
<i>Aster alpinus</i>	Alpine Aster	Occasional. Scree
<i>Bellis perennis</i>	Daisy	Widespread
<i>Carduus carlinoides</i>	Pyrenean Thistle	Mountains. Scree
<i>Carduus defloratus</i>	Alpine Thistle	Pasture and scree
<i>Carduus nutans</i>	Nodding Thistle	Waste places
<i>Carlina acaulis</i>	Stemless Carlina Thistle	Mountain turf
<i>Carlina acanthifolia</i> subsp. <i>cynara</i>	Acanthus-leaved Thistle	Lac des Gloriettes, Ossoue
<i>Carlina vulgaris</i>	Common Carlina Thistle	Mountain turf
<i>Centaurea montana</i>	Mountain Cornflower	Occasional. Meadows
<i>Centaurea nigra</i>	Knapweed	Meadows and roadsides
<i>Cicerbita alpina</i>	Alpine Sow-thistle	Forest & scree. Above auterets

Scientific Name	Common Name	Location
<i>Cichorium intybus</i>	Chicory	Roadsides. Val de Jeret
<i>Cirsium eriophorum</i>	Woolly Thistle	Grazed turf. Waste places
<i>Cirsium heleniodes</i>	Melancholy Thistle	Damp meadows
<i>Cirsium palustre</i>	Marsh Thistle	Wet streamsides
<i>Cirsium rivulare</i>	Brook Thistle	Damp acidic pasture
<i>Cirsium vulgare</i>	Spear Thistle	Wet pasture
<i>Crepis albida</i>	Pyrenean Hawksbeard	Rocky places
<i>Crepis conyzaeifolia</i>	Acid soils	
<i>Crepis paludosa</i>	Marsh Hawksbeard	Wet places
<i>Crepis pygmaea</i>	Pygmy Hawksbeard	Screes. Above Gavarnie
<i>Crepis pyrenaica</i>	Damp places	
<i>Erigeron alpinus</i>	Alpine Fleabane	Stony places
<i>Erigeron annuus</i>	Annual Fleabane	Dry grassland. Soulom
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Roadsides
<i>Gnaphalium supinum</i>	Dwarf Cudweed	Damp alpine turf
<i>Hieracium pilosella</i>	Mouse-ear Hawkweed	Rocks and screes
<i>Homogyne alpina</i>	Alpine Colt's-foot	Mountain turf
<i>Lactuca perennis</i>	Blue Lettuce	Gedre
<i>Lapsana communis</i>	Nipplewort	Weedy places
<i>Leontodon pyrenaicus</i>	Pyrenean Hawkbit	Acidic pasture
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Meadows
<i>Leucanthemopsis alpina</i>	Alpine Moon-daisy	Alpine rocks and pasture
<i>Mycelis muralis</i>	Wall Lettuce	Walls and waste places
<i>Petasites paradoxus</i>	A Butterbur	Streamsides
<i>Prenanthes purpurea</i>	Purple Lettuce	Woods and forests
<i>Santolina chamaecyparissus</i>	Lavender Cotton	Low altitude rocks
<i>Saussurea alpina</i>	Alpine Saussurea	Barrage d'Ossoue
<i>Senecio jacobea</i>	Ragwort	Occasional. Roadsides
<i>Senecio viscosus</i>	Sticky Groundsel	Occasional. Waste places
<i>Senecio vulgaris</i>	Common Groundsel	Occasional. Waste places
<i>Solidago virgaurea</i>	Goldenrod	Pont d'Espagne
<i>Sonchus asper</i>	Prickly Sow-thistle	Waste places
<i>Sonchus arvensis</i>	Perennial Sow-thistle	Waste places
<i>Taraxacum alpinum</i>	Alpine Dandelion	Alpine turf near snow
<i>Taraxacum officinale</i>	Dandelion	Common
<i>Tragopogon porrifolius</i>	Salsify	Occasional
<i>Tragopogon pratensis</i>	Goatsbeard	Meadows and roadsides
<i>Tussilago farfara</i>	Colt's-foot	Streamsides
<b>Berberidaceae</b>	<b>Barberry Family</b>	
<i>Berberis vulgaris</i>	Common Barberry	Rocky hillsides
<b>Betulaceae</b>	<b>Birch Family</b>	
<i>Alnus glutinosa</i>	Common Alder	By rivers
<i>Betula pendula</i>	Silver Birch	Forests
<i>Betula pubescens</i>	Downy Birch	Mountains
<b>Boraginaceae</b>	<b>Borage Family</b>	
<i>Echium vulgare</i>	Viper's Bugloss	Roadsides
<i>Lithospermum officinale</i>	Common Gromwell	Occasional
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Mountain meadows
<i>Myosotis arvensis</i>	Field Forget-me-not	Waste places
<i>Myosotis laxa</i>	Tufted Forget-me-not	Damp places
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Grassland and woods
<i>Pulmonaria affinis</i>	A Lungwort	Common in woods

Scientific Name	Common Name	Location
<b>Brassicaceae</b>	<b>Cabbage Famil</b>	
<i>Arabis alpina</i>	Alpine Rockcress	Damp alpine rocks
<i>Arabis turrata</i>	Tower Cress	Rocky places
<i>Barbarea vulgaris</i>	Common Wintercress	Damp roadsides
<i>Biscutella laevigata</i>	Buckler Mustard	Mountain rocks
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Waste places
<i>Cardamine amara</i>	Large Bittercress	Damp pasture
<i>Cardamine bellidifolia</i> subsp. <i>alpina</i>	Alpine Bittercress	Alpine pasture
<i>Cardamine flexuosa</i>	Wood Bittercress	Woods
<i>Cardamine hirsuta</i>	Hairy Bittercress	Waste places
<i>Cardamine pratensis</i>	Cuckoo Flower	Damp places
<i>Cardamine raphanifolia</i>	Radish-leaved Bittercress	Streamsides. Endemic
<i>Cardamine resedifolia</i>	Reseda-leaved Bittercress	Mountain turf and rocks
<i>Draba aizoides</i>	Yellow Whitlow-grass	Cirque de Troumouse
<i>Erysimum decumbens</i>	Decumbent Treacle-mustard	Lac des Gloriettes
<i>Hesperis matronalis</i>	Dame's Violet	Roadsides
<i>Huguenia tanacetifolia</i>	Tansy-leaved Rocket	Occasional.
<i>Hutchinsia alpina</i>	Chamois Cress	Alpine rocks and scree
<i>Iberis spathulata</i>	Spoon-leaved Candytuft	Rocks. Endemic
<i>Rhynchosinapsis cheirantbos</i>	Lac des Gloriettes	
<i>Sisymbrium austriacum</i>	Pyrenean Rocket	Waste places
<i>Thlaspi perfoliatum</i>	Pennycress	Waste places
<b>Buxaceae</b>	<b>Box Family</b>	
<i>Buxus sempervirens</i>	Box	Dry hillsides, low altitude
<b>Campanulaceae</b>	<b>Bellflower Family</b>	
<i>Campanula glomerata</i>	Clustered Bellflower	Meadows and scrub
<i>Campanula patula</i>	Spreading Bellflower	Meadows and scrub
<i>Campanula rotundifolia</i>	Harebell	Mountain rocks
<i>Campanula scheuchzeri</i>	Rocks and turf	
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Shady banks
<i>Jasione montana</i>	Mountain Sheep's-bit	Acidic screes
<i>Phyteuma hemisphericum</i>	Globe-headed Rampion	Acidic meadows
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadows and rocks
<i>Phyteuma pyrenaicum</i>	Pyrenean Rampion	Meadows. Endemic
<b>Caprifoliaceae</b>	<b>Honeysuckle Family</b>	
<i>Lonicera periclymenum</i>	Common Honeysuckle	Occasional
<i>Lonicera pyrenaica</i>	Pyrenean Honeysuckle	Rocky places
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Woods
<i>Sambucus nigra</i>	Common Elder	Woods
<i>Sambucus racemosa</i>	Alpine Elder	Mountain scrub
<i>Viburnum lantana</i>	Wayfaring Tree	Occasional
<i>Viburnum opulus</i>	Guelder Rose	Occasional
<b>Caryophyllaceae</b>	<b>Pink Family</b>	
<i>Arenaria tetraquetra</i>	Imbricate Sandwort	Limestone rocks
<i>Cerastium alpinum</i>	Alpine Mouse-ear	Mountain rocks
<i>Cerastium cerastoides</i>	Starwort Mouse-ear	Rocky pasture
<i>Cerastium fontanum</i>	Common Mouse-ear	Common
<i>Dianthus armeria</i>	Deptford Pink	Near Soulom
<i>Dianthus barbatus</i>	Sweet William	Garden escape

Scientific Name	Common Name	Location
<i>Dianthus deltooides</i>	Maiden Pink	Occasional Dry places.
<i>Dianthus monspessulanus</i>	Fringed Pink	Rocks. Heas Valley
<i>Gypsophila repens</i>	Alpine Gypsophila	Scree and rocky turf
<i>Lychnis alpina</i>	Alpine Lychnis	Turf. Troumouse
<i>Minuartia verna</i>	Vernal Sandwort	Rocky places
<i>Minuartia sedoides</i>	Mossy Cyphel	Exposed rocks.
<i>Paronychia kapela</i> subsp. <i>erpyllifolias</i>	Mountain rocks and turf	Troumouse
<i>Sagina saginoides</i>	Alpine Pearlwort	Turf. Troumouse
<i>Saponaria caespitosa</i>	Tufted Soapwort	Rocks. Ossoue Valley. Endemic
<i>Saponaria officinalis</i>	Soapwort	Occasional. Roadsides
<i>Scleranthus perennis</i>	Knawel	Occasional. Dry places
<i>Silene acaulis</i>	Moss Champion	Alpine turf
<i>Silene alba</i>	White Champion	Roadsides
<i>Silene dioica</i>	Red Champion	Common
<i>Silene nutans</i>	Nottingham Catchfly	Frequent
<i>Silene rupestris</i>	Rock Champion	Rocks and scree
<i>Silene vulgaris</i>	Bladder Champion	Meadows
<i>Stellaria holostea</i>	Greater Stitchwort	Woods and ditches
<i>Stellaria media</i>	Common Chickweed	Common
<i>Stellaria nemorum</i>	Wood Stitchwort	Woods
<b>Celastraceae</b>	<b>Spindle-tree Family</b>	
<i>Euonymus europaeus</i>	Spindle Tree	Occasional. Woods
<b>Chenopodiaceae</b>	<b>Goosefoot Family</b>	
<i>Chenopodium bonus-henricus</i>	Good King Henry	Disturbed places
<b>Cistaceae</b>	<b>Rockrose Family</b>	
<i>Helianthemum appeninum</i>	White Rockrose	Ossoue Valley
<i>Helianthemum canum</i>	Hoary Rockrose	Scree
<i>Helianthemum nummularium</i> subsp. <i>grandiflorum</i>	Common Rockrose	Common. Rocky places
<i>Helianthemum nummularium</i> subsp. <i>pyrenaicum</i>	Pink flowers	
<i>Helianthemum oelandicum</i> subsp. <i>alpestre</i>	Alpine Rockrose	Limestone rocks
<b>Clusiaceae</b>	<b>Hypericum Family</b>	
<i>Hypericum maculatum</i>	Imperforate St. John's-wort	Damp meadows
<i>Hypericum montanum</i>	Mountain St. John's-wort	Occasional
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Occasional
<i>Hypericum richeri</i>	Alpine St. John's-wort	Scree
<b>Convolvulaceae</b>	<b>Bindweed Family</b>	
<i>Convolvulus arvensis</i>	Field Bindweed	Occasional. Waste places
<i>Cuscuta epithymum</i>	Common Dodder	Common
<b>Cornaceae</b>	<b>Dogwood Family</b>	
<i>Cornus sanguinea</i>	Common Dogwood	Open woodland
<b>Corylaceae</b>	<b>Hazel Family</b>	
<i>Corylus avellana</i>	Hazel	Woodland
<b>Crassulaceae</b>	<b>Stonewort Family</b>	
<i>Sedum acre</i>	Biting Stonewort	Rocks and walls
<i>Sedum album</i>	White Stonewort	Rocks

Scientific Name	Common Name	Location
<i>Sedum alpestre</i>	Alpine Stonecrop	Snowbeds
<i>Sedum atratum</i>	Dark Stonecrop	Mountain rocks
<i>Sedum brevifolium</i>	Short-leaved Stonecrop	Siliceous rocks
<i>Sedum dasyphyllum</i>	Thick-leaved Stonecrop	Rocks
<i>Sedum hirsutum</i>	Hairy Stonecrop	Occasional. Rocks
<i>Sedum reflexum</i>	Reflexed Stonecrop	Rocks
<i>Sedum telephium</i> subsp. <i>fabaria</i>	Orpine	Heas valley
<i>Sempervivum arachnoideum</i>	Cobweb Houseleek	Occasional. Rocks
<i>Sempervivum montanum</i>	Mountain Houseleek	Limestone rocks
<i>Sempervivum tectorum</i>	Common Houseleek	Occasional. Rocks
<i>Umbilicus rupestris</i>	Navelwort	Rocks and walls
<b>Dioscoreaceae</b>	<b>Yam Family</b>	
<i>Dioscorea pyrenaica</i>	Pyrenean Yam	Screes. Gavarnie. Endemic
<i>Tamus communis</i>	Black Bryony	Woods. Occasional
<b>Dipsacaceae</b>	<b>Teasel Family</b>	
<i>Knautia arvensis</i>	Field Scabious	Occasional
<i>Knautia dipsacifolia</i>	Wood Scabious	Shady places
<i>Scabiosa cinerea</i>	Pyrenean Scabious	Meadows. Endemic
<i>Scabiosa columbaria</i>	Small Scabious	Occasional
<i>Succisa pratensis</i>	Devil's-bit Scabious	Damp pasture
<b>Ericaceae</b>	<b>Heath Family</b>	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Acidic rocks
<i>Calluna vulgaris</i>	Ling	Acidic rocks and heath
<i>Empetrum nigrum</i> subsp. <i>hermaphroditum</i>	Crowberry	Acid turf
<i>Erica arborea</i>	Tree Heath	Common. Low altitudes
<i>Erica cinerea</i>	Bell Heather	Widespread
<i>Erica tetralix</i>	Cross-leaved Heath	Bogs
<i>Rhododendron ferrugineum</i>	Alpenrose	Acidic pasture
<i>Vaccinium myrtillus</i>	Bilberry	Woods and mountains
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Acidic pasture
<b>Euphorbiaceae</b>	<b>Spurge Family</b>	
<i>Euphorbia amygdaloides</i>	Wood Spurge	Forest
<i>Euphorbia cyparissias</i>	Cypress Spurge	Occasional. Rocky places
<i>Euphorbia hyberna</i>	Irish Spurge	Frequent. Woodland
<i>Euphorbia</i> sp.	Hautacam	
<i>Mercurialis perennis</i>	Dog's Mercury	Woodland
<b>Fabaceae</b>	<b>Pea Family</b>	
<i>Anthyllis montana</i>	Mountain Kidney-vetch	Limestone rocks
<i>Anthyllis vulneraria</i> subsp. <i>pyrenaica</i>	Pyrenean Kidney-vetch	Rocky places. Endemic
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Stony pasture
<i>Astragalus ghyocyphyllos</i>	Wild Liquorice	Heas Valley
<i>Astragalus monspessulanus</i>	False Vetch	Stony pasture
<i>Genista tinctoria</i>	Dyer's Greenweed	Hautacam
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Common. Mountain pasture
<i>Lathyrus aphaca</i>	Yellow Vetchling	Waste places
<i>Lathyrus laevigatus</i> subsp. <i>occidentalis</i>	Yellow Pea	Heas valley
<i>Lathyrus latifolius</i>	Broad-leaved Everlasting Pea	Heas Valley
<i>Lathyrus montanus</i>	Bitter Vetch	Woods. Acid soil
<i>Lathyrus pratensis</i>	Meadow Vetchling	Meadows

Scientific Name	Common Name	Location
<i>Lathyrus vernus</i>	Spring Vetchling	Woods
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Mountain pasture
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Grassy places
<i>Medicago lupulina</i>	Black Medick	Weed
<i>Medicago suffruticosa</i>	Sprawling Medick	Rocky pasture
<i>Melilotus officinalis</i>	Ribbed Melilot	Waste ground
<i>Ononis aragonensis</i>	Damp meadow. Gavarnie	Endemic
<i>Ononis fruticosa</i>	Shrubby Restharrow	Occasional
<i>Ononis natrix</i>	Large Yellow Restharrow	Occasional
<i>Ononis striata</i>	Yellow Restharrow	Occasional
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Stony pasture
<i>Oxytropis pyrenaica</i>	Pyrenean Milk-vetch	Stony pasture
<i>Trifolium alpinum</i>	Alpine Clover	Mountain pasture
<i>Trifolium montanum</i>	Mountain Clover	Mountain pasture
<i>Trifolium ochroleucon</i>	Sulphur Clover	Occasional
<i>Trifolium pratense</i>	Red Clover	Meadows
<i>Trifolium repens</i>	White Clover	Meadows
<i>Trifolium rubens</i>	Red Trefoil	Occasional. Meadows
<i>Vicia cracca</i>	Tufted Vetch	Frequent
<i>Vicia hirsuta</i>	Hairy Tare	Roadsides
<i>Vicia orobus</i>	Bitter Vetch	Occasional
<i>Vicia pyrenaica</i>	Pyrenean Vetch	Common
<i>Vicia sepium</i>	Bush Vetch	Frequent
<i>Vicia sylvatica</i>	Wood Vetch	Shady places
<b>Fagaceae</b>	<b>Beech Family</b>	
<i>Fagus sylvatica</i>	Beech	Woodland
<i>Quercus petraea</i>	Sessile Oak	Mountain woodland
<i>Quercus pyrenaica</i>	Pyrenean Oak	Widespread in valleys
<i>Quercus robur</i>	Common Oak	Woodland in valleys
<b>Fumariaceae</b>	<b>Fumitory Family</b>	
<i>Fumaria officinalis</i>	Common Fumitory	Widespread
<i>Fumaria vaillantii</i>	Pale Fumitory	Occasional
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Gentiana acaulis</i>	Trumpet Gentian	Mountain turf
<i>Gentiana alpina</i>	Alpine Gentian	Acidic mountain turf
<i>Gentiana burseri</i>	Mountain turf	
<i>Gentiana lutea</i>	Large Yellow Gentian	Gavarnie
<i>Gentiana verna</i>	Spring Gentian	Mountain turf
<i>Gentianella campestris</i>	Field Felwort	Occasional in pasture
<b>Geraniaceae</b>	<b>Geranium Family</b>	
<i>Erodium cicutarium</i>	Common Stork's-bill	Dry rocky places
<i>Erodium petraeum</i> subsp. <i>lucidum</i>	Shining Stork's-bill	Occasional on rocks. Endemic
<i>Geranium cinereum</i>	Ashy Crane's-bill	Alpine pasture. Endemic
<i>Geranium lucidum</i>	Shining Crane's-bill	Rocky places
<i>Geranium molle</i>	Dove's-foot Crane's-bill	Occasional
<i>Geranium phaeum</i>	Dusky Crane's-bill	Shady places
<i>Geranium pyrenaicum</i>	Pyrenean Crane's-bill	Common
<i>Geranium robertianum</i>	Herb Robert	Rocky places
<i>Geranium rotundifolium</i>	Round-leaved Crane's-bill	Occasional
<i>Geranium sanguineum</i>	Bloody Crane's-bill	Scree. Heas Valley
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Meadows



Scientific Name	Common Name	Location
<b>Gesneriaceae</b> <i>Ramonda myconi</i>	<b>Gloxinia Family</b> Ramonda	Shady cliffs and boulders.
<b>Globulariaceae</b> <i>Globularia cordifolia</i> <i>Globularia nudicaulis</i> <i>Globularia repens</i>	<b>Globularia Family</b> Barrage d'Ossoue. Leafless-stemmed Globularia Creeping Globularia Endemic	Occasional on rocks Limestone rocks
<b>Grossulariaceae</b> <i>Ribes nigrum</i>	<b>Gooseberry Family</b> Blackcurrant	Woods
<b>Lamiaceae</b> <i>Acinos alpinus</i> <i>Ajuga pyramidalis</i> <i>Ajuga reptans</i> <i>Ballota nigra</i> <i>Galeosis angustifolia</i> <i>Galeopsis tetrahit</i> <i>Glechoma hederacea</i> <i>Horminum pyrenaicum</i> <i>Lamiaeum galeobdolon</i> <i>Lamium album</i> <i>Lamium purpureum</i> <i>Marrubium vulgare</i> <i>Mentha longifolia</i> <i>Origanum vulgare</i> <i>Prunella vulgaris</i> <i>Salvia pratensis</i> <i>Scutellaria alpina</i> <i>Sideritis hyssopifolia</i> <i>Stachys alopecurus</i> <i>Stachys officinalis</i> <i>Stachys recta</i> <i>Stachys sylvatica</i> <i>Teucrium chamaedrys</i> <i>Teucrium pyrenaicum</i> <i>Teucrium scorodonia</i> <i>Thymus praecoxx</i> subsp. <i>polytrichus</i>	<b>Mint Family</b> Alpine Calamint Pyramidal Bugle Common Bugle Black Horehound Red Hemp-nettle Common Hemp-nettle Ground Ivy Dragonmouth Yellow Archangel White Deadnettle Red Deadnettle White Horehound Horse Mint Marjoram Self-heal Meadow Clary Alpine Skullcap Sideritis Yellow Betony Betony Yellow Woundwort Hedge Woundwort Wall Germander Pyrenean Germander Wood Sage Wild Thyme	Rocks and screes Mountain pasture Widespread Occasional Occasional Waste places Woods Mountain rocks. Local Woods Occasional Occasional Dry places Damp places Occasional. Dry places Widespread Occasional Limestone rocks Screes. Ossoue Valley Meadows. Occasional Occasional. Meadows Roadsides Shady places Occasional Screes. Endemic Woods Dry places
<b>Lentibulariaceae</b> <i>Pinguicula alpine</i> <i>Pinguicula grandiflora</i> <i>Pinguicula longifolia</i>	<b>Butterwort Family</b> Alpine Butterwort Large-flowered Butterwort Long-leaved Butterwort	Snowbeds Wet areas Cirque de Gavarnie
<b>Linaceae</b> <i>Linum catharticum</i>	<b>Flax Family</b> Fairy Flax	Frequent
<b>Loranthaceae</b> <i>Viscum album</i>	<b>Mistletoe Family</b> Mistletoe	Common
<b>Malvaceae</b> <i>Malva alcea</i>	<b>Mallow Family</b> Cut-leaved Mallow	Roadsides

Scientific Name	Common Name	Location
<i>Malva moschata</i>	Musk Mallow	Waste places
<i>Malva neglecta</i>	Dwarf Mallow	Waste places
<i>Malva sylvestris</i>	Common Mallow	Waste places
<b>Oleaceae</b>	<b>Ash Family</b>	
<i>Fraxinus excelsior</i>	Ash	Woods
<b>Onagraceae</b>	<b>Willowherb Family</b>	
<i>Chamaenerion angustifolium</i>	Rosebay Willowherb	Occasional
<i>Epilobium anagallidifolium</i>	Alpine Willowherb	Wet mountain turf
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Widespread
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	
<i>Orobanche alba</i>	Thyme Broomrape	Occasional
<i>Orobanche caryophyllacea</i>	Clove-scented Broomrape	Ossoue Valley
<i>Orobanche minor</i>	Common Broomrape	Occasional
<b>Oxalidaceae</b>	<b>Wood-sorrel Family</b>	
<i>Oxalis acetosella</i>	Wood-sorrel	Woods and rocks
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Chelidonium majus</i>	Greater Celandine	Frequent
<i>Corydalis solida</i>	Solid-tubered Corydalis	Cirque d'Estaubé
<i>Meconopsis cambrica</i>	Welsh Poppy	Occasional
<i>Papaver rhoeas</i>	Common Poppy	Occasional. Roadsides
<b>Parnassiaceae</b>	<b>Grass of Parnassus Family</b>	
<i>Parnassia palustris</i>	Grass of Parnassus	Occasional. Damp turf
<b>Plantaginaceae</b>	<b>Plantain Family</b>	
<i>Plantago alpina</i>	Alpine Plantain	Mountain turf
<i>Plantago lanceolata</i>	Ribwort Plantain	Widespread
<i>Plantago media</i>	Hoary Plantain	Widespread
<b>Platanaceae</b>	<b>Plane Family</b>	
<i>Platanus × hybrida</i>	London Plane	Planted
<b>Plumbaginaceae</b>	<b>Thrift Family</b>	
<i>Armeria alpina</i>	Mountain Thrift	Above Gedre
<b>Polygalaceae</b>	<b>Milkwort Family</b>	
<i>Polygala alpestris</i>	Mountain Milkwort	Pastures
<i>Polygala alpina</i>	Alpine Milkwort	Mountain pastures
<i>Polygala comosa</i>	Tufted Milkwort	Dry grassy places
<i>Polygala serpyllifolia</i>	Thyme-leaved Milkwort	Acid pasture
<b>Polygonaceae</b>	<b>Dock Family</b>	
<i>Oxyria digyna</i>	Mountain Sorrel	Damp mountain rocks
<i>Polygonum viviparum</i>	Mountain Bistort	Mountain turf
<i>Rumex acetosa</i>	Common Sorrel	Common
<i>Rumex acetosella</i>	Sheep's Sorrel	Common
<i>Rumex alpinus</i>	Monk's Rhubarb	Pont d'Espagne
<i>Rumex scutatus</i>	French Sorrel	Rocks and scree
<b>Primulaceae</b>	<b>Primrose Family</b>	

Scientific Name	Common Name	Location
<i>Androsace carnea</i>	Pink Rock-jasmine	Cirque de Troumouse
<i>Androsace villosa</i>	Hairy Rock-jasmine	Limestone rocks and turf
<i>Primula elatior</i>	Oxlip	Alpine pasture
<i>Primula farinosa</i>	Bird's-eye Primrose	Wet mountain turf
<i>Primula hirsuta</i>	Hairy Primrose	Damp cliffs
<i>Primula integrifolia</i>	Entire-leaved Primrose	Wet acidic turf
<i>Primula veris</i>	Cowslip	Occasional
<i>Soldanella alpina</i>	Alpine Snowbell	Alpine turf
<i>Vitaliana primuliflora</i> subsp. <i>canescens</i>	Vitaliana	Mountain rocks and turf Col des Tentes
<b>Pyrolaceae</b>	<b>Wintergreen Family</b>	
<i>Pyrola minor</i>	Lesser Wintergreen	Woodland
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Aconitum anthora</i>	Yellow Monkshood	Rocky limestone pasture
<i>Aconitum napellus</i>	Common Monkshood	Occasional in meadows
<i>Aconitum vulparia</i>	Wolfsbane	Occasional in woods
<i>Actaea spicata</i>	Baneberry	Woods
<i>Anemone nemorosa</i>	Wood Anemone	Frequent
<i>Anemone narcissiflora</i>	Narcissus-flowered Anemone	Ossoue Valley
<i>Aquilegia pyrenaica</i>	Pyrenean Columbine	Cirque de Gavarnie Endemic
<i>Aquilegia vulgaris</i>	Common Columbine	Common
<i>Caltha palustris</i>	Marsh Marigold	Bogs and streamsides
<i>Clematis vitalba</i>	Old Man's Beard	Woods on limestone
<i>Helleborus foetidus</i>	Stinking Hellebore	Woods
<i>Helleborus viridis</i>	Green Hellebore	Woods and pastures
<i>Hepatica nobilis</i>	Hepatica	Woodland and alpine turf
<i>Pulsatilla alpina</i> subsp. <i>alpina</i>	Alpine Pasque-flower	Ossoue Valley, Gavarnie
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Pont d'Espagne
<i>Ranunculus acris</i>	Meadow Buttercup	Meadows
<i>Ranunculus alpestris</i>	Alpine Buttercup	Port de Bucharo
<i>Ranunculus ficaria</i>	Lesser Celandine	Occasional
<i>Ranunculus flammula</i>	Lesser Spearwort	Wet areas
<i>Ranunculus gouani</i>	Gouan's Buttercup	Mountain meadows. Endemic
<i>Ranunculus lingua</i>	Greater Spearwort	Streamside. Pont d'Espagne
<i>Ranunculus montanus</i>	Mountain Buttercup	Mountain pasture
<i>Ranunculus nemorosus</i>	Wood Buttercup	Grassy places
<i>Ranunculus parnassifolius</i>	Parnassus-leaved Buttercup	Port de Bucharo
<i>Ranunculus pyrenaicus</i>	Pyrenean Buttercup	Damp alpine turf. Endemic
<i>Ranunculus repens</i>	Creeping Buttercup	Widespread
<i>Ranunculus thora</i>	Thore's Buttercup	Limestone scree. Gavarnie
<i>Thalictrum alpinum</i>	Alpine Meadow-rue	Mountain pasture
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Damp areas
<i>Trollius europaeus</i>	Globe Flower	Damp areas
<b>Resedaceae</b>	<b>Mignonette Family</b>	
<i>Reseda glauca</i>	Pyrenean Mignonette	Screes. Endemic
<i>Reseda luteola</i>	Weld	Waste ground
<i>Sesamoides pygmaea</i>	Sesamoides	Occasional on scree
<b>Rhamnaceae</b>	<b>Buckthorn Family</b>	
<i>Rhamnus alpinus</i>	Alpine Buckthorn	Rocky places. Ossoue
<i>Rhamnus pumilus</i>	Dwarf Buckthorn	Rocks. Lac des Gloriettes
<b>Rosaceae</b>	<b>Rose Family</b>	

Scientific Name	Common Name	Location
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Widespread
<i>Alchemilla glaucescens</i>	Small Lady's-mantle	Widespread
<i>Alchemilla vulgaris</i> agg.	Lady's Mantle	Common
<i>Alchemilla saxatilis</i>	Rock Lady's-mantle	Widespread
<i>Alchemilla</i> spp.	Not identified	
<i>Amelanchier ovalis</i>	Snowy Mespilus	Lac des Gloriettes
<i>Aruncus dioicus</i>	Goat'sbeard Spiraea	Damp shade on acid soils
<i>Cotoneaster integerrimus</i>	Wild Cotoneaster	Rocky places
<i>Crataegus monogyna</i>	Hawthorn	Woods
<i>Dryas octopetala</i>	Mountain Avens	Mountains. Local
<i>Filipendula ulmaria</i>	Meadsweet	Lowlands
<i>Fragaria vesca</i>	Wild Strawberry	Common
<i>Geum montanum</i>	Alpine Avens	Mountain pasture
<i>Geum pyrenaicum</i>	Pyrenean Avens	Mountain pasture
<i>Geum rivale</i>	Water Avens	Occasional in wet places
<i>Geum urbanum</i>	Herb Bennet	Shady places
<i>Potentilla alba</i>	White Cinquefoil	Rocks and pasture
<i>Potentilla alchemilloides</i>	Alchemilla-leaved Cinquefoil	Limestone cliffs. Gavarnie
<i>Potentilla aurea</i>	Golden Cinquefoil	Mountain turf
<i>Potentilla erecta</i>	Tormentil	Common
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Mountain pasture
<i>Potentilla fruticosa</i>	Shrubby Cinquefoil	Gavarnie
<i>Potentilla montana</i>	Mountain Cinquefoil	Rocky places
<i>Potentilla reptans</i>	Creeping Cinquefoil	Waste places
<i>Potentilla rupestris</i>	Rock Cinquefoil	Rocks. Local
<i>Potentilla sterilis</i>	Barren Strawberry	Common
<i>Prunus avium</i>	Wild Cherry	Frequent in woods
<i>Prunus spinosa</i>	Blackthorn	Occasional. Scrub
<i>Rubus caesius</i>	A Bramble	Frequent
<i>Rubus idaeus</i>	Raspberry	Common
<i>Rubus saxatilis</i>	Stone Bramble	Frequent
<i>Rubus ulmifolius</i>	A Bramble	Common in lowlands
<i>Rosa arvensis</i>	Field Rose	Widespread
<i>Rosa canina</i>	Dog Rose	Roadsides
<i>Rosa glauca</i>	Blue-leaved Rose	Mountain scrub
<i>Rosa pendulina</i>	Alpine Rose	Mountain scrub
<i>Rosa rubiginosa</i>	Sweet Briar	Widespread
<i>Sanguisorba minor</i>	Salad Burnet	Common in rocky places
<i>Sanguisorba officinalis</i>	Great Burnet	Occasional. Streamsides
<i>Sibbaldia procumbens</i>	Sibbaldia	Acidic snowbeds.
<i>Sorbus aria</i>	Whitebeam	Open woods
<i>Sorbus aucuparia</i>	Mountain Ash	Mountains
<i>Sorbus chamaemespilus</i>	False Medlar	Occasional. Rocky slopes.
<i>Sorbus mougeotii</i>	Mougeot's Whitebeam	Ossoue Valley
<b>Rubiaceae</b>	<b>Bedstraw Family</b>	
<i>Asperula pyrenaica</i>	Pyrenean Woodruff	Rocky places
<i>Cruciata laevipes</i>	Crosswort	Pastures and roadsides
<i>Galium aparine</i>	Goosegrass	Scrub and waste places
<i>Galium mollugo</i>	Hedge Bedstraw	Scrub and meadows
<i>Galium odoratum</i>	Woodruff	Woods
<i>Galium verum</i>	Lady's Bedstraw	Meadows
<i>Rubia peregriana</i>	Wild Madder	Occasional in woods

Scientific Name	Common Name	Location
<b>Salicaceae</b>	<b>Willow Family</b>	
<i>Populus alba</i>	White Poplar	Frequent
<i>Populus tremula</i>	Aspen	Occasional in forests
<i>Salix aurita</i>	Eared Sallow	Widespread
<i>Salix caprea</i>	Goat Willow	Occasional
<i>Salix elaeagnos</i>	Hoary Willow	Streamsides.
<i>Salix herbacea</i>	Least Willow	Acidic snowbeds
<i>Salix pyrenaica</i>	Pyrenean Willow	Mountain rocks
<i>Salix reticulata</i>	Netted Willow	Alpine turf
<i>Salix retusa</i>	Retuse-leaved Willow	Alpine turf
<i>Salix viminalis</i>	Common Osier	Widespread in lowlands
<b>Santalaceae</b>	<b>Sandalwood Family</b>	
<i>Thesium alpinum</i>	Alpine Bastard-toadflax	Frequent
<i>Thesium pyrenaicum</i>	Pyrenean Bastard-toadflax	Frequent
<b>Saxifragaceae</b>	<b>Saxifrage Family</b>	
<i>Chrysosplenium oppositifolium</i>	Opposite-leaved Golden Saxifrage	Wet acidic areas
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Wet areas
<i>Saxifraga cotyledon</i>	Pyramidal Saxifrage	Rocks. Heas Valley
<i>Saxifraga geranioides</i>	Geranium-like Saxifrage	Rare. Cirque de Troumouse. Endemic
<i>Saxifraga granulata</i>	Meadow Saxifrage	Common
<i>Saxifraga hartioides</i>	Limestone rocks	
<i>Saxifraga hirsuta</i>	Shady streamsides	
<i>Saxifraga longifolia</i> subsp. <i>longifolia</i>	Pyrenean Saxifrage	Cliffs and boulders. Endemic
<i>Saxifraga moschata</i>	Musky Saxifrage	Limestone rocks
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Alpine rocks and turf
<i>Saxifraga paniculata</i>	Livelong Saxifrage	Common on rocks
<i>Saxifraga pubescens</i>	Hairy Saxifrage	Alpine rocks. Endemic
<i>Saxifraga stellaris</i>	Starry Saxifrage	Wet flushes
<i>Saxifraga umbrosa</i>	Wood Saxifrage	Woods. Endemic
<b>Scrophulariaceae</b>	<b>Figwort Family</b>	
<i>Antirrhinum sempervirens</i>	Rock Snapdragon	Rocks. Ossoue Valley. Endemic
<i>Bartsia alpina</i>	Alpine Bartsia	Meadows and pasture
<i>Chaenorhinum origanifolium</i>	Creeping Snapdragon	Screes. Endemic
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Rocks and walls
<i>Digitalis lutea</i>	Small Yellow Foxglove	Below Gedre
<i>Digitalis purpurea</i>	Purple Foxglove	Frequent
<i>Erinus alpinus</i>	Fairy Foxglove	Rocks and screes
<i>Linaria alpina</i>	Alpine Toadflax	Alpine turf
<i>Linaria supina</i>	Pyrenean Toadflax	Screes. Endemic
<i>Linaria vulgaris</i>	Common Toadflax	Waste places
<i>Melampyrum sylvaticum</i>	Small Cow-wheat	Mountain woods
<i>Pedicularis comosa</i>	Crested Lousewort	Occasional. Meadows
<i>Pedicularis foliosa</i>	Leafy Lousewort	Streamsides
<i>Pedicularis pyrenaica</i>	Pyrenean Lousewort	Meadows and screes
<i>Pedicularis sylvatica</i>	Common Lousewort	Wet heaths
<i>Pedicularis verticillata</i>	Whorled Lousewort	Wet mountain pastures
<i>Rhinanthus angustifolius</i>	Narrow-leaved Rattle	Meadows
<i>Rhinanthus minor</i>	Yellow Rattle	Meadows
<i>Scrophularia canina</i>	French Figwort	Frequent
<i>Scrophularia nodosa</i>	Common Figwort	Damp habitats
<i>Verbascum nigrum</i>	Dark Mullein	Occasional

Scientific Name	Common Name	Location
<i>Verbascum pulverulentum</i>	Hoary Mullein	Rocky places
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Mountain turf
<i>Veronica bellidioides</i>	Violet Speedwell	Frequent in pasture
<i>Veronica chamaedrys</i>	Germander Speedwell	Meadows
<i>Veronica fruticans</i>	Rock Speedwell	Mountain rocks
<i>Veronica officinalis</i>	Heath Speedwell	Occasional. Dry places
<i>Veronica ponae</i>	Spiked Pyrenean Speedwell	Woods and shady places
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Woods and pastures
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Woods and shady places
<b>Solanaceae</b>	<b>Nightshade Family</b>	
<i>Atropa belladonna</i>	Deadly Nightshade	Occasional. Gedre
<b>Thymelaceae</b>	<b>Daphne Family</b>	
<i>Daphne cneorum</i>	Garland Flower	Mountain pasture. Local
<i>Daphne laureola</i>	Spurge Laurel	Woods and rocks
<i>Daphne mezereum</i>	Mezereon	Forest and open pasture
<i>Thymelaea calycina</i>	Screes. Ossoue valley	
<b>Tiliaceae</b>	<b>Lime Tree Family</b>	
<i>Tilia cordata</i>	Small-leaved Lime	Common
<i>Tilia platyphyllos</i>	Large-leaved Lime	Widely planted
<b>Ulmaceae</b>	<b>Elm Family</b>	
<i>Ulmus glabra</i>	Wych Elm	Gedre
<i>Ulmus minor</i>	Smooth Elm	Occasional
<i>Ulmus procera</i>	English Elm	Widespread
<b>Urticaceae</b>		
<i>Parietaria judaica</i>	Pellitory-of-the-wall	Walls
<i>Urtica dioica</i>	Nettle	Disturbed areas
<b>Valerianaceae</b>	<b>Valerian Family</b>	
<i>Centranthus ruber</i>	Red Valerian	Walls
<i>Valeriana globularifolia</i>	Globularia-leaved Valerian	Rocks and screes
<i>Valeriana officinalis</i>	Common Valerian	Meadows and scrub
<i>Valeriana pyrenaica</i>	Pyrenean Valerian	Damp woodland. Endemic
<i>Valeriana tripteris</i>	Three-leaved Valerian	Woods and scrub
<b>Verbenaceae</b>	<b>Verbena Family</b>	
<i>Verbena officinalis</i>	Vervain	Ossoue Valley
<b>Violaceae</b>	<b>Violet Family</b>	
<i>Viola biflora</i>	Yellow Wood Violet	Shady places and alpine turf
<i>Viola cornuta</i>	Horned Pansy	Meadows. Endemic
<i>Viola lutea</i>	Mountain Pansy	Mountain turf
<i>Viola palustris</i>	Bog Violet	Bogs
<i>Viola riviniana</i>	Common Dog Violet	Grassy places

## MONOCOTYLEDONS

### Amaryllidaceae

<i>Narcissus pseudo-narcissus</i> subsp. <i>bicolor</i>	Meadows and mountain	Turf. Endemic
<i>Narcissus assoanus</i>	Rush-leaved Narcissus	Pasture. Ossoue valley

Scientific Name	Common Name	Location
<b>Cyperaceae</b>	<b>Sedge Family</b>	
<i>Eriophorum angustifolium</i>	Cotton-grass	Bogs
<i>Carex atrata</i>	Jet Sedge	Mountain turf
<i>Carex echinata</i>	Star Sedge	Damp places
<i>Carex nigra</i>	Common Sedge	Wet mountain turf
<i>Carex panacea</i>	Carnation Sedge	Common
<b>Graminae</b>	<b>Grass Family</b>	
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	Meadows
<i>Briza media</i>	Quaking-grass	Meadows
<i>Bromus commutatus</i>	Meadow Brome	Meadows
<i>Dactylis glomerata</i>	Cocksfoot	Widespread
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	Frequent
<i>Deschampsia flexuosa</i>	Wavy Hair-grass	Acidic turf
<i>Holcus lanatus</i>	Yorkshire Fog	Meadows
<i>Hordeum murale</i>	Wall Barley	Waste ground
<i>Melica uniflora</i>	Wood Melick	Woods
<i>Melica nutans</i>	Mountain Melick	Woods
<i>Molinia caerulea</i>	Purple Moor Grass	Damp pasture
<i>Nardus stricta</i>	Mat Grass	Mountain pasture
<i>Phleum alpinum</i>	Alpine Timothy-grass	Alpine turf
<i>Poa alpina</i>	Alpine Meadow-grass	Mountain pasture
<i>Poa annua</i>	Annual Meadow-grass	Pathways
<i>Sesleria albicans</i>	Blue Moor Grass	Limestone rocks
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Crocus nudiflorus</i>	Leafless Crocus	Meadows
<i>Iris latifolia</i>	English Iris	Mountain pasture
<b>Juncaceae</b>	<b>Rush Family</b>	
<i>Juncus alpinoarticulatus</i>	Alpine Rush	Wet mountain pasture
<i>Luzula lutea</i>	Yellow Wood-rush	Acidic pasture
<i>Luzula luzuloides</i>	Mountain pasture	
<i>Luzula pilosa</i>	Hairy Wood-rush	Woods
<i>Luzula spicata</i>	Spiked Wood-rush	Mountain pasture
<i>Luzula sylvatica</i>	Great Woodrush	Woodland
<b>Liliaceae</b>	<b>Lily Family</b>	
<i>Allium victorialis</i>	Alpine Leek	Pont d'Espagne
<i>Allium vineale</i>	Crow Garlic	Occasional
<i>Anthericum liliago</i>	St. Bernard's Lily	Local on screes
<i>Asphodelus albus</i>	White Asphodel	Meadows and pasture
<i>Convallaria majalis</i>	Lily of the Valley	Occasional. Woodland
<i>Dipcadi serotinum</i>	Dipcadi	Gedre
<i>Fritillaria pyrenaica</i>	Pyrenean Snakeshead	Damp mountain pasture Endemic
<i>Hyacinthus amethystinus</i>	Pyrenean Hyacinth	Rocks and meadows. Endemic
<i>Lilium martagon</i>	Martagon Lily	Woodland and meadows
<i>Lilium pyrenaicum</i>	Pyrenean Lily	Occasional. Endemic
<i>Merendera montana</i>	Merendera	Mountain meadows. Endemic
<i>Muscari comosum</i>	Tassel Hyacinth	Rare. Gavarnie
<i>Paradisea liliastrum</i>	St. Bruno's Lily	Local on screes
<i>Paris quadrifolia</i>	Herb Paris	Woodland and forest
<i>Polygonatum verticillatum</i>	Whorled Solomon's Seal	Occasional. Woods
<i>Scilla liliohyacinthus</i>	Pyrenean Squill	Woods. Endemic

Scientific Name	Common Name	Location
<i>Scilla verna</i>	Spring Squill	Mountain pasture.
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Wet places
<i>Veratrum album</i>	White False Helleborine	Occasional. Mountains
<b>Orchidaceae</b>	<b>Orchid Family</b>	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	Local in grassland
<i>Coeloglossum viride</i>	Frog Orchid	Pasture. Cirque d'Estaube
<i>Dactylorhiza sambucina</i>	Elder-flowered Orchid	Pasture. Heas Valley
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid	Damp meadows
<i>Dactylorhiza incarnata</i>	Early Marsh Orchid	Damp meadows
<i>Dactylorhiza maculata</i>	Heath Spotted Orchid	Acidic bogs and heath
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Damp grassland
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Frequent. Woods
<i>Gymnadenia conopsea</i>	Fragrant Orchid	Meadows and roadsides
<i>Listera ovata</i>	Twayblade	Meadows and roadsides
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Occasional. Woods
<i>Nigritella rhellicani</i>	Vanilla Orchid	Mountain meadows
<i>Ophrys scolopax</i>	Woodcock Orchid	Dry lowland grassland
<i>Orchis coriophora</i> subsp. <i>fragrans</i>	Fragrant Bug Orchid	Dry lowland grassland
<i>Orchis mascula</i>	Early Purple Orchid	Frequent. Grassland
<i>Orchis ustulata</i>	Burnt Orchid	Meadows and pasture
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Meadows and pasture
<i>Platanthera chlorantha</i>	Greater Butterfly Orchid	Meadows and pasture
<i>Pseudorchis albida</i>	Small White Orchid	Occasional. Acidic soils