

The French Pyrenees

Naturetrek Tour Report

9 - 16 June 2012



Alpine Accentor



Moss Campion



Alpine Marmot



Apollo

Report and images compiled by David Morris



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leaders:	David Tattersfield	Naturetrek Botanist
	David Morris	Naturetrek Ornithologist
Participants:	Roger Gooch	
	Mary Gooch	
	Chris Lowe	
	Julie Lowe	
	Michael Anderson	
	Rachael Anderson	
	Kay Marriott	
	Tony Pursell	
Margaret Pursell		

Day 1

Saturday 9th June

Mild with sun and cloud, 12-22 °C

We arrived in to a mild and overcast Lourdes from our early morning flight from London Stansted. After collecting the minibuses we set off bypassing Lourdes towards the rising Pyrenean Massif to our hotel in Gedre. Griffon Vulture, Red and Black Kite were all noted before we pulled into Luz St-Sauvein to stock up with picnic supplies and enjoy a coffee. After a brief stop at the Pont Napoleon observing Crag Martin and the pretty endemic *Ramonda myconi* on the cliffs, we moved on to our hotel to check in and meet up with 4 members of the group who arrived under their own steam. As we assembled outside the hotel prior to heading off for lunch, we observed our first Lammergeier of the trip circling over the ridge opposite the hotel along with Serin singing in the car park.

We headed off for lunch up the Heas Valley, stopping in a meadow by the river for an enjoyable picnic lunch surrounded by butterflies and orchids. Duke of Burgundy, Bright-eyed Ringlet, Little Blue and Pearl-bordered Fritillary started off the butterfly list and Elder-flower Orchid, *Dactylorhiza sambucina*, Twayblade, *Listera ovate*, Early Purple Orchid, *Orchis mascula* and Pyrenean Lily, *Lilium pyreniacum* were added to the plant list in the meadow. After lunch we continued up the valley towards the small hamlet of Heas. Pyrenean Hyacinth, *Hyacinthus amethystinus*, Horned Pansy, *Viola cornuta*, Globeflower, *Trollius europaeus* and a number of orchids including Burnt-tip, *Orchis ustulata* and Fragrant, *Gymnadenia conopsea* were abundant in the meadows.

Day 2

Sunday 10th June

Mild and overcast with rain late afternoon 11 -16 °C

Today we woke to a mild overcast morning preceding the previous night's rainfall. After observing Lammergeier again from the hotel after breakfast, we set off back up the Heas Valley towards the Cirque de Troumouse observing Rock Snapdragon, *Antirrhinum sempervirens* and Alpenrose, *Rhododendron ferrugineum* en-route.

Northern Wheatear, Tree Pipit, Water Pipit and a stunning male Rock Thrush were seen on the drive up towards the cirque. A stunning Lammergeier circled low over the Oberge du Maillet as we stopped for a late morning coffee. At the car park in the Cirque de Troumouse we enjoyed a picnic surrounded by the vivid Alpine Gentian,

Gentiana alpina and Pyrenean Buttercup, *Ranunculus pyrenaicus* abundant in the alpine turf. After lunch we walked out into the cirque finding confiding Alpine Accentors, Garland Flower, *Daphne cneorum* and Mezereon, *Daphne mezereum* around the rocky moraines. In the mountain streams we found several individuals of the endemic Pyrenean Brook Newt, including a mating pair with a brightly coloured male and on the grassy slopes we found no less than 41 IZARD. We arrived back at the buses just in time, before the evening rain set in and departed to the hotel to enjoy a fine evening meal and wine.

Day 3

Monday 11th June

Warm and sunny with cloud and rain late afternoon, 8-18°C

After a cool early morning start, the day started to warm up as we moved on above Gedre towards the Lac de Glorettes. We set off towards the lake noting Egyptian Vulture and the acid-loving flora on the rocky banking on the way, before crossing the dam to explore a slope rich in butterflies active in the morning sun. Bright-eyed Ringlet, Pearl-bordered Fritillary, Queen of Spain Fritillary, Grizzled and Safflower Skippers were all added to the list. As we made our way past the glacial turquoise blue waters of the Lac de Glorettes and up the valley, the temperature started to rise, encouraging raptors to appear with squadrons of Griffon Vultures circling overhead along with a couple of Lammergeiers.

We picnicked by the river before moving further up the valley towards the Cirque d'Estaubé. The limestone areas of the valley held a rich flora with notable plants including the daffodil, *Narcissus bicolor*, Ashy Crane's-bill, *Geranium cinereum* and a superb display of the endemic Creeping Globularia, *Globularia repens* as it clung to the boulders. The slopes of the valley were covered in English Iris, yet to flower, but towards the cirque we found a number of stunning Pyrenean Fritillary, *Fritillaria pyrenaica*. Upon reaching the edge of the cirque, the cloud drew in and the rain started to fall so we made our way back down the valley and drove the short distance to the hotel where we enjoyed another delicious evening meal.

Day 4

Tuesday 12th June

Cool and showery in the mountains, warm and sunny at lower altitudes, 8-18°C

With the forecast set for an unsettled day and rain developing after breakfast, we headed off via Luz and Cauterets to the Pont d'Espagne. The journey towards the Pont was a scenic one through mountain passes clad with pines and roadside verges containing Pyrenean Velarian, *Valeriana pyrenaica*. The previous night's rainfall had swollen the streams and rivers making the many waterfalls dramatic as the water cascaded down the valley. After a brief pause in a café to shelter from a shower we walked up the Vallée du Marcadau observing an obliging pair of Crested Tits, Dipper and Firecrest. Unfortunately we failed to find a much hoped for Black Woodpecker, but we did manage to see a couple of their distinctive oval nest holes on some of the pines.

We picnicked by the buses but with the weather showing no sign of drying or warming up we decided to abandon our plan to get a chairlift higher to the Lac de Gaube and instead opted for lower altitudes. As we drove down the valley the weather cleared to give us 18 degrees and bright sun.

We explored an area of grass and scrub around Soulom finding Bug Orchid, *Orchis coriophora* subs. *fransis*, Woodcock Orchid, *Ophrys scolopax*, and Pyramidal Orchid, *Anacamptis pyramidalis* along with Marbled White,

Heath Fritillary and Adonis Blue Butterflies. Birds here included Booted and Short-toed Eagles along with good numbers of Black and Red Kites.

Day 5

Wednesday 13th June

Cool start with a hot and sunny afternoon, 8-20°C

The morning got off to a cracking start with 4 Lammergeiers giving an amazing show on the hillside opposite the hotel and a stunning Firecrest flitting around the hotel car park. After observing the local birdlife, we left the hotel as the day warmed up, heading towards Gavarnie then drove into the Ossoue Valley. We paused at the start of the valley finding banking's rich in orchids, saxifrages, butterflies and an attractive owlfly, *Libelloides ottomanus*. We parked under dramatic limestone cliffs, noting yet more Lammergeiers, Golden Eagle and Alpine Choughs. We wandered down a track through species rich meadows, towards St Savin's wood observing whistling Alpine Marmots and a plethora of butterflies. Clouded Apollo, Adonis Blue and Oberthur's Grizzled Skipper were all added to the growing butterfly list and *Ramonda myconi* was noted on rocks in the wood and by the river.

We picnicked mid-way up the valley observing Rock Thrush and a photogenic Apollo butterfly (allowing David to change a puncture on the minibus suffered on the rocky drive up the Ossoue). A brief stop after lunch found Rush-leaved Daffodil, *Narcissus assoanus* before we walked around the Barage d'Ossoue in the afternoon, exploring the rich floral turfs and shingles. Botanical highlights of the afternoon included Dragonmouth, *Horminum pyrenaicum*, Oxlip, *Primula elatior*, Trumpet Gentian, *Gentiana acaulis*, Pyrenean Squill, *Scilla liliobacanthus* and a profusion of dainty Bird's-eye Primrose, *Primula farinosa*.

Day 6

Thursday 14th June

Hot and sunny, 10-23°C

As the weather looked set to be good, we headed on up to Gavarnie in order to do a fine walk around the Cirque de Gavarnie. As we walked up by the river, the adjacent meadows and bank sides were alive with butterflies and other insects, as a busy Tree Pipit gathered beak full of small beetles close to the path. As we climbed further towards the cirque we entered floristically rich pastures containing Greater Butterfly Orchid, *Platanthera chlorantha*, Fragrant Orchid, *Gymnadenia conopsea*, and Burnt Orchid, *Orchis ustulata* along with Pyrenean and Martagon Lily that were unfortunately not in flower yet because of the late season. Garden Warbler, Citril Finch, Crested Tit and Green Woodpecker were found in the boulder strewn slopes, woodland and scrub.

As we approached the cirque both Chough and Alpine Chough were abundant. We climbed the final rise before the panorama of the Cirque de Gavarnie opened up before us giving views over to the massive cliffs and La Grande Cascade, Europe's highest waterfall. We picnicked in the cirque with accompanying Alpine Chough posing for photographs and finishing off the picnic leftovers.

Our route back to Gavarnie took us along a contour path against cliffs, woodland and alpine pasture. At one point on the walk we observed Long-leaved Butterwort, *Pinguicula longifolia* on seepage areas on the cliffs.

The woods contained Short-toed Treecreeper, Firecrest and Coal Tit and the open areas contained Little Blue and Clouded Yellow butterflies. We then descended back down the path to enjoy a refreshing ice-cream and drink in the Gavarnie, the perfect end to an enjoyable day.

Day 7

Friday 15th June

Hot and sunny with a cool wind at the Spanish border 14-27°C

On our last day it was our intention to head on up the valley and walk to the Spanish border, so with a fine day ahead of us we set off after breakfast towards Gavarnie. A brief pause below the ski station at Colde Tentos found a spectacular flowering Pyrenean Saxifrage, *Saxifraga longifolia* subsp. *Longifolia* along with others on a limestone boulder and an adult Ring Ouzel with 2 recently fledged juveniles. After observing numerous Alpine Marmots on the way, we arrive at the end of the road, parked and set off en-route to the Spanish border at Port de Boucharo. We walked along the old abandoned road to the border that was once hoped to connect France and Spain. Alpine and Red billed Choughs soared above as we located the yellow flowers of *Vitalina primuliflora* within the scree slopes along with Alpine Moon Daisy, *Leucanthemopsis alpina*. Towards the summit the breeze increased but the weather was clear giving us spectacular views across into Spain and over the rest of the snow-capped Pyrenean peaks. Birds were quiet at the border with no hopes for Snow Finch or Alpine Accentors so we set off back down to the van to enjoy a picnic lunch in the sunshine.

While the group ate their lunch the two David's transferred one bus down to Gavarnie to save an 800m ascent back up for the bus at the end of the day. Lunch enjoyed, we set off down the Vallee des Pouey Aspe noting Alpine (*Gentiana alpina*) and Trumpet Gentians (*Gentiana acaulis*) in the turf, grazing Izard and Wheatear and Black Redstart singing from the boulders. Nearing Gavarnie, we paused at the Plateau de Bellevue giving commanding views on the Cirque de Gavarnie and La Grande Cascade and picking up a stunning pair of Red-backed Shrikes. We made the descent through pine and broadleaved woods down to Gavarnie finding Smooth Snake before retiring to a café in the village to enjoy ice-cream, beers and coffee in the late afternoon sunshine before heading back to the hotel to enjoy our final enjoyable evening meal of the week.

Day 8

Saturday 16th June

After an earlier breakfast, we bid farewell to our hosts along with Chris, Julie, Roger and Mary who were staying on a little longer before making our way to Lourdes for our short flight back to London Stansted.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans. Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Birds (H = heard only)

Common name	Scientific name	June						
		9	10	11	12	13	14	15

	Common name	Scientific name	June						
			9	10	11	12	13	14	15
1	Grey Heron	<i>Ardea cinerea</i>	6		1	3			
2	Black Kite	<i>Milvus migrans</i>	30+	4		30+	4		1
3	Red Kite	<i>Milvus milvus</i>	3	8		20+	6	2	
4	Lammergeier	<i>Gypaetus barbatus</i>	1	3	2		8	6	2
5	Egyptian Vulture	<i>Neophron percnopterus</i>			1				
6	Griffon Vulture	<i>Gyps fulvus</i>	20+	10+	50+	20+	40+	20+	10+
7	Common Buzzard	<i>Buteo buteo</i>	3	2	2	8	6	2	1
8	Golden Eagle	<i>Aquila chrysaetos</i>		1			1		
9	Booted Eagle	<i>Hieraaetus pennatus</i>				1			
10	Short-toed Eagle	<i>Circaetus gallicus</i>				1			
11	Common Kestrel	<i>Falco tinnunculus</i>		3	2	1	3	2	2
12	Peregrine Falcon	<i>Falco peregrinus</i>	1	2					
13	Rock Dove / Feral Pigeon	<i>Columba livia</i>	✓			6			
14	Woodpigeon	<i>Columba palumbus</i>	2			2	2		
15	Collared Dove	<i>Streptopelia decaocto</i>	✓			6			
16	Turtle Dove	<i>Streptopelia turtur</i>				1			
17	Alpine Swift	<i>Apus melba</i>					1	3	
18	Swift	<i>Apus apus</i>	40+			20+		10+	10+
19	Black Woodpecker	<i>Drycopus martius</i>				1		H	
20	Green Woodpecker	<i>Picus viridis</i>				H		H	H
21	Great Spotted Woodpecker	<i>Dendrocopos major</i>	H		1	1		H	
22	Crag Martin	<i>Ptyonoprogne rupestris</i>	30+	20+	20+	30+	30+	30+	40+
23	Swallow	<i>Hirundo rustica</i>	2			8			
24	House Martin	<i>Delichon urbica</i>	10	20	10	10+	30+		30+
25	Water Pipit	<i>Anthus spinoletta</i>		15+	4		10+		20+
26	Tree Pipit	<i>Anthus trivialis</i>		1				4	1
27	White Wagtail	<i>Motacilla alba</i>	6	2	4	10+	2	3	2
28	Grey Wagtail	<i>Motacilla cinerea</i>	2		1	2	2	2	1
29	Dipper	<i>Cinclus cinclus</i>	1		2	1		1	
30	Wren	<i>Troglodytes troglodytes</i>	6H		H	H		4H	1
31	Dunnock	<i>Prunella modularis</i>	1H	6	4	2		2	4
32	Alpine Accentor	<i>Prunella collaris</i>		2					
33	Robin	<i>Erithacus rubecula</i>				1		6	3
34	Black Redstart	<i>Phoenicurus ochruros</i>	4	10+	20+	15+	25+	8	15+
35	Stonechat	<i>Saxicola rubetra</i>					2		2
36	Northern Wheatear	<i>Oenanthe oenanthe</i>		20+	10		8		15
37	Rock Thrush	<i>Monticola saxatilis</i>		2			3		
38	Ring Ouzel	<i>Turdus torquatus</i>							3
39	Blackbird	<i>Turdus merula</i>	15+	3	6	4	3	3	6
40	Song Thrush	<i>Turdus philomelos</i>	1			1		1	
41	Mistle Thrush	<i>Turdus viscivorus</i>	1H	H	H			2	
42	Garden Warbler	<i>Sylvia borin</i>	1H					10H	2H
43	Blackcap	<i>Sylvia atricapilla</i>	6H		2H	6H	2H	3H	2H
44	Bonelli's Warbler	<i>Phylloscopus bonelli</i>	H						
45	Chiffchaff	<i>Phylloscopus collybita</i>		H	H	2H	2H	10H	2H
46	Goldcrest	<i>Regulus regulus</i>				6		4	6H
47	Firecrest	<i>Regulus ignicapillus</i>				2		2	H
48	Crested Tit	<i>Lophophanes cristatus</i>				2		3	
49	Long-tailed Tit	<i>Aegithalos caudatus</i>						H	
50	Coal Tit	<i>Parus ater</i>				3		6	3
51	Great Tit	<i>Parus major</i>	2	2	2	4	2	4	6

	Common name	Scientific name	June							
			9	10	11	12	13	14	15	
52	Blue Tit	<i>Cyanistes caeruleus</i>							2	1
53	Nuthatch	<i>Sitta europaea</i>				1				
54	Treecreeper	<i>Certhia familiaris</i>							2	
55	Red-backed Shrike	<i>Lanius collurio</i>								2
56	Starling	<i>Sturnus vulgaris</i>				10				
57	Jay	<i>Garrulus glandarius</i>	2	1	2	4	2	10		6
58	Magpie	<i>Pica pica</i>	6			8				
59	Alpine Chough	<i>Pyrrhocorax graculus</i>		20+	10		6	30+		30+
60	Chough	<i>Pyrrhocorax pyrrhocorax</i>		18	15		4	4		6
61	Raven	<i>Corvus corax</i>	3	10	6	2	4+	2		4
62	Carrion Crow	<i>Corvus corone</i>	10			4	1	10+		6
63	House Sparrow	<i>Passer domesticus</i>	✓			15+		✓		10
64	Snowfinch	<i>Montifringilla nivalis</i>		2						
65	Chaffinch	<i>Fringilla coelebs</i>	30+	6	10+	20+	8	20+		10+
66	Citril Finch	<i>Serinus citrinella</i>						4		3
67	Serin	<i>Serinus serinus</i>	6	8	6	10+	2	10+		8
68	Greenfinch	<i>Carduelis chloris</i>						2		
69	Goldfinch	<i>Carduelis carduelis</i>	4	2		4				
70	Bullfinch	<i>Pyrrhula pyrrhula</i>	H	1	2			4		2
71	Linnet	<i>Acanthis cannabina</i>	30+		6		6			10+
72	Yellowhammer	<i>Emberiza citrinella</i>		1	1		4	2		6

Butterflies

Common name	Scientific name	Common name	Scientific name
1 Swallowtail	<i>Papilio machaon</i>	20 Adonis Blue	<i>Lysandra bellargus</i>
2 Apollo	<i>Parnassius apollo</i>	21 Brown Argus	<i>Aricia agestis</i>
3 Clouded Apollo	<i>Parnassius mnemosyne</i>	22 Northern Wall Brown	<i>Lasiommata petropolitana</i>
4 Wood White	<i>Leptidea sinapis</i>	23 Small Heath	<i>Coenonympha pampha</i>
5 Black-veined White	<i>Aporia crataegi</i>	24 Meadow Brown	<i>Maniola jurtina</i>
6 Large White	<i>Pieris brassicae</i>	25 Bright-eyed Ringlet	<i>Erebia oeme</i>
7 Green-veined White	<i>Pieris napi</i>	26 Mountain Ringlet	<i>Erebia epiphoron</i>
8 Small White	<i>Pieris rapae</i>	27 Marbled White	<i>Melanargia galathea</i>
9 Orange Tip	<i>Anthocharis cardamines</i>	28 Queen of Spain Fritillary	<i>Issoria lathonia</i>
10 Clouded Yellow	<i>Colias crocea</i>	29 Pearl-bordered Fritillary	<i>Boloria euphrosyne</i>
11 Berger's Clouded Yellow	<i>Colias alfacariensis</i>	30 Small Tortoiseshell	<i>Aglais urticae</i>
12 Brimstone	<i>Gonepteryx rhamni</i>	31 Painted Lady	<i>Vanessa cardui</i>
13 Cleopatra	<i>Gonepteryx cleopatra</i>	32 Heath Fritillary	<i>Mellicta athalia</i>
14 Duke of Burgundy	<i>Hamaeris lucina</i>	33 Dingy Skipper	<i>Erynnis tages</i>
15 Green Hairstreak	<i>Callophrys rubi</i>	34 Grizzled Skipper	<i>Pyrgus malvae</i>
16 Holly Blue	<i>Celastrina argiolus</i>	35 Oberthur's Grizzled Skipper	<i>Pyrgus armoricanus</i>
17 Little Blue	<i>Cupido minimus</i>	36 Safflower Skipper	<i>Pyrguscarthami</i>
18 Common Blue	<i>Polyommatus icarus</i>	37 Chequered Skipper	<i>Carterocephalus palaemon</i>

Plants

The term 'endemic' is applied to plants restricted to the Pyrenees. For ease of reference, plant families are listed in alphabetic order.

Scientific Name	Common Name	Location
PTERIDOPHYTA	FERNS & FERN ALLIES	
Aspidiaceae		
<i>Dryopteris abbreviata</i>	Mountain Male Fern	Acidic boulder scree
<i>Dryopteris assimilis</i>		Acidic screes
<i>Dryopteris borreii</i>	Scaly Male Fern	Occasional. Woods
<i>Dryopteris dilatata</i>	Broad buckler Fern	Forest. Pont d'Espagne
<i>Dryopteris filix-mas</i>	Male Fern	Forest and shady places
<i>Polystichum aculeatum</i>	Prickly Shield-fern	Common. Woods
<i>Polystichum lonchitis</i>	Holly Fern	Limestone rocks
<i>Polystichum setiferum</i>	Soft Shield-fern	Occasional. Woods
Aspleniaceae	Spleenwort Family	
<i>Asplenium adiantum-nigrum</i>	Black Spleenwort	Rocks
<i>Asplenium ruta-muraria</i>	Wall-rue	Rocks and walls
<i>Asplenium septentrionale</i>	Forked Spleenwort	Boulders and scree
<i>Asplenium trichomanes</i>	Maidenhair Spleenwort	Rocks and walls
<i>Asplenium viride</i>	Green Spleenwort	Shaded rocks
<i>Ceterach officinarum</i>	Rusty-back Fern	Occasional on rocks
Athyriaceae	Athyrium Family	
<i>Athyrium distentifolium</i>	Alpine Lady-fern	Mountain rocks
<i>Athyrium filix-femina</i>	Lady-fern	Common
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Rocks and walls
Blechnaceae	Blechnum Family	
<i>Blechnum spicant</i>	Hard Fern	Acidic soils
Cryptogrammaceae	Parsley Fern Family	
<i>Cryptogramma crispa</i>	Parsley Fern	Acidic boulder scree
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Widespread
Equisetaceae	Horsetail Family	
<i>Equisetum arvense</i>	Field Horsetail	Common
<i>Equisetum hiemale</i>	Occasional. Wet places	
<i>Equisetum palustre</i>	Wet acidic pasture	
Lycopodiaceae	Clubmoss Family	
<i>Huperzia selago</i>	Fir Clubmoss	Acidic mountain pasture
Ophioglossaceae	Adder's Tongue Family	
<i>Botrychium lunaria</i>	Moonwort	Common. Mountain turf
Polypodiaceae	Polypody Family	
<i>Polypodium vulgare</i>	Common Polypody	Occasional on rocks
Selaginellaceae	Lesser Clubmoss Family	
<i>Selaginella selaginoides</i>	Lesser Clubmoss	Damp turf, Troumouse
Thelypteridaceae	Thelypteris Family	
<i>Gymnocarpium dryopteris</i>	Oak Fern	Common in shade
<i>Gymnocarpium robertianum</i>	Limestone Fern	
<i>Phegopteris connectilis</i>	Beech Fern	Common in shade

Scientific Name	Common Name	Location
GYMNOSPERMAE	CONIFERS	
Cupressaceae	Cypress Family	
<i>Juniperus communis</i> subsp. <i>alpina</i>	Juniper	Mountain turf
<i>Juniperus communis</i> subsp. <i>communis</i>	Juniper	Common. Hautacam
Pinaceae	Pine Family	
<i>Abies alba</i>	Silver Fir	Mountain forests
<i>Picea abies</i>	Norway Spruce	Planted. Not native
<i>Pinus sylvestris</i>	Scots Pine	Montane forests
<i>Pinus uncinata</i>	Mountain Pine	Subalpine slopes
Taxaceae	Yew Family	
<i>Taxus baccata</i>	Yew	St. Savin's Wood
ANGIOSPERMAE	FLOWERING PLANTS	
	DICOTYLEDONS	
Aceraceae	Maple Family	
<i>Acer campestre</i>	Field Maple	Common
<i>Acer pseudoplatanus</i>	Sycamore	Common
Apiaceae	Carrot Family	
<i>Angelica sylvestris</i>	Wild Angelica	Occasional. Wet places
<i>Anthriscus sylvestris</i>	Cow Parsley	Common
<i>Astrantia major</i>	Masterwort	Occasional
<i>Chaerophyllum hirsutum</i>	Damp places	
<i>Conopodium majus</i>	Pignut	Meadows
<i>Conopodium pyrenaicum</i>	Pyrenean Pignut	Meadows. Endemic
<i>Daucus carota</i>	Wild Carrot	Roadsides
<i>Eryngium bourgati</i>	Pyrenean Eryngo	Common. Endemic
<i>Eryngium campestre</i>	Field Eryngo	Stony places
<i>Heraclium sphondylium</i> subsp. <i>pyrenaicum</i>	Pyrenean Hogweed	Frequent
<i>Laserpitium gallicum</i>	French Sermountain	
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Screes
<i>Laserpitium siler</i>	Narrow-leaved Sermountain	Screes and meadows
<i>Ligusticum lucidum</i>	Pyrenean Lovage	Occasional
<i>Meum athamanticum</i>	Spignel	Occasional. Screes
<i>Myrrhis odorata</i>	Sweet Cicely	Common
<i>Peucedanum ostruthium</i>	Masterwort	Streamsides
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	Stony places on limestone
Apocyanaceae	Periwinkle Family	
<i>Vinca minor</i>	Lesser Periwinkle	Shaded banks
Aquifoliaceae	Holly Family	
<i>Ilex aquifolium</i>	Holly	Occasional in forest
Araliaceae	Ivy Family	
<i>Hedera helix</i>	Ivy	Common
Asclepiadaceae	Milkweed Family	

Scientific Name	Common Name	Location
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Rocky pasture
Asteraceae	Daisy Family	
<i>Achillea millefolium</i>	Yarrow	Meadows
<i>Adenostyles alliariae</i>	Adenostyles	Occasional. Streamsides
<i>Antennaria dioica</i>	Mountain Everlasting	Mountain turf
<i>Anthemis cretica</i>	Mountain Dog-daisy	Rocky places
<i>Arctium minus</i>	Lesser Burdock	Roadsides
<i>Arnica montana</i>	Arnica	Frequent. Acidic turf
<i>Aster alpinus</i>	Alpine Aster	Occasional. Screes
<i>Bellis perennis</i>	Daisy	Widespread
<i>Carduus carlinoides</i>	Pyrenean Thistle	Mountains. Screes
<i>Carduus defloratus</i>	Alpine Thistle	Pasture and screes
<i>Carduus nutans</i>	Nodding Thistle	Waste places
<i>Carlina acaulis</i>	Stemless Carline Thistle	Mountain turf
<i>Carlina acanthifolia</i> subsp. <i>cynara</i>	Acanthus-leaved Thistle	Lac des Gloriettes, Ossoue
<i>Carlina vulgaris</i>	Common Carline Thistle	Mountain turf
<i>Centaurea montana</i>	Mountain Cornflower	Occasional. Meadows
<i>Centaurea nigra</i>	Knapweed	Meadows and roadsides
<i>Cicerbita alpina</i>	Alpine Sow-thistle	Forest & screes. Above auterets
<i>Cichorium intybus</i>	Chicory	Roadsides. Val de Jeret
<i>Cirsium eriophorum</i>	Woolly Thistle	Grazed turf. Waste places
<i>Cirsium heleniodes</i>	Melancholy Thistle	Damp meadows
<i>Cirsium palustre</i>	Marsh Thistle	Wet streamsides
<i>Cirsium rivulare</i>	Brook Thistle	Damp acidic pasture
<i>Cirsium vulgare</i>	Spear Thistle	Wet pasture
<i>Crepis albida</i>	Pyrenean Hawksbeard	Rocky places
<i>Crepis conyzaeifolia</i>	Acid soils	
<i>Crepis paludosa</i>	Marsh Hawksbeard	Wet places
<i>Crepis pygmaea</i>	Pygmy Hawksbeard	Screes. Above Gavarnic
<i>Crepis pyrenaica</i>	Damp places	
<i>Erigeron alpinus</i>	Alpine Fleabane	Stony places
<i>Erigeron annuus</i>	Annual Fleabane	Dry grassland. Soulom
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Roadsides
<i>Gnaphalium supinum</i>	Dwarf Cudweed	Damp alpine turf
<i>Hieracium pilosella</i>	Mouse-ear Hawkweed	Rocks and screes
<i>Homogyne alpina</i>	Alpine Colt's-foot	Mountain turf
<i>Lactuca perennis</i>	Blue Lettuce	Gedre
<i>Lapsana communis</i>	Nipplewort	Weedy places
<i>Leontodon pyrenaicus</i>	Pyrenean Hawkbit	Acidic pasture
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Meadows
<i>Leucanthemopsis alpina</i>	Alpine Moon-daisy	Alpine rocks and pasture
<i>Mycelis muralis</i>	Wall Lettuce	Walls and waste places
<i>Petasites paradoxus</i>	A Butterbur	Streamsides
<i>Prenanthes purpurea</i>	Purple Lettuce	Woods and forests
<i>Santolina chamaecyparissus</i>	Lavender Cotton	Low altitude rocks
<i>Saussurea alpina</i>	Alpine Saussurea	Barrage d'Ossoue
<i>Senecio jacobea</i>	Ragwort	Occasional. Roadsides
<i>Senecio viscosus</i>	Sticky Groundsel	Occasional. Waste places
<i>Senecio vulgaris</i>	Common Groundsel	Occasional. Waste places
<i>Solidago virgaurea</i>	Goldenrod	Pont d'Espagne
<i>Sonchus asper</i>	Prickly Sow-thistle	Waste places
<i>Sonchus arvensis</i>	Perennial Sow-thistle	Waste places
<i>Taraxacum alpinum</i>	Alpine Dandelion	Alpine turf near snow
<i>Taraxacum officinale</i>	Dandelion	Common

Scientific Name	Common Name	Location
<i>Tragopogon porrifolius</i>	Salsify	Occasional
<i>Tragopogon pratensis</i>	Goatsbeard	Meadows and roadsides
<i>Tussilago farfara</i>	Colt's-foot	Streamsides
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Common Barberry	Rocky hillsides
Betulaceae	Birch Family	
<i>Alnus glutinosa</i>	Common Alder	By rivers
<i>Betula pendula</i>	Silver Birch	Forests
<i>Betula pubescens</i>	Downy Birch	Mountains
Boraginaceae	Borage Family	
<i>Echium vulgare</i>	Viper's Bugloss	Roadsides
<i>Lithospermum officinale</i>	Common Gromwell	Occasional
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Mountain meadows
<i>Myosotis arvensis</i>	Field Forget-me-not	Waste places
<i>Myosotis laxa</i>	Tufted Forget-me-not	Damp places
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Grassland and woods
<i>Pulmonaria affinis</i>	A Lungwort	Common in woods
Brassicaceae	Cabbage Famil	
<i>Arabis alpina</i>	Alpine Rockcress	Damp alpine rocks
<i>Arabis turrata</i>	Tower Cress	Rocky places
<i>Barbarea vulgaris</i>	Common Wintercress	Damp roadsides
<i>Biscutella laevigata</i>	Buckler Mustard	Mountain rocks
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Waste places
<i>Cardamine amara</i>	Large Bittercress	Damp pasture
<i>Cardamine bellidifolia</i> subsp. <i>alpina</i>	Alpine Bittercress	Alpine pasture
<i>Cardamine flexuosa</i>	Wood Bittercress	Woods
<i>Cardamine hirsuta</i>	Hairy Bittercress	Waste places
<i>Cardamine pratensis</i>	Cuckoo Flower	Damp places
<i>Cardamine raphanifolia</i>	Radish-leaved Bittercress	Streamsides. Endemic
<i>Cardamine resedifolia</i>	Reseda-leaved Bittercress	Mountain turf and rocks
<i>Draba aizoides</i>	Yellow Whitlow-grass	Cirque de Troumouse
<i>Erysimum decumbens</i>	Decumbent Treacle-mustard	Lac des Gloriettes
<i>Hesperis matronalis</i>	Dame's Violet	Roadsides
<i>Huguenia tanacetifolia</i>	Tansy-leaved Rocket	Occasional.
<i>Hutchinsia alpina</i>	Chamois Cress	Alpine rocks and scree
<i>Iberis spathulata</i>	Spoon-leaved Candytuft	Rocks. Endemic
<i>Rhynchosinapsis cheiranthos</i>	Lac des Gloriettes	
<i>Sisymbrium austriacum</i>	Pyrenean Rocket	Waste places
<i>Thlaspi perfoliatum</i>	Pennycress	Waste places
<i>Alliaria petiolata</i>	Jack by the hedge	
Buxaceae	Box Family	
<i>Buxus sempervirens</i>	Box	Dry hillsides, low altitude
Campanulaceae	Bellflower Family	
<i>Campanula glomerata</i>	Clustered Bellflower	Meadows and scrub
<i>Campanula patula</i>	Spreading Bellflower	Meadows and scrub
<i>Campanula rotundifolia</i>	Harebell	Mountain rocks
<i>Campanula scheuchzeri</i>	Rocks and turf	
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Shady banks

Scientific Name	Common Name	Location
<i>Jasione montana</i>	Mountain Sheep's-bit	Acidic screes
<i>Phyteuma hemisphericum</i>	Globe-headed Rampion	Acidic meadows
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Meadows and rocks
<i>Phyteuma pyrenaicum</i>	Pyrenean Rampion	Meadows. Endemic
Caprifoliaceae	Honeysuckle Family	
<i>Lonicera periclymenum</i>	Common Honeysuckle	Occasional
<i>Lonicera pyrenaica</i>	Pyrenean Honeysuckle	Rocky places
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Woods
<i>Sambucus nigra</i>	Common Elder	Woods
<i>Sambucus racemosa</i>	Alpine Elder	Mountain scrub
<i>Viburnum lantana</i>	Wayfaring Tree	Occasional
<i>Viburnum opulus</i>	Guelder Rose	Occasional
Caryophyllaceae	Pink Family	
<i>Arenaria tetraquetra</i>	Imbricate Sandwort	Limestone rocks
<i>Cerastium alpinum</i>	Alpine Mouse-ear	Mountain rocks
<i>Cerastium cerastoides</i>	Starwort Mouse-ear	Rocky pasture
<i>Cerastium fontanum</i>	Common Mouse-ear	Common
<i>Dianthus armeria</i>	Deptford Pink	Near Soulom
<i>Dianthus barbatus</i>	Sweet William	Garden escape
<i>Dianthus sylvestris</i>	Wood Pink	
<i>Dianthus deltoides</i>	Maiden Pink	Occasional Dry places.
<i>Dianthus monspessulanus</i>	Fringed Pink	Rocks. Heas Valley
<i>Gypsophila repens</i>	Alpine Gypsophila	Screes and rocky turf
<i>Lychnis alpina</i>	Alpine Lychnis	Turf. Troumouse
<i>Minuartia verna</i>	Vernal Sandwort	Rocky places
<i>Minuartia sedoides</i>	Mossy Cyphel	Exposed rocks.
<i>Paronychia kapela</i> subsp. <i>serpyllifolias</i>	Mountain rocks and turf	Troumouse
<i>Sagina saginoides</i>	Alpine Pearlwort	Turf. Troumouse
<i>Saponaria caespitosa</i>	Tufted Soapwort	Rocks.Ossoue Valley. Endemic
<i>Saponaria officinalis</i>	Soapwort	Occasional. Roadsides
<i>Scleranthus perennis</i>	Knawel	Occasional. Dry places
<i>Silene acaulis</i>	Moss Campion	Alpine turf
<i>Silene alba</i>	White Campion	Roadsides
<i>Silene dioica</i>	Red Campion	Common
<i>Silene nutans</i>	Nottingham Catchfly	Frequent
<i>Silene rupestris</i>	Rock Campion	Rocks and screes
<i>Silene vulgaris</i>	Bladder Campion	Meadows
<i>Stellaria holostea</i>	Greater Stitchwort	Woods and ditches
<i>Stellaria media</i>	Common Chickweed	Common
<i>Stellaria nemorum</i>	Wood Stitchwort	Woods
Celastraceae	Spindle-tree Family	
<i>Euonymus europaeus</i>	Spindle Tree	Occasional. Woods
Chenopodiaceae	Goosefoot Family	
<i>Chenopodium bonus-henricus</i>	Good King Henry	Disturbed places
Cistaceae	Rockrose Family	
<i>Helianthemum appeninum</i>	White Rockrose	Ossoue Valley
<i>Helianthemum canum</i>	Hoary Rockrose	Screes

Scientific Name	Common Name	Location
<i>Helianthemum nummularium</i> subsp. <i>grandiflorum</i>	Common Rockrose	Common. Rocky places
<i>Helianthemum nummularium</i> subsp. <i>pyrenaicum</i>	Pink flowers	
<i>Helianthemum oelandicum</i> subsp. <i>alpestre</i>	Alpine Rockrose	Limestone rocks
Clusiaceae	Hypericum Family	
<i>Hypericum maculatum</i>	Imperforate St. John's-wort	Damp meadows
<i>Hypericum montanum</i>	Mountain St. John's-wort	Occasional
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Occasional
<i>Hypericum richeri</i>	Alpine St. John's-wort	Screes
Convolvulaceae	Bindweed Family	
<i>Convolvulus arvensis</i>	Field Bindweed	Occasional. Waste places
<i>Cuscuta epithymum</i>	Common Dodder	Common
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Common Dogwood	Open woodland
Corylaceae	Hazel Family	
<i>Corylus avellana</i>	Hazel	Woodland
Crassulaceae	Stoncrop Family	
<i>Sedum acre</i>	Biting Stoncrop	Rocks and walls
<i>Sedum album</i>	White Stoncrop	Rocks
<i>Sedum alpestre</i>	Alpine Stoncrop	Snowbeds
<i>Sedum atratum</i>	Dark Stoncrop	Mountain rocks
<i>Sedum brevifolium</i>	Short-leaved Stoncrop	Siliceous rocks
<i>Sedum dasyphyllum</i>	Thick-leaved Stoncrop	Rocks
<i>Sedum hirsutum</i>	Hairy Stoncrop	Occasional. Rocks
<i>Sedum reflexum</i>	Reflexed Stoncrop	Rocks
<i>Sedum telephium</i> subsp. <i>fabaria</i>	Orpine	Heas valley
<i>Sempervivum arachnoideum</i>	Cobweb Houseleek	Occasional. Rocks
<i>Sempervivum montanum</i>	Mountain Houseleek	Limestone rocks
<i>Sempervivum tectorum</i>	Common Houseleek	Occasional. Rocks
<i>Umbilicus rupestris</i>	Navelwort	Rocks and walls
Dioscoreaceae	Yam Family	
<i>Dioscorea pyrenaica</i>	Pyrenean Yam	Screes. Gavarnie. Endemic
<i>Tamus communis</i>	Black Bryony	Woods. Occasional
Dipsacaceae	Teasel Family	
<i>Knautia arvensis</i>	Field Scabious	Occasional
<i>Knautia dipsacifolia</i>	Wood Scabious	Shady places
<i>Scabiosa cinerea</i>	Pyrenean Scabious	Meadows. Endemic
<i>Scabiosa columbaria</i>	Small Scabious	Occasional
<i>Succisa pratensis</i>	Devil's-bit Scabious	Damp pasture
Ericaceae	Heath Family	
<i>Arctostaphylos uva-ursi</i>	Bearberry	Acidic rocks
<i>Calluna vulgaris</i>	Ling	Acidic rocks and heath
<i>Empetrum nigrum</i> subsp. <i>hermaphroditum</i>	Crowberry	Acid turf
<i>Erica arborea</i>	Tree Heath	Common. Low altitudes

Scientific Name	Common Name	Location
<i>Erica cinerea</i>	Bell Heather	Widespread
<i>Erica tetralix</i>	Cross-leaved Heath	Bogs
<i>Rhododendron ferrugineum</i>	Alpenrose	Acidic pasture
<i>Vaccinium myrtillus</i>	Bilberry	Woods and mountains
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Acidic pasture
Euphorbiaceae	Spurge Family	
<i>Euphorbia amygdaloides</i>	Wood Spurge	Forest
<i>Euphorbia cyparissias</i>	Cypress Spurge	Occasional. Rocky places
<i>Euphorbia hyberna</i>	Irish Spurge	Frequent. Woodland
<i>Euphorbia</i> sp.	Hautacam	
<i>Mercurialis perennis</i>	Dog's Mercury	Woodland
Fabaceae	Pea Family	
<i>Anthyllis montana</i>	Mountain Kidney-vetch	Limestone rocks
<i>Anthyllis vulneraria</i> subsp. <i>pyrenaica</i>	Pyrenean Kidney-vetch	Rocky places. Endemic
<i>Astragalus alpinus</i>	Alpine Milk-vetch	Stony pasture
<i>Astragalus ghyocyphyllos</i>	Wild Liquorice	Heas Valley
<i>Astragalus monspessulanus</i>	False Vetch	Stony pasture
<i>Genista tinctoria</i>	Dyer's Greenweed	Hautacam
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Common. Mountain pasture
<i>Lathyrus aphaca</i>	Yellow Vetchling	Waste places
<i>Lathyrus laevigatus</i> subsp. <i>occidentalis</i>	Yellow Pea	Heas valley
<i>Lathyrus latifolius</i>	Broad-leaved Everlasting Pea	Heas Valley
<i>Lathyrus montanus</i>	Bitter Vetch	Woods. Acid soil
<i>Lathyrus pratensis</i>	Meadow Vetchling	Meadows
<i>Lathyrus vernus</i>	Spring Vetchling	Woods
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Mountain pasture
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Grassy places
<i>Medicago lupulina</i>	Black Medick	Weed
<i>Medicago suffruticosa</i>	Sprawling Medick	Rocky pasture
<i>Melilotus officinalis</i>	Ribbed Melilot	Waste ground
<i>Ononis aragonensis</i>	Damp meadow. Gavarnie	Endemic
<i>Ononis fruticosa</i>	Shrubby Restharrow	Occasional
<i>Ononis natrix</i>	Large Yellow Restharrow	Occasional
<i>Ononis striata</i>	Yellow Restharrow	Occasional
<i>Oxytropis campestris</i>	Yellow Milk-vetch	Stony pasture
<i>Oxytropis halleri</i>	Hallers Milk Vetch	
<i>Oxytropis pyrenaica</i>	Pyrenean Milk-vetch	Stony pasture
<i>Trifolium alpinum</i>	Alpine Clover	Mountain pasture
<i>Trifolium montanum</i>	Mountain Clover	Mountain pasture
<i>Trifolium ochroleucon</i>	Sulphur Clover	Occasional
<i>Trifolium pratense</i>	Red Clover	Meadows
<i>Trifolium repens</i>	White Clover	Meadows
<i>Trifolium rubens</i>	Red Trefoil	Occasional. Meadows
<i>Vicia cracca</i>	Tufted Vetch	Frequent
<i>Vicia hirsuta</i>	Hairy Tare	Roadsides
<i>Vicia orobus</i>	Bitter Vetch	Occasional
<i>Vicia pyrenaica</i>	Pyrenean Vetch	Common
<i>Vicia sepium</i>	Bush Vetch	Frequent
<i>Vicia sylvatica</i>	Wood Vetch	Shady places
Fagaceae	Beech Family	
<i>Fagus sylvatica</i>	Beech	Woodland
<i>Quercus petraea</i>	Sessile Oak	Mountain woodland

Scientific Name	Common Name	Location
<i>Quercus pyrenaica</i>	Pyrenean Oak	Widespread in valleys
<i>Quercus robur</i>	Common Oak	Woodland in valleys
Fumariaceae	Fumitory Family	
<i>Fumaria officinalis</i>	Common Fumitory	Widespread
<i>Fumaria vaillantii</i>	Pale Fumitory	Occasional
Gentianaceae	Gentian Family	
<i>Gentiana acaulis</i>	Trumpet Gentian	Mountain turf
<i>Gentiana alpina</i>	Alpine Gentian	Acidic mountain turf
<i>Gentiana bursari</i>	Mountain turf	
<i>Gentiana lutea</i>	Large Yellow Gentian	Gavarnie
<i>Gentiana cruciata</i>	Cross-leaved Gentian	
<i>Gentiana verna</i>	Spring Gentian	Mountain turf
<i>Gentianella campestris</i>	Field Felwort	Occasional in pasture
Geraniaceae	Geranium Family	
<i>Erodium cicutarium</i>	Common Stork's-bill	Dry rocky places
<i>Erodium petraeum</i> subsp. <i>lucidum</i>	Shining Stork's-bill	Occasional on rocks. Endemic
<i>Geranium cinereum</i>	Ashy Crane's-bill	Alpine pasture. Endemic
<i>Geranium lucidum</i>	Shining Crane's-bill	Rocky places
<i>Geranium molle</i>	Dove's-foot Crane's-bill	Occasional
<i>Geranium phaeum</i>	Dusky Crane's-bill	Shady places
<i>Geranium pyrenaicum</i>	Pyrenean Crane's-bill	Common
<i>Geranium robertianum</i>	Herb Robert	Rocky places
<i>Geranium rotundifolium</i>	Round-leaved Crane's-bill	Occasional
<i>Geranium sanguineum</i>	Bloody Crane's-bill	Scree. Heas Valley
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Meadows
Gesneriaceae	Gloxinia Family	
<i>Ramonda myconi</i>	Ramonda	Shady cliffs and boulders.
Globulariaceae	Globularia Family	
<i>Globularia cordifolia</i>	Barrage d'Ossoue.	
<i>Globularia nudicaulis</i>	Leafless-stemmed Globularia	Occasional on rocks
<i>Globularia repens</i>	Creeping Globularia	Limestone rocks
	Endemic	
Grossulariaceae	Gooseberry Family	
<i>Ribes nigrum</i>	Blackcurrant	Woods
Lamiaceae	Mint Family	
<i>Acinos alpinus</i>	Alpine Calamint	Rocks and screes
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	Mountain pasture
<i>Ajuga reptans</i>	Common Bugle	Widespread
<i>Ballota nigra</i>	Black Horehound	Occasional
<i>Galeosis angustifolia</i>	Red Hemp-nettle	Occasional
<i>Galeopsis tetrahit</i>	Common Hemp-nettle	Waste places
<i>Glechoma hederacea</i>	Ground Ivy	Woods
<i>Horminum pyrenaicum</i>	Dragonmouth	Mountain rocks. Local
<i>Lamiaeum galeobdolon</i>	Yellow Archangel	Woods
<i>Lamium album</i>	White Deadnettle	Occasional
<i>Lamium purpureum</i>	Red Deadnettle	Occasional
<i>Marrubium vulgare</i>	White Horehound	Dry places
<i>Mentha longifolia</i>	Horse Mint	Damp places
<i>Origanum vulgare</i>	Marjoram	Occasional. Dry places

Scientific Name	Common Name	Location
<i>Prunella vulgaris</i>	Self-heal	Widespread
<i>Salvia pratensis</i>	Meadow Clary	Occasional
<i>Scutellaria alpina</i>	Alpine Skullcap	Limestone rocks
<i>Sideritis hysopifolia</i>	Sideritis	Screes. Ossoue Valley
<i>Stachys alopecurus</i>	Yellow Betony	Meadows. Occasional
<i>Stachys officinalis</i>	Betony	Occasional. Meadows
<i>Stachys recta</i>	Yellow Woundwort	Roadsides
<i>Stachys sylvatica</i>	Hedge Woundwort	Shady places
<i>Teucrium chamaedrys</i>	Wall Germander	Occasional
<i>Teucrium pyrenaicum</i>	Pyrenean Germander	Screes. Endemic
<i>Teucrium scorodonia</i>	Wood Sage	Woods
<i>Thymus praecox</i> subsp. <i>polytrichus</i>	Wild Thyme	Dry places
Lentibulariaceae	Butterwort Family	
<i>Pinguicula alpina</i>	Alpine Butterwort	Snowbeds
<i>Pinguicula grandiflora</i>	Large-flowered Butterwort	Wet areas
<i>Pinguicula longifolia</i>	Long-leaved Butterwort	Cirque de Gavarnie
Linaceae	Flax Family	
<i>Linum catharticum</i>	Fairy Flax	Frequent
<i>Linum bienne</i>	Flax	
Loranthaceae	Mistletoe Family	
<i>Viscum album</i>	Mistletoe	Common
Malvaceae	Mallow Family	
<i>Malva alcea</i>	Cut-leaved Mallow	Roadsides
<i>Malva moschata</i>	Musk Mallow	Waste places
<i>Malva neglecta</i>	Dwarf Mallow	Waste places
<i>Malva sylvestris</i>	Common Mallow	Waste places
Oleaceae	Ash Family	
<i>Fraxinus excelsior</i>	Ash	Woods
Onagraceae	Willowherb Family	
<i>Chamaenerion angustifolium</i>	Rosebay Willowherb	Occasional
<i>Epilobium anagallidifolium</i>	Alpine Willowherb	Wet mountain turf
<i>Epilobium alsinifolium</i>	Chickweed Willowherb	
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Widespread
Orobanchaceae	Broomrape Family	
<i>Orobanche alba</i>	Thyme Broomrape	Occasional
<i>Orobanche caryophyllacea</i>	Clove-scented Broomrape	Ossoue Valley
<i>Orobanche minor</i>	Common Broomrape	Occasional
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Woods and rocks
Papaveraceae	Poppy Family	
<i>Chelidonium majus</i>	Greater Celandine	Frequent
<i>Corydalis solida</i>	Solid-tubered Corydalis	Cirque d'Estaubé
<i>Meconopsis cambrica</i>	Welsh Poppy	Occasional
<i>Papaver rhoeas</i>	Common Poppy	Occasional. Roadsides

Scientific Name	Common Name	Location
Parnassiaceae <i>Parnassia palustris</i>	Grass of Parnassus Family Grass of Parnassus	Occasional. Damp turf
Plantaginaceae <i>Plantago alpina</i> <i>Plantago lanceolata</i> <i>Plantago media</i> <i>Plantago serpentina</i>	Plantain Family Alpine Plantain Ribwort Plantain Hoary Plantain	Mountain turf Widespread Widespread
Platanaceae <i>Platanus</i> × hybrid	Plane Family London Plane	Planted
Plumbaginaceae <i>Armeria alpina</i>	Thrift Family Mountain Thrift	Above Gedre
Polygalaceae <i>Polygala alpestris</i> <i>Polygala alpina</i> <i>Polygala comosa</i> <i>Polygala serpyllifolia</i>	Milkwort Family Mountain Milkwort Alpine Milkwort Tufted Milkwort Thyme-leaved Milkwort	Pastures Mountain pastures Dry grassy places Acid pasture
Polygonaceae <i>Oxyria digyna</i> <i>Polygonum viviparum</i> <i>Rumex acetosa</i> <i>Rumex acetosella</i> <i>Rumex alpinus</i> <i>Rumex scutatus</i>	Dock Family Mountain Sorrel Mountain Bistort Common Sorrel Sheep's Sorrel Monk's Rhubarb French Sorrel	Damp mountain rocks Mountain turf Common Common Pont d'Espagne Rocks and screes
Primulaceae <i>Androsace carnea</i> <i>Androsace villosa</i> <i>Primula elatior</i> <i>Primula farinosa</i> <i>Primula hirsuta</i> <i>Primula integrifolia</i> <i>Primula veris</i> <i>Soldanella alpina</i> <i>Vitaliana primuliflora</i> subsp. <i>canescens</i>	Primrose Family Pink Rock-jasmine Hairy Rock-jasmine Oxlip Bird's-eye Primrose Hairy Primrose Entire-leaved Primrose Cowslip Alpine Snowbell Vitaliana	Cirque de Troumouse Limestone rocks and turf Alpine pasture Wet mountain turf Damp cliffs Wet acidic turf Occasional Alpine turf Mountain rocks and turf Col des Tentes
Pyrolaceae <i>Pyrola minor</i>	Wintergreen Family Lesser Wintergreen	Woodland
Ranunculaceae <i>Aconitum anthora</i> <i>Aconitum napellus</i> <i>Aconitum vulparia</i> <i>Actaea spicata</i> <i>Anemone nemorosa</i> <i>Anemone narcissiflora</i> <i>Aquilegia pyrenaica</i> <i>Aquilegia vulgaris</i> <i>Caltha palustris</i>	Buttercup Family Yellow Monkshood Common Monkshood Wolfsbane Baneberry Wood Anemone Narcissus-flowered Anemone Pyrenean Columbine Common Columbine Marsh Marigold	Rocky limestone pasture Occasional in meadows Occasional in woods Woods Frequent Ossoue Valley Cirque de Gavarnie Endemic Common Bogs and streamsides

Scientific Name	Common Name	Location
<i>Clematis vitalba</i>	Old Man's Beard	Woods on limestone
<i>Helleborus foetidus</i>	Stinking Hellebore	Woods
<i>Helleborus viridis</i>	Green Hellebore	Woods and pastures
<i>Hepatica nobilis</i>	Hepatica	Woodland and alpine turf
<i>Pulsatilla alpina</i> subsp. <i>alpina</i>	Alpine Pasque-flower	Ossoue Valley, Gavarnie
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Pont d'Espagne
<i>Ranunculus acris</i>	Meadow Buttercup	Meadows
<i>Ranunculus alpestris</i>	Alpine Buttercup	Port de Bucharo
<i>Ranunculus ficaria</i>	Lesser Celandine	Occasional
<i>Ranunculus flammula</i>	Lesser Spearwort	Wet areas
<i>Ranunculus gouani</i>	Gouan's Buttercup	Mountain meadows. Endemic
<i>Ranunculus lingua</i>	Greater Spearwort	Streamside. Pont d'Espagne
<i>Ranunculus montanus</i>	Mountain Buttercup	Mountain pasture
<i>Ranunculus nemorosus</i>	Wood Buttercup	Grassy places
<i>Ranunculus parnassifolius</i>	Parnassus-leaved Buttercup	Port de Bucharo
<i>Ranunculus pyrenaicus</i>	Pyrenean Buttercup	Damp alpine turf. Endemic
<i>Ranunculus repens</i>	Creeping Buttercup	Widespread
<i>Ranunculus thora</i>	Thore's Buttercup	Limestone scree. Gavarnie
<i>Thalictrum alpinum</i>	Alpine Meadow-rue	Mountain pasture
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Damp areas
<i>Trollius europaeus</i>	Globe Flower	Damp areas
Resedaceae	Mignonette Family	
<i>Reseda glauca</i>	Pyrenean Mignonette	Screes. Endemic
<i>Reseda luteola</i>	Weld	Waste ground
<i>Sesamoides pygmaea</i>	Sesamoides	Occasional on scree
Rhamnaceae	Buckthorn Family	
<i>Rhamnus alpinus</i>	Alpine Buckthorn	Rocky places. Ossoue
<i>Rhamnus pumilus</i>	Dwarf Buckthorn	Rocks. Lac des Gloriettes
Rosaceae	Rose Family	
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Widespread
<i>Alchemilla glaucescens</i>	Small Lady's-mantle	Widespread
<i>Alchemilla vulgaris</i> agg.	Lady's Mantle	Common
<i>Alchemilla saxatilis</i>	Rock Lady's-mantle	Widespread
<i>Alchemilla</i> spp.	Not identified	
<i>Amelanchier ovalis</i>	Snowy Mespilus	Lac des Gloriettes
<i>Aruncus dioicus</i>	Goat'sbeard Spiraea	Damp shade on acid soils
<i>Cotoneaster integerrimus</i>	Wild Cotoneaster	Rocky places
<i>Crataegus monogyna</i>	Hawthorn	Woods
<i>Dryas octopetala</i>	Mountain Avens	Mountains. Local
<i>Filipendula ulmaria</i>	Meadwsweet	Lowlands
<i>Fragaria vesca</i>	Wild Strawberry	Common
<i>Geum montanum</i>	Alpine Avens	Mountain pasture
<i>Geum pyrenaicum</i>	Pyrenean Avens	Mountain pasture
<i>Geum rivale</i>	Water Avens	Occasional in wet places
<i>Geum urbanum</i>	Herb Bennet	Shady places
<i>Potentilla alba</i>	White Cinquefoil	Rocks and pasture
<i>Potentilla alchemilloides</i>	Alchemilla-leaved Cinquefoil	Limestone cliffs. Gavarnie
<i>Potentilla aurea</i>	Golden Cinquefoil	Mountain turf
<i>Potentilla erecta</i>	Tormentil	Common
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Mountain pasture
<i>Potentilla fruticosa</i>	Shrubby Cinquefoil	Gavarnie
<i>Potentilla Montana</i>	Mountain Cinquefoil	Rocky places
<i>Potentilla reptans</i>	Creeping Cinquefoil	Waste places

Scientific Name	Common Name	Location
<i>Potentilla rupestris</i>	Rock Cinquefoil	Rocks. Local
<i>Potentilla sterilis</i>	Barren Strawberry	Common
<i>Prunus avium</i>	Wild Cherry	Frequent in woods
<i>Prunus spinosa</i>	Blackthorn	Occasional. Scrub
<i>Rubus caesius</i>	A Bramble	Frequent
<i>Rubus idaeus</i>	Raspberry	Common
<i>Rubus saxatilis</i>	Stone Bramble	Frequent
<i>Rubus ulmifolius</i>	A Bramble	Common in lowlands
<i>Rosa arvensis</i>	Field Rose	Widespread
<i>Rosa canina</i>	Dog Rose	Roadsides
<i>Rosa glauca</i>	Blue-leaved Rose	Mountain scrub
<i>Rosa pendulina</i>	Alpine Rose	Mountain scrub
<i>Rosa rubiginosa</i>	Sweet Briar	Widespread
<i>Sanguisorba minor</i>	Salad Burnet	Common in rocky places
<i>Sanguisorba officinalis</i>	Great Burnet	Occasional. Streamsides
<i>Sibbaldia procumbens</i>	Sibbaldia	Acidic snowbeds.
<i>Sorbus aria</i>	Whitebeam	Open woods
<i>Sorbus aucuparia</i>	Mountain Ash	Mountains
<i>Sorbus chamaemespilus</i>	False Medlar	Occasional. Rocky slopes.
<i>Sorbus mougeotii</i>	Mougeot's Whitebeam	Ossoue Valley
Rubiaceae	Bedstraw Family	
<i>Asperula pyrenaica</i>	Pyrenean Woodruff	Rocky places
<i>Cruciata laevipes</i>	Crosswort	Pastures and roadsides
<i>Galium aparine</i>	Goosegrass	Scrub and waste places
<i>Galium megalospermum</i>		
<i>Galium mollugo</i>	Hedge Bedstraw	Scrub and meadows
<i>Galium odoratum</i>	Woodruff	Woods
<i>Galium verum</i>	Lady's Bedstraw	Meadows
<i>Rubia peregrine</i>	Wild Madder	Occasional in woods
Salicaceae	Willow Family	
<i>Populus alba</i>	White Poplar	Frequent
<i>Populus tremula</i>	Aspen	Occasional in forests
<i>Salix aurita</i>	Eared Sallow	Widespread
<i>Salix caprea</i>	Goat Willow	Occasional
<i>Salix elaeagnos</i>	Hoary Willow	Streamsides.
<i>Salix herbacea</i>	Least Willow	Acidic snowbeds
<i>Salix pyrenaica</i>	Pyrenean Willow	Mountain rocks
<i>Salix reticulate</i>	Netted Willow	Alpine turf
<i>Salix retusa</i>	Retuse-leaved Willow	Alpine turf
<i>Salix viminalis</i>	Common Osier	Widespread in lowlands
Santalaceae	Sandalwood Family	
<i>Thesium alpinum</i>	Alpine Bastard-toadflax	Frequent
<i>Thesium pyrenaicum</i>	Pyrenean Bastard-toadflax	Frequent
Saxifragaceae	Saxifrage Family	
<i>Chrysosplenium oppositifolium</i>	Opposite-leaved Golden Saxifrage	Wet acidic areas
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Wet areas
<i>Saxifraga cotyledon</i>	Pyramidal Saxifrage	Rocks. Heas Valley
<i>Saxifraga geranioides</i>	Geranium-like Saxifrage	Rare. Cirque de Troumouse. Endemic

Scientific Name	Common Name	Location
<i>Saxifraga granulata</i>	Meadow Saxifrage	Common
<i>Saxifraga hariotii</i>	Limestone rocks	
<i>Saxifraga hirsute</i>	Shady streamsides	
<i>Saxifraga longifolia</i> subsp. <i>longifolia</i>	Pyrenean Saxifrage	Cliffs and boulders. Endemic
<i>Saxifraga moschata</i>	Musky Saxifrage	Limestone rocks
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Alpine rocks and turf
<i>Saxifraga paniculata</i>	Livelong Saxifrage	Common on rocks
<i>Saxifraga pubescens</i>	Hairy Saxifrage	Alpine rocks. Endemic
<i>Saxifraga stellaris</i>	Starry Saxifrage	Wet flushes
<i>Saxifraga umbrosa</i>	Wood Saxifrage	Woods. Endemic
Scrophulariaceae	Figwort Family	
<i>Antirrhinum sempervirens</i>	Rock Snapdragon	Rocks. Ossoue Valley. Endemic
<i>Bartsia alpina</i>	Alpine Bartsia	Meadows and pasture
<i>Chaenorbinum origanifolium</i>	Creeping Snapdragon	Screes. Endemic
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Rocks and walls
<i>Digitalis lutea</i>	Small Yellow Foxglove	Below Gedre
<i>Digitalis purpurea</i>	Purple Foxglove	Frequent
<i>Erinus alpinus</i>	Fairy Foxglove	Rocks and screes
<i>Linaria alpina</i>	Alpine Toadflax	Alpine turf
<i>Linaria supina</i>	Pyrenean Toadflax	Screes. Endemic
<i>Linaria vulgaris</i>	Common Toadflax	Waste places
<i>Melampyrum sylvaticum</i>	Small Cow-wheat	Mountain woods
<i>Pedicularis comosa</i>	Crested Lousewort	Occasional. Meadows
<i>Pedicularis foliosa</i>	Leafy Lousewort	Streamsides
<i>Pedicularis pyrenaica</i>	Pyrenean Lousewort	Meadows and screes
<i>Pedicularis sylvatica</i>	Common Lousewort	Wet heaths
<i>Pedicularis verticillata</i>	Whorled Lousewort	Wet mountain pastures
<i>Rhinanthus angustifolius</i>	Narrow-leaved Rattle	Meadows
<i>Rhinanthus minor</i>	Yellow Rattle	Meadows
<i>Scophularia canina</i>	French Figwort	Frequent
<i>Scrophularia nodosa</i>	Common Figwort	Damp habitats
<i>Verbascum nigrum</i>	Dark Mullein	Occasional
<i>Verbascum pulverulentum</i>	Hoary Mullein	Rocky places
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Mountain turf
<i>Veronica bellidioides</i>	Violet Speedwell	Frequent in pasture
<i>Veronica chamaedrys</i>	Germander Speedwell	Meadows
<i>Veronica fruticans</i>	Rock Speedwell	Mountain rocks
<i>Veronica officinalis</i>	Heath Speedwell	Occasional. Dry places
<i>Veronica ponae</i>	Spiked Pyrenean Speedwell	Woods and shady places
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Woods and pastures
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Woods and shady places
<i>Veronica nummularia</i>		
<i>Veronica repens</i>		
Solanaceae	Nightshade Family	
<i>Atropa belladonna</i>	Deadly Nightshade	Occasional. Gedre
Thymelaceae	Daphne Family	
<i>Daphne cneorum</i>	Garland Flower	Mountain pasture. Local
<i>Daphne laureola</i>	Spurge Laurel	Woods and rocks
<i>Daphne mezereum</i>	Mezereon	Forest and open pasture
<i>Thymelaea calycina</i>	Screes. Ossoue valley	

Scientific Name	Common Name	Location
Tiliaceae	Lime Tree Family	
<i>Tilia cordata</i>	Small-leaved Lime	Common
<i>Tilia platyphyllos</i>	Large-leaved Lime	Widely planted
Ulmaceae	Elm Family	
<i>Ulmus glabra</i>	Wych Elm	Gedre
<i>Ulmus minor</i>	Smooth Elm	Occasional
<i>Ulmus procera</i>	English Elm	Widespread
Urticaceae		
<i>Parietaria judaica</i>	Pellitory-of-the-wall	Walls
<i>Urtica dioica</i>	Nettle	Disturbed areas
Valerianaceae	Valarian Family	
<i>Centranthus ruber</i>	Red Valerian	Walls
<i>Valeriana globularifolia</i>	Globularia-leaved Valerian	Rocks and screes
<i>Valeriana officinalis</i>	Common Valerian	Meadows and scrub
<i>Valeriana pyrenaica</i>	Pyrenean Valerian	Damp woodland. Endemic
<i>Valeriana tripteris</i>	Three-leaved Valerian	Woods and scrub
Verbenaceae	Verbena Family	
<i>Verbena officinalis</i>	Vervain	Ossoue Valley
Violaceae	Violet Family	
<i>Viola biflora</i>	Yellow Wood Violet	Shady places and alpine turf
<i>Viola cornuta</i>	Horned Pansy	Meadows. Endemic
<i>Viola lutea</i>	Mountain Pansy	Mountain turf
<i>Viola palustris</i>	Bog Violet	Bogs
<i>Viola riviniana</i>	Common Dog Violet	Grassy places
<i>Viola tricolor</i>		

MONOCOTYLEDONS

Amaryllidaceae		
<i>Narcissus pseudo-narcissus</i> subsp. <i>bicolor</i>	Meadows and mountain	Turf. Endemic
<i>Narcissus assoanus</i>	Rush-leaved Narcissus	Pasture. Ossoue valley
Cyperaceae	Sedge Family	
<i>Eriophorum angustifolium</i>	Cotton-grass	Bogs
<i>Carex atrata</i>	Jet Sedge	Mountain turf
<i>Carex echinata</i>	Star Sedge	Damp places
<i>Carex nigra</i>	Common Sedge	Wet mountain turf
<i>Carex panacea</i>	Carnation Sedge	Common
Graminae	Grass Family	
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	Meadows
<i>Brixa media</i>	Quaking-grass	Meadows
<i>Bromus commutatus</i>	Meadow Brome	Meadows
<i>Dactylis glomerata</i>	Cocksfoot	Widespread
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	Frequent
<i>Deschampsia flexuosa</i>	Wavy Hair-grass	Acidic turf
<i>Holcus lanatus</i>	Yorkshire Fog	Meadows
<i>Hordeum murale</i>	Wall Barley	Waste ground
<i>Melica uniflora</i>	Wood Melick	Woods

Scientific Name	Common Name	Location
<i>Melica nutans</i>	Mountain Melick	Woods
<i>Molinia caerulea</i>	Purple Moor Grass	Damp pasture
<i>Nardus stricta</i>	Mat Grass	Mountain pasture
<i>Phleum alpinum</i>	Alpine Timothy-grass	Alpine turf
<i>Poa alpina</i>	Alpine Meadow-grass	Mountain pasture
<i>Poa annua</i>	Annual Meadow-grass	Pathways
<i>Sesleria albicans</i>	Blue Moor Grass	Limestone rocks
Iridaceae	Iris Family	
<i>Crocus nudiflorus</i>	Leafless Crocus	Meadows
<i>Iris latifolia</i>	English Iris	Mountain pasture
Juncaceae	Rush Family	
<i>Juncus alpinoarticulatus</i>	Alpine Rush	Wet mountain pasture
<i>Luzula lutea</i>	Yellow Wood-rush	Acidic pasture
<i>Luzula luzuloides</i>	Mountain pasture	
<i>Luzula pilosa</i>	Hairy Wood-rush	Woods
<i>Luzula spicata</i>	Spiked Wood-rush	Mountain pasture
<i>Luzula sylvatica</i>	Great Woodrush	Woodland
Liliaceae	Lily Family	
<i>Allium victorialis</i>	Alpine Leek	Pont d'Espagne
<i>Allium vineale</i>	Crow Garlic	Occasional
<i>Anthericum liliago</i>	St. Bernard's Lily	Local on screes
<i>Asphodelus albus</i>	White Asphodel	Meadows and pasture
<i>Convallaria majalis</i>	Lily of the Valley	Occasional. Woodland
<i>Dipcadi serotinum</i>	Dipcadi	Gedre
<i>Fritillaria pyrenaica</i>	Pyrenean Snakeshead	Damp mountain pasture Endemic
<i>Hyacinthus amethystinus</i>	Pyrenean Hyacinth	Rocks and meadows. Endemic
<i>Lilium martagon</i>	Martagon Lily	Woodland and meadows
<i>Lilium pyrenaicum</i>	Pyrenean Lily	Occasional. Endemic
<i>Merendera montana</i>	Merendera	Mountain meadows. Endemic
<i>Muscari comosum</i>	Tassel Hyacinth	Rare. Gavarnie
<i>Paradisea liliastrum</i>	St. Bruno's Lily	Local on screes
<i>Paris quadrifolia</i>	Herb Paris	Woodland and forest
<i>Polygonatum verticillatum</i>	Whorled Solomon's Seal	Occasional. Woods
<i>Scilla lilihyacinthus</i>	Pyrenean Squill	Woods. Endemic
<i>Scilla verna</i>	Spring Squill	Mountain pasture.
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Wet places
<i>Veratrum album</i>	White False Helleborine	Occasional. Mountains
Orchidaceae	Orchid Family	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	Local in grassland
<i>Coeloglossum viride</i>	Frog Orchid	Pasture. Cirque d'Estaube
<i>Dactylorhiza sambucina</i>	Elder-flowered Orchid	Pasture. Heas Valley
<i>Dactylorhiza majalis</i>	Broad-leaved Marsh Orchid	Damp meadows
<i>Dactylorhiza incarnata</i>	Early Marsh Orchid	Damp meadows
<i>Dactylorhiza maculata</i>	Heath Spotted Orchid	Acidic bogs and heath
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Damp grassland
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Frequent. Woods
<i>Epipactis atrorubens</i>	Dark Red Helleborine	
<i>Gymnadenia conopsea</i>	Fragrant Orchid	Meadows and roadsides
<i>Listera ovate</i>	Twayblade	Meadows and roadsides
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Occasional. Woods
<i>Nigritella rhellicani</i>	Vanilla Orchid	Mountain meadows

Scientific Name	Common Name	Location
<i>Ophrys scolopax</i>	Woodcock Orchid	Dry lowland grassland
<i>Orchis coriophora</i> subsp. <i>fragrans</i>	Fragrant Bug Orchid	Dry lowland grassland
<i>Orchis mascula</i>	Early Purple Orchid	Frequent. Grassland
<i>Orchis ustulata</i>	Burnt Orchid	Meadows and pasture
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Meadows and pasture
<i>Platanthera chlorantha</i>	Greater Butterfly Orchid	Meadows and pasture
<i>Cephalanthera longifolia</i>	Sword-leaved Helleborine	
<i>Goodyera repens</i>	Creeping Lady's Tresses	

Other Taxa

Alpine Marmot, *Marmota marmota*,
 Iizard, *Rupicapra pyrenaica*,
 Smooth Snake, *Coronella austriaca*,

Common Frog, *Rana temporaria*
 Common Wall Lizard, *Podarcis muralis*
 Pyrenean Brook Newt, *Euproctus asper*