

# Alderney – Wildlife & History in Style

Naturetrek Tour Report

18 - 22 June 2018



Great Egret by Anthony Warrilow



Western Hedgehog, Brown and Blondes together by Jane Davies



Biting Stonecrop by John Horton



Arch Bay by John Horton

Report by John Horton & Annabel Finding  
Images courtesy of Jane Davies, Anthony Warrilow & John Horton



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour participants: John Horton & Annabel Finding (leaders) with 13 Naturetrek clients

## Day 1

Monday 18th June

After settling everyone in at the hotel we gathered on the hotel balcony overlooking Braye Bay and watched a Grey Heron. Our first excursion followed, taking the minibus up to Fort Albert, from which commanding views of the island are obtained. A Buzzard swept down the hillside as we travelled up it, and from our lookout point, we saw four late-moving migrating Swifts pass overhead. Pyramidal Orchids are blooming in their hundreds across Alderney and we soon located some along the short footpath, leading to views across the north-east of the island and across to nearby France.

## Day 2

Tuesday 19th June

After a fine hotel breakfast our group headed out, making our first stop at Braye Bay. Here was a chance to look at some specialist seaside wild flowers; Rock Samphire is common along this stretch and we also found some Sea Pea. A Whitethroat sang and displayed landing on a nearby bush. We looked at the differences between Cormorant and Shag, given the opportunity of having both species present, and a Curlew picked its way along the water's edge, turning over shoreline debris, searching for food. Our next stop was Whitegates fields, where we picked up a Wheatear amongst a dozen or so rabbits on the hillside.

The picturesque Saye Bay was our next destination and we quickly found two Rock Pipits on the beach. We headed through into Arch Bay (a favourite of many locals) and here looked at flowering Sea-holly. This is also the best location for Sea Spurge, beside which we also found Sea Beet. Three juvenile White Wagtails were feasting on sand-hoppers amongst the seaweed. Walking across the bay to the headland we found Biting Stonecrop and Large Carder Bee.

Two Common Terns passed by and against a sheltered back were two Emperor Dragonflies and gatherings of White-lipped Snail. We moved on to a site where we might see orchids and we struck gold: carefully making our way through lot of Pyramidal Orchids, we found some wonderful flowering Bee Orchid plants. Our enjoyment of the orchids happily interrupted by magnificent Glanville Fritillary butterflies.

Back in the bus, we drove up to a vast German WWII bunker known locally as 'The Odeon'. With keys to access the inside, we explored the once-important lookout point that was for the Germans a range-finding tower from which to direct guns along the coastline below, attacking allied ships in the channel. Eight passing Swifts distracted us during our dip into history, and just outside the bunker, were lots of Pennywort and a Small Tortoiseshell butterfly. Walking across the Mannez-Garenne and slowly downhill towards Longis Nature reserve, we saw Meadow Pipits and also several Swallows that had taken up residence in some of the abandoned German bunkers. Assembled in the hide, we admired the pair of summer-plumage nesting Little Grebes on the pool, which was littered with Amphibious Bistort. Reed Warblers churred constantly, and occasionally the odd one whizzed past disappearing into the dense Common Reeds.

Our lunch stop was at the ever-popular Old Barn restaurant. Chiffchaff and Blackcaps sang intermittently as we re-fuelled, and two House Martins passed overhead. After lunch we walked to a nearby site for the endemic Alderney Crane's-bill wildflower, stopping along the way for an obliging Wall Brown butterfly.

Our afternoon walk was along the south cliffs. Setting off, we had a look at some tiny and shiny Thick-legged Flower Beetles on the head of an Ox-eye Daisy, along with a Longhorn moth. This path offers cracking views across to France and also the island of Sark, we had the weather to match! Taking things at an easy pace gave everyone ample time to enjoy the wildlife and take in the views. We saw Sheep's-bit, Honeysuckle and White Stonecrop. Several Glanville Fritillary took in the sunshine along the short-cut pathway and a superb Painted Lady was much admired on the flowering Gorse. Arriving at the south-west corner of Alderney offered us views of Guernsey Island. Below us we marvelled at the 10,000-strong Gannet colony just offshore on Les Etacs Rocks. A short distance along the cliff path, we settled to enjoy the nesting Fulmar colony just below us. More additions to our wildflower list were Bell Heather and Common Heather (growing in close proximity to one another); also, this location was the best spot for Prostrate Broom.

## Day 3

## Wednesday 20th June

We had an early start to see some bird-ringing at the Alderney Bird Observatory. The science of ringing was explained, and we then saw recently fledged Blackbird, Dunnocks and Chiffchaffs expertly handled and ringed, along with a rare close-up view of a Reed Warbler. After a tour of the historic Roman Fort (home of the observatory) and its Napoleonic, Victorian and WW11 German features, we were joined by David Wedd, the island resident moth expert. David talked us through over 50 species of moths that included several wonderfully brightly coloured Small Elephant Hawk-moths and Cream-spot Tiger moths.

After picking up a picnic lunch from PJ's Pantry, we headed back to the hotel for a hearty breakfast. Next, we went into town for some time around the shops which side the picturesque cobble-stone High Street of St. Anne's. We then moved on to visit to the quite excellent Alderney Museum, packed with artefacts and, in particular, a wealth of items recovered from the German occupation of Alderney.

In the afternoon we split into two groups and set out on a flat sea to visit the various seabird colonies that surround Alderney. Of course, this included most peoples' favourite, the Puffin, with a good 200 birds present. Then we had the unusual opportunity of a close encounter with the magnificent 10,000-strong Gannet colony on Les Etacs rocks. Guillemots, Razorbills, Shags, Cormorants and a Peregrine Falcon were also seen.

## Day 4

## Thursday 21st June

We started by heading out to the lighthouse situated at the north-east corner of the island, where the moth trap had been set overnight in the lighthouse garden. The trap included another dozen species not recorded the day before, the stand-out favourite being the attractive and aptly named Peach Blossom moth. Back on board our minibus, we headed along the coast road adjacent to Longis Bay. To our surprise, a Great Egret appeared from over the sea wall to our left; it passed across the road and slowly over Longis Common. Pulling quickly over, we all got a good view of it as it landed on nearby Longis Pond Nature Reserve. So, we took an impromptu stop as we all headed out to the Longis reserve hide, from which we saw the Egret again before it flew off to the north-east.

We moved on to Longis Bay car park to have a look at the Bird Observatory's new winter seed-crop project. At this location several Large-flowered Evening Primroses were new to our trip list, and we then watched some bird migration in action as seven Grey Herons came in off the sea from France. The species does not breed in

Alderney but, from June to August, young birds recently fledged on the nearby continent pass over Alderney, heading towards the UK south coast.

Our next stop was St Anne's Church yard and allotments. Here we saw good numbers of Holly Blue Butterflies: there were at least 30 amongst the Brambles of the overgrown borders of the well-kept allotments. Also present were similar numbers of Meadow Brown and Speckled Wood butterflies. On a well-grown Comfrey were plenty of Buff-tailed Bumblebees and also a Scilly Bee (a British Isles endemic only found in the Channel Isles and Isles of Scilly).

We had a fine picnic lunch at Fort Tourgis where a Hummingbird Hawk-moth put in a brief appearance. Here also was another of the seaside-specialist wildflowers: the wonderful Yellow Horned-poppy. Lastly before heading off for our afternoon walk, we found several Five-spot Ladybirds (another coastal specialist) on some Spear Thistle.

The afternoon walk was from Cambridge Battery to the Landmark Trust-run property, the Victorian Fort Clonque. At our start point we looked at Sea-kale, Hare's-tail Cotton-grass and Petty Spurge. Along the way we saw a very obliging male Stonechat and two wonderful Painted Lady Butterflies, flowering Sea Rocket and Round-leaved Mint.

Today our pursuit of wildlife continued after dark, as we met with local Hedgehog expert, Suzy Weir. Suzy knows just about everything there is to know about these animals, including where to find them!! Just 10 minutes after leaving the hotel we were in the company of the much-anticipated 'blonde' Western Hedgehogs, along with some of the more familiar brown form. Our evening excursion also included two Pipistrelle bats.

## Day 5

## Friday 22nd June

It was another beautiful day and we began with a walk across Braye Bay, adding yet more wildflowers to our lists; yet more coastal specialities were Sea Sandwort and Orache. There were also an unseasonal five Black headed Gulls in the bay.

Our transport now took us to Mannez Nature Reserve, a once-working stone quarry, now a sheltered reedbed. A slight detour to the reserve hide allowed us to take in the only Alderney site for the Yellow Rattle. Further along the footpath we found some Great Willow-herb and another Scilly Bee. The reserve itself a peaceful spot, the hide looking across towards the lighthouse. Reed Warblers chirred amongst the Lesser Reedmace swaying in the gentle breeze.

On to our main walk of the morning, from the Target Wall (a Napoleonic firing range) along the north-east coastline to Mannez Lighthouse. A favourite walk for many visitors and locals, the gently sloping south-facing meadows and large rear gardens are always very good for butterflies. Today, Meadow Brown, Common Blue and Small Heath were plentiful, along with a couple of Wall Brown. A single Lapwing passed over as we searched for and located the sought-after wildflower: the endemic Alderney Sea-lavender, found growing in close proximity to Rock Sea-lavender.

Another great lunch at The Old Barn followed and then, sadly, it was time to head to the airport where, with all present and correct, flights left ahead of schedule!

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Social Media

We're social! Follow us on Facebook, Twitter and Instagram and be the first to hear about the launch of new tours, offers and exciting sightings and photos from our recently returned holidays.



[www.facebook.com/naturetrekwildlifeholidays](http://www.facebook.com/naturetrekwildlifeholidays)



[www.twitter.com/naturetrektours](http://www.twitter.com/naturetrektours)



[www.instagram.com/naturetrek\\_wildlife\\_holidays](http://www.instagram.com/naturetrek_wildlife_holidays)



The group at Braye Beach by John Horton

## Species Lists

Birds (✓=recorded but not counted)

	Common name	Scientific name	June				
			18	19	20	21	22
1	Shelduck	<i>Tadorna tadorna</i>		1			
2	Mallard	<i>Anas platyrhynchos</i>		10		✓	
3	Common Pheasant	<i>Phasianus colchicus</i>	1	2			
4	Northern Fulmar	<i>Fulmarus glacialis</i>		20	✓		
5	Northern Gannet	<i>Morus bassanus</i>	✓	✓	✓	✓	✓
6	Great Cormorant	<i>Phalacrocorax carbo</i>		2	1		
7	European Shag	<i>Phalacrocorax aristotelis</i>		6	20		
8	Great Egret	<i>Ardea alba</i>				1	
9	Grey Heron	<i>Ardea cinerea</i>	1			7	
10	Little Grebe	<i>Tachybaptus ruficollis</i>		1			
11	Common Buzzard	<i>Buteo buteo</i>	1	2	1	2	1
12	Common Moorhen	<i>Gallinula chloropus</i>				1	
13	Eurasian Coot	<i>Fulica atra</i>		5			
14	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	✓	10	✓	✓	
15	Eurasian Curlew	<i>Numenius arquata</i>		1			
16	Atlantic Puffin	<i>Fratercula cirrhata</i>			200		
17	Razorbill	<i>Alca torda</i>			50		
18	Common Guillemot	<i>Uria aalge</i>			100		
19	Sandwich Tern	<i>Thalasseus sandvicensis</i>					
20	Common Tern	<i>Sterna hirundo</i>	20	2	20		
21	Black-headed Gull	<i>Chroicocephalus ridibundus</i>				10	5
22	Lesser Black-backed Gull	<i>Larus fuscus</i>	✓	✓	✓	✓	✓
23	European Herring Gull	<i>Larus argentatus</i>	✓	✓	✓	✓	✓
24	Great Black-backed Gull	<i>Larus marinus</i>	✓	✓	✓	✓	✓
25	Common Wood Pigeon	<i>Columba palumbus</i>	2	12		2	
26	Collared Dove	<i>Streptopelia decaocto</i>		1			
27	Common Swift	<i>Apus apus</i>	4	8			
28	Common Kestrel	<i>Falco tinnunculus</i>	1				
29	Peregrine Falcon	<i>Falco peregrinus</i>			1		
30	Carrion Crow	<i>Corvus corone</i>	✓	✓	✓	✓	✓
31	Northern Raven	<i>Emberiza schoeniclus</i>			1		
32	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>				1	
33	Great Tit	<i>Parus major</i>		3		3	
34	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓
35	Common House Martin	<i>Delichon urbicum</i>		2			
36	Common Chiffchaff	<i>Phylloscopus collybita</i>		1	4	1	
37	Eurasian Blackcap	<i>Sylvia atricapilla</i>		2			1
38	Common Whitethroat	<i>Sylvia communis</i>		10		2	
39	Eurasian Reed Warbler	<i>Acrocephalus scirpaceus</i>		4	1	5	
40	Eurasian Wren	<i>Troglodytes troglodytes</i>		1		2	1
41	Common Starling	<i>Sturnus vulgaris</i>		50		20	
42	Common Blackbird	<i>Turdus merula</i>	1	3	3		
43	European Robin	<i>Erithacus rubecula</i>		1	1	2	
44	European Stonechat	<i>Saxicola rubicola</i>				1	
45	Northern Wheatear	<i>Oenanthe oenanthe</i>		1			
46	House Sparrow	<i>Passer domesticus</i>		2	1	1	
47	Dunnock	<i>Prunella modularis</i>		1	3	1	

	Common name	Scientific name	June				
			18	19	20	21	22
48	White Wagtail	<i>Motacilla alba</i>		2		1	
49	Meadow Pipit	<i>Anthus pratensis</i>		10			
50	Eurasian Rock Pipit	<i>Anthus petrosus</i>		3			
51	Common Chaffinch	<i>Fringilla coelebs</i>		5		1	
52	European Greenfinch	<i>Chloris chloris</i>		2			✓
53	Common Linnet	<i>Linaria cannabina</i>		25			✓
54	European Goldfinch	<i>Carduelis carduelis</i>		6			1

## Mammals

1	Western Hedgehog	<i>Erinaceus europaeus</i>				6	
2	Common Pipistrelle	<i>Pipistrellus pipistrellus</i>				2	
3	European Rabbit	<i>Oryctolagus cuniculus</i>		20			

## Butterflies

1	Large White	<i>Pieris brassicae</i>				1	
2	Small White	<i>Pieris (Artogeia) rapae</i>		1		5	10
3	Green-veined White	<i>Artogeia (Pieris) napi</i>				1	
4	Holly Blue	<i>Celastrinas argiolus</i>				20	
5	Common Blue	<i>Polyommatus icarus</i>		20		10	10
6	Red Admiral	<i>Vanessa atalanta</i>		1		5	2
7	Painted Lady	<i>Cynthia cardui</i>		2		2	
8	Small Tortoiseshell	<i>Aglais urticae</i>		2		1	
9	Glanville Fritillary	<i>Melitaea cinxia</i>		20		20	✓
10	Meadow Brown	<i>Maniola jurtina</i>		50		30	✓
11	Speckled Wood	<i>Pararge aegeria</i>		4		30	✓
12	Small Heath	<i>Coenonympha pamphilus</i>		10			✓
13	Wall Brown	<i>Lasiommata megera</i>		1		2	2

## Moths

1	Barrett's Marbled Coronet	<i>Hadena compta</i>			2	1	1
2	Bee Moth	<i>Aphomia sociella</i>					2
3	Brown Rustic	<i>Rusina furruginea</i>			3	1	3
4	Brown Silverline	<i>Petrophora chlorosata</i>			2		4
5	Buff Ermine	<i>Spilarctia luteum</i>			4	1	5
6	Cinnabar	<i>Tyria jacobaeae</i>	1	10			6
7	Clancy's Rustic	<i>Caradrina kadenii</i>					7
8	Clay	<i>Mythimna ferrago</i>			1	1	8
9	Cloaked Minor	<i>Mesoligia furuncula</i>			1	1	9
10	Clouded Border	<i>Lomaspilis marginata</i>			1		10
11	Common Swift	<i>Korscheltellus lupulina</i>				1	11
12	Common Wainscot	<i>Mythimna pallens</i>			3		12
13	Cream-spot Tiger	<i>Epicallia villica</i>			4		13
14	Cyprus Carpet	<i>Thera Cupressata</i>			1		14
15	Dark Arches	<i>Apamea monoglypha</i>			2	1	15
16	Dark Spectacle	<i>Abrostola triplasia</i>				1	16
17	Dark Swordgrass	<i>Agrotis ipsilon</i>			1		17
18	Delicate	<i>Mythimna vitellini</i>			2		18
19	Drinker	<i>Euthrix potatoria</i>			2	2	19
20	Figure of Eight	<i>Diloba caeruleocephala</i>			1		20
21	Flame	<i>Axylia putris</i>			3		21

	Common name	Scientific name	June				
			18	19	20	21	22
22	Green Silverline	<i>Pseudoips prasinana</i>			1		22
23	Heart and Club	<i>Agrotis clavis</i>			5	2	23
24	Heart and Dart	<i>Agrotis eclamationis</i>			5	2	24
25	Hummingbird Hawk-moth	<i>Macroglossum stellatarum</i>				1	25
26	Ingrailed Clay	<i>Diarsia mendica</i>			2		26
27	Knot Grass	<i>Acrionicta rumicis</i>			1		27
28	Lackey	<i>Malacosoma neustria</i>			3		28
29	Large Yellow Underwing	<i>Noctua pronuba</i>			15	2	29
30	Lime-speck Pug	<i>Eupithecia centaureata</i>			1		30
31	Longhorn Moth	<i>Nemophora degeerella</i>		1			31
32	Maple Prominent	<i>Ptilodon cucullina</i>			1		32
33	Marbled Minor agg.	<i>Oligia strigilis</i> agg.			45	2	33
34	Middle barred Minor	<i>Oligia fasciuncula</i>			1		34
35	Mottled Beauty	<i>Alcis repandata</i>			1		35
36	Mullein Wave	<i>Scopula marginepunctata</i>			1		36
37	Nutmeg	<i>Hadula trifolii</i>			1		37
38	Orache	<i>Trachea atriplicis</i>			1		38
39	Orange Footman	<i>Eilema sororcula</i>			1		39
40	Pale Oak Beauty	<i>Hypomecis punctinalis</i>			1		40
41	Pale Tussock	<i>Calliteara pudibunda</i>			2		41
42	Peach Blossom	<i>Thyatira batis</i>				2	42
43	Pinion-streaked Snout	<i>Schrankia costaestrigalis</i>			1		43
44	Purple Bar	<i>Cosmorhoe ocellata</i>				1	44
45	Purple Clay	<i>Diarsia brunnea</i>				1	45
46	Red-necked Footman	<i>Atolmis rubricollis</i>			1		46
47	Ruby Tiger	<i>Phragmatobia fuliginosa</i>			4		47
48	Shears	<i>Hada plebeja</i>				1	48
49	Shoulder-striped Wainscot	<i>Laucaia comma</i>			10	2	49
50	Small Elephant Hawk-moth	<i>Deilephila porcellus</i>			6		50
51	Small Square-spot	<i>Diarsia rubi</i>				1	51
52	Smoky Wainscot	<i>Mythimna impura</i>				1	52
53	Spectacle	<i>Abrostola tripartita</i>				1	53
54	Swallow-tailed Moth	<i>Ourapteryx sambucaria</i>				1	54
55	Swallow Prominent	<i>Pheosia tremula</i>			1		55
56	True Lover's Knot	<i>Lycophotia porphyrea</i>			1		56
57	Uncertain	<i>Hoplodrina octogenaria</i>			1		57
58	Vine's Rustic	<i>Hoplodrina ambigua</i>			6		58
59	White Ermine	<i>Spilosoma lubricipeda</i>			6		59
60	Yellow Belle	<i>Aspitates ochrearia</i>			2		60

### Other Insects

1	Field Grasshopper	<i>Chorthippus brunneus</i>		100		20	
2	Great Green Bush Cricket	<i>Tettigonia viridissima</i>		10			
3	Garden Chaffer	<i>Phyllopertha horticola</i>		4			
4	Five-spot Ladybird	<i>Coccinella 5-punctata</i>				2	
5	Burying Beetle	<i>Nicrophorus vespillo</i>		6			
6	Thick-legged Flower Beetle	<i>Oedemera nobilis</i>		20			
7	Scilly Bee	<i>Bombus muscorum</i>				1	1
8	Buff-tailed Bumblebee	<i>Bombus terrestris</i>			1	2	
9	Red-tailed Bumblebee	<i>Bombus lapidarius</i>		2		1	
10	White-tailed Bumblebee	<i>Bombus lucorum</i>		20	2	5	2



	Common name	Scientific name	June				
			18	19	20	21	22
11	Large Carder Bee	<i>Bombus muscorum</i>		2			
12	Common Carder Bee	<i>Bombus pascuorum</i>			25		

## Dragonflies

1	Emperor Dragonfly	<i>Anax imperator</i>		4		1	
---	-------------------	-----------------------	--	---	--	---	--

## Plants

Scientific Name	Common Name	Location
<b>LEPTOSPORANGIATE FERNS</b>		
<b>Aspleniaceae</b>		
<i>Asplenium scolopendrium</i>	Hart's-tongue Fern	Water Lane (WL)
<b>Dennstaedtiaceae</b>		
<i>Pteridium aquilinum</i>	Bracken	Essex Hill (EH)
<b>TRUE FERNS</b>		
<b>Spleenwort Family</b>		
<b>DICOTS</b>		
<b>Aizoaceae</b>		
<i>Carpobrotus edulis</i>	Hottentot-fig	South Cliffs (SC)
<b>Apiaceae</b>		
<i>Anthriscus sylvestris</i>	Cow Parsley	EH, LR, MG
<i>Crambe maritima</i>	Sea-kale	Crabby Bay (CB) Platte Saline (PS)
<i>Crithmum maritimum</i>	Rock Samphire	Braye Bay (BB) Clonque Bay (CB)
<i>Daucus carota</i>	Wild Carrot	BB
<i>Eryngium maritimum</i>	Sea-holly	Arch Bay (AB)
<i>Foeniculum vulgare</i>	Fennel	BB
<b>Araliaceae</b>		
<i>Hedera helix</i>	Common Ivy	LR
<b>Asteraceae</b>		
<i>Achillea millefolium</i>	Yarrow	BB
<i>Arctium lappa</i>	Greater Burdock	BB
<i>Bellis perennis</i>	Daisy	Longis Common (LC)
<i>Carlina vulgaris</i>	Carlina Thistle	ES
<i>Cirsium vulgare</i>	Spear Thistle	Houmet Herbe (HH)
<i>Hypochoeris radicata</i>	Common Cat's-ear	HH AB
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	SC
<i>Senecio jacobaea</i>	Common Ragwort	Fort Albert (FA)
<b>Boraginaceae</b>		
<i>Anchusa arvensis</i>	Borage	EH
<i>Echium vulgare</i>	Viper's-bugloss	FA & Mannez Garrene (MG)
<i>Symphytum officinale</i>	Comfrey	AA
<b>Brassicaceae</b>		
<i>Cakile maritima</i>	Sea Rocket	Clonque Bay
<i>Capsella bursa-pastoris</i>	Shepherd's-Purse	PS
<i>Lobularia maritima</i>	Sweet Alison	EH
<i>Raphanus raphanistrum</i> ssp. <i>maritimum</i>	Sea Radish	BB FA
<b>Campanulaceae</b>		
<i>Jasione montana</i>	Sheep's-bit	Giffione (G) SC
<b>Caprifoliaceae</b>		
<i>Lonicera periclymenum</i>	Honeysuckle	MG
<b>Caryophyllaceae</b>		
<i>Cerastium fontanum</i>	Common Mouse-ear	G
<i>Honckenya peploides</i>	Sea Sandwort	BB

Scientific Name	Common Name	Location
<i>Silene dioica</i>	Red Campion	Cambridge Battery, Mannez reserve
<i>Silene latifolia</i>	White Campion	MG
<i>Silene uniflora</i>	Sea Campion	FA, Clonque Bay, HH, G
<b>Chenopodiaceae</b>	<b>Fat-hen Family</b>	
<i>Beta vulgaris</i> subsp. <i>maritima</i>	Sea Beet	AB BB
<b>Convolvulaceae</b>	<b>Bindweed Family</b>	
<i>Calystegia sepium</i>	Hedge Bindweed	HH
<i>Calystegia soldanella</i>	Sea Bindweed	PS
<b>Crassulaceae</b>	<b>Stonecrop Family</b>	
<i>Sedum acre</i>	Biting Stonecrop	AB
<i>Sedum album</i>	White Stonecrop	SC, G
<i>Umbilicus rupestris</i>	Navelwort	MG SC
<b>Ericaceae</b>	<b>Heather Family</b>	
<i>Calluna vulgaris</i>	Heather	G
<i>Erica cinerea</i>	Bell Heather	HH G
<b>Euphorbiaceae</b>	<b>Spurge Family</b>	
<i>Euphorbia paralias</i>	Sea Spurge	AB
<i>Euphorbia peplus</i>	Petty Spurge	Tourgis Hill
<i>Euphorbia portlandica</i>	Portland Spurge	FA , HH
<b>Fabaceae</b>	<b>Pea Family</b>	
<i>Anthyllis vulneraria</i>	Kidney Vetch	FA, CB
<i>Cytisus scoparius</i> subsp. <i>maritimus</i>	Prostrate Broom	G SC
<i>Lathyrus japonicus</i>	Sea Pea	AB
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	LR,FA,HH
<i>Medicago lupulina</i>	Black Medick	LR, FA
<i>Trifolium pratense</i>	Red Clover	LR G HH
<i>Trifolium repens</i>	White Clover	Clonque Bay
<i>Ulex europaeus</i>	Gorse	SC, G, Mannez reserve
<i>Vicia sativa</i>		BB
<i>Vicia sepium</i>	Bush Vetch	BB, FA
<b>Gentianaceae</b>	<b>Gentian Family</b>	
<i>Centaureum erythraea</i>	Common Centaury	HH,G
<b>Geraniaceae</b>	<b>Geranium Family</b>	
<i>Erodium cicutarium</i>	Common Stork's-bill	EH
<i>Geranium herreriae</i>	Alderney Crane's-bill	EH
<i>Geranium robertianum</i>	Herb Robert	Mannez reserve, WL
<b>Hippuridaceae</b>	<b>Mare's-tail Family</b>	
<i>Hippuris vulgaris</i>	Common Mare's-tail	Mannez reserve
<b>Lamiaceae</b>	<b>Dead-nettle Family</b>	
<i>Glechoma hederacea</i>	Ground Ivy	EH
<i>Mentha aquatica</i>	Water Mint	Mannez reserve
<i>Mentha suaveolens</i>	Round-leaved Mint	Clonque Bay
<i>Stachys sylvatica</i>	Hedge Woundwort	Alderney Allotments (AA)
<i>Thymus polytrichus</i>	Wild Thyme	FA, LR
<b>Malvaceae</b>	<b>Mallow Family</b>	
<i>Lavatera arborea</i>	Tree Mallow	PS, G,
<b>Oleaceae</b>	<b>Olive Family</b>	
<i>Ligustrum vulgare</i>	Wild Privet	EH
<b>Onagraceae</b>	<b>Willowherb Family</b>	
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Mannez reserve
<i>Oenothera glazioviana</i>	Large-flowered Evening Primrose	AA
<b>Orobanchaceae</b>	<b>Broomrape Family</b>	
<i>Orobanche minor</i>	Common Broomrape	CB

Scientific Name	Common Name	Location
<i>Orobanche rapum-genistae</i>	Greater Broomrape	G.
<i>Rhinanthus minor</i>	Yellow Rattle	Mannez reserve
<b>Papaveraceae</b>	<b>Poppy Family</b>	
<i>Fumaria muralis</i>	Common Ramping-fumitory	EH
<i>Glaucium flavum</i>	Yellow Horned-poppy	PS
<i>Papaver rhoeas</i>	Common Poppy	FA.
<b>Plantaginaceae</b>	<b>Plantain Family</b>	
<i>Plantago lanecolata</i>	Ribwort Plantain	BB
<b>Plumbaginaceae</b>	<b>Sea-lavender Family</b>	
<i>Armeria maritima</i>	Thrift	HH,G
<b>Polygonaceae</b>	<b>Knotweed Family</b>	
<i>Persicaria amphibia</i>	Amphibious Bistort	LR
<i>Rumex acetosa</i>	Common Sorrel	BB
<i>Rumex patientia</i>	Patience Dock	EH, HH
<b>Primulaceae</b>	<b>Primrose Family</b>	
<i>Anagallis arvensis</i>	Scarlet Pimpernel	MG EH
<b>Ranunculaceae</b>	<b>Buttercup Family</b>	
<i>Ranunculus repens</i>	Creeping Buttercup	LR,FA
<b>Rosaceae</b>	<b>Rose Family</b>	
<i>Crataegus monogyna</i>	Hawthorn	Mannez reserve
<i>Potentilla reptans</i>	Creeping Cinqufoil	G
<i>Prunus spinosa</i>	Blackthorn	Mannez reserve
<i>Rubus fruticosus</i>	Bramble	EH HH
<b>Rubiaceae</b>	<b>Bedstraw Family</b>	
<i>Galium aparine</i>	Cleavers	EH
<i>Galium verum</i>	Ladies Bedstraw	FA, HH
<b>Salicaceae</b>	<b>Willow Family</b>	
<i>Populus alba</i>	White Poplar	LR
<b>Solanaceae</b>	<b>Potato Family</b>	
<i>Lycium barbarum</i>	Duke of Argyll's Teapant	G
<i>Solanum dulcamara</i>	Bittersweet	
<b>Urticaceae</b>	<b>Nettle Family</b>	
<i>Parietaria judaica</i>	Pellitory-of-the-wall	CB
<i>Urtica dioica</i>	Stinging Nettle	EH
<b>Valerianaceae</b>	<b>Valerian Family</b>	
<i>Centranthus ruber</i>	Red Valerian	Bird observatory
<b>Veronicaceae</b>	<b>Speedwell Family</b>	
<i>Digitalis purpurea</i>	Foxglove	SC
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	BB
<i>Veronica chamaedrys</i>	Germander Speedwell	LR SC
<b>MONOCOTS</b>	<b>MONOCOTYLEDONS</b>	
<b>Cyperaceae</b>	<b>Sedge Family</b>	
<i>Eriophorum vaginatum</i>	Hares tail cotton grass	PS
<b>Iridaceae</b>	<b>Iris Family</b>	
<i>Iris pseudacorus</i>	Flag Iris	LR,PS
<b>Orchidaceae</b>	<b>Orchid Family</b>	
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	BB, LR, HH
<i>Ophrys apifera</i>	Bee Orchid	AB
<b>Poaceae</b>	<b>Grass Family</b>	
<i>Phragmites australis</i>	Common Reed	LR