

Northern Peru

Naturetrek Tour Report

6 - 23 October 2011

Report compiled by Alejandro Solano-Ugalde



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Leader: Alejandro Solano-Ugalde

Participants: David Todd
Ken Panchen
Julia Panchen
Dave Strevens
Carol Strevens
Lionel Cartlidge

Day 1

Thursday 6th October

Safe arrival from the UK

Day 2

Friday 7th October

Today we had an early transfer to the airport, and while we waited for our plane we saw the very first birds; West Peruvian Dove, the ubiquitous Eared Dove, and a Peregrine Falcon. Upon arriving at Iquitos we went to pick up wellies, and learn about our program and last minute details. At the office we were informed that the rains had been better this year and that the journey in the mighty Amazon was going to be rather swift. For the next two and a half hours we had a delightful trip, and while birding from the boat we saw some of the typical Amazonian riverside species including; Large billed and Yellow billed Tern, Cocoli Heron, Great and Snowy Egret, Yellow headed Caracara, Neotropic Cormorant and an Osprey. Once in the Yanayacu creek we made it up stream and after a short ride arrived at the lodge in time to enjoy a welcoming drink and a nice lunch.

During the afternoon we took a nice boat ride and enjoyed a diverse set of birds, Horned Screamer (a magnificent beast), our first of many Great Black and Black collared Hawks, Red bellied Macaw, Cobalt winged and Tui Parakeets, Greater Ani, Black throated Mango, Ringed and Amazon Kingfisher, Black fronted Nunbird, Scarlet crowned Barbet, Yellow tufted and the gaudy Cream-colored Woodpecker, Red-and-White Spinetail, Long billed Woodcreeper, Rusty fronted and Spotted Tody Flycatchers, Varzea Schiffornis, White winged Swallow, Masked Crimson and Turquoise Tanagers, Caqueta Seedeater, Red capped Cardinal, Yellow hooded Blackbird, Velvet fronted Grackle, among others. At the end of the day we had a nice dinner and commented on the diversity of life found in the Amazonian lowlands and designed the strategy to attempt to experience as much as possible in this unique part of the world.

Days 3 - 5

Saturday 8th - Monday 10th October

During our days at Muyuna we managed to explore the different habitats that produced a nice variety of species. During this time of the year, when the water level is low, many areas are easily accessible and therefore explorations to Varzea (seasonally flooded rainforest), oxbow lakes, river islands, Moriche swamps etc. are done more easily.

After a nice morning exploring the Piuri islands we managed to see the target bird of this lodge - although it took us a while we succeeded with prolonged views of a female Wattled Curassow, a bird that is very rare and seriously threatened in many parts of the range. The variety of Amazonian bird species that accompanied us was varied and included Cobalt winged, Dusky headed, Tui and White eyed Parakeets, as well as Yellow crowned, Festive and Short tailed Parrot. As we headed out we found Blue and Ruddy Ground Doves, Smooth billed Ani, Fork tailed Palm Swift (this bird steals feathers from the Oriole Blackbird, which apparently it uses to built its nest!), Rufescent Tiger Heron, four species of Kingfishers, Bluish fronted, White eared and Blue cheeked Jacamar, Scarlet crowned Barbet, Chestnut eared Aracari, White throated Toucan, Black-fronted Nunbird, Plain breasted Piculet, Crimson crested and Cream colored Woodpecker, Red-bellied Macaw, many colourful tanagers (the favourite of all being Paradise), many Black-collared and Slate-colored Hawks, Green backed Trogon (formerly Amazonian White tailed), and many of the new world flycatchers. Pale legged and Lesser Hornero and the gaudy and fast Red and White Spinetail showed well, and we also found Long-billed and Cinnamon-throated Woodcreepers, and Barred and Spot winged Antshrikes. Amongst the difficult antbirds we managed the special Black tailed Antbird (great views of a pair working obligingly), as well as the Warbling and Plumbeous. The Cotingas didn't disappoint us and we were very pleased with Plum throated Cotinga, Bare necked Fruit Crow, and Purple throated Fruit Crow, and admired the marvellous Amazonian Water Lilies.

The astonishing male Wire tailed Manakin had us all well entertained, and the pair of fighting Amazonian Royal Flycatchers produce a similar hypnotic effect. Varzea Schiffornis allowed close up views, as well as the Parkers Spinetail, Black and White and Ash breasted Antbird. The night birds were not vocally active but despite this we managed Great (with a chick!) and Common Potoos, Ferruginous Pygmy Owl, Tropical Screech Owl and Pauraque.

All in all we had a very productive first part of the trip. After our return to Iquitos we got checked-in to our hotel and later met to take a nice walk along the "malecón" during the last part of the afternoon, observing and learning from the livelihoods of the locals.

Day 6

Tuesday 11th October

Today we had the usual early start and pick-up, and had a full morning to explore a very unique and rather intriguing type of Amazonian habitat; the "white-sand forest" of Allpahuayo Mishana reserve. A good start came whilst having breakfast - big flocks of White-winged Parakeets were seeing flying past. Once on the trails we first birded the varillal and found a fast and gaudy Yellow browed Antbird, followed by skittish Mouse colored Antshrike and the female of the White crowned Manakin. We then patiently worked hard for an unexpected Ringed Antpipit, followed by a short walk where we found the ever cooperative Saffron-crested Tyrant-Manakin. While changing microhabitats, we secured the best ever looks of Brown-banded Puffbird through the telescope, and with a little patience added great looks of Orange-crested Manakin.

In the humid "chamizal" we could hear the Allpahuayo Antbird but only managed to lure in close the Zimmers Antbird instead. At the forest openings, the energetic activity of the Paradise Jacamar was soon enjoyed with nearby Swallow wing Puffbirds, Pompadour Cotinga, Blue Dacnis and both Short-billed and Purple Honeycreepers, and a vocalizing but elusive Ancient Antwren, among others. Before lunch we returned to Iquitos for a shower and organized our stuff to head to the airport to catch our short domestic flight to Tarapoto.

Once in Tarapoto we were met by our local driver (Horacio) and headed to a local restaurant for a tasty fish lunch, and afterwards we made it to the lodge and had a stroll to see some common open country birds, followed by a local dinner before arranging plans for the following day.

Day 7

Wednesday 12th October

Another good day started with pre dawn breakfast and we were soon ready and on our way to our first site; Juan Guerra. We visited a very different and unique type of Amazonian forest; a distinctive kind of dry forest habitat that is under the influence of the colossal Huallaga drainage. With some effort we found the Huallaga race of Western Slaty Antshrike (Huallaga Antshrike), together with a well worked pair of White browed Antbird (*koenigorum* subspecies: a potential future split we are now calling White capped Antbird!), Stripe chested Antwren, scope views of the minute White bellied Pygmy Tyrant, Yellow breasted Flycatcher and others. Along the river we could spot Grayish Saltator, Violaceous Jays, a Mishana Tyrannulet, Speckled Chachalaca, and good looks of the Blackish Antbird. Further ahead and along the quebrada we had good looks of Sulphur-bellied Tyrant-Manakin, Chestnut vented Conebill, Band tailed Manakin and the un-described subspecies of Plain crown Spinetail (Huallaga Spinetail!?).

After a good morning of birding we made a short stop at the hotel to cool down in the pool and collect bags. We then took lunch with us and promptly headed for Cerro La Escalera protected forest. The afternoon was bright and sunny so we decided to stop for our picnic. While enjoying lunch we watched the skies fill with nice flocks of White tipped and White collared Swifts. Later we went all the way up and pass the tunnel, little was moving but we found a couple of fruiting trees that hosted a variety of colourful birds such as Black-faced Dacnis, Gilded Barbet, Masked and Paradise Tanagers, Blue Dacnis and Green Honeycreeper. At the steep hillsides we found the habitual Cliff Flycatcher performing beautifully, and then we decided to begin the journey to Moyobamba.

As the sun went down over the landscape we went to our next lodge, stopping along the way to admire the unique Oilbirds at a site that allows close views. Afterwards we drove a short distance to check-in at Puerto Mirador in Moyobamba for nice meal and a good night's sleep.

Day 8

Thursday 13th October

We began another day of birding with a pre-breakfast stroll around the grounds where we had the Pale-breasted Thrush (a local species in Peru, much commoner in south-eastern South America), Turquoise and Blue necked Tanager, and some others as Rufous-fronted Thornbird, Blue winged Parrotlets, Streaked Flycatcher, and quick views only of the Huallaga Tanager. After breakfast and as the day progressed we ventured to the nearby Quebrada Mishkiyaquillo where we encountered a group of birds feasting on melastome trees of which amongst the most memorable were Green and Gold, Scarlet, Yellow crested, and Summer Tanager. Two other beauties came by in the form of Golden headed and Fiery capped Manakin, also around was a Double tooth Kite, a nice Long tailed Tyrant, and further ahead we found Green Manakin and Plain winged Antshrike, Elegant and Olivaceous Woodcreeper, San Martin Tyrannulet (a Golden-faced type that remains un-described), and Gilded Barbet. A nice selection of migratory warblers was also found around this part of the trail with at least two Cerulean Warblers winning the feathered show, accompanied by Canada and Blackburnian Warbler.

We were lucky at the hummingbird feeders and we easily had Eastern Long tailed, Black throated, Green, and Rufous breasted Hermit, Grey breasted Sabrewing, White necked Jacobin, Sapphire spangled Emerald, Golden-tailed Sapphire and the extremely exquisite Rufous crested Coquette! At the mind boggling orchid gardens we enjoyed many blossoms, and added White lored Euphonia (also named Golden bellied) and the Burnished buff Tanager.

By the Aguas Verdes River, we stopped and after having enjoyed a nice packed lunch we were even more pleased when our driver provided us with a cup of coffee, highly welcome! At the mighty foothills we had very good luck and soon spotted a pair of White capped Dippers, and a Torrent Duck was soon called out, as well as a female Cock of the Rock that flew across the river.

We then decided to try for the Royal Sunangel, but found that the road was in repair very close to the best place to try the species, however after a little persistence we found a male, which was very exciting, and before leaving to go to the Owllet Lodge we had a Rufous tailed Tyrant at the rock face across the road. Once in the lodge we had a good welcome and a nice dinner.

Day 9

Friday 14th October

We had the customary early breakfast and soon were on our way to the Antpitta feeding trail, unfortunately the morning was very windy and we had to settle with a no show! However, despite the weather the rest of the morning provided a nice show of colourful birds including Saffron crowned, Blue and Black, Beryl spangled, and Silver back Tanagers.

Later we tried the hummingbird feeders and while enjoying those lively gems we heard and quickly secured a gaudy Lulu's (Johnson's) Tody Tyrant. Inside the forest we picked up Black throated Tody Tyrant (*H. g. pyrrops* also referred to as Buff lored by some), and the obliging Cinnamon Flycatcher. We heard the Rusty tinged Antpitta and a few other skulkers but the wind was seemingly not helping!. At the end of the morning walk we had better luck with Variable Antshrike, Pearled Treerunner, Green and black Fruiteater, Scaly naped Amazon, Red hooded Tanager, Citrine Warbler, Cloud-forest (part of the Yellow breasted complex) Brush Finch, Spectacled Whitestar and Blue capped Tanager.

After a full morning of birding, we had a well deserved lunch and we decided that the afternoon was to be spent in the area around Afluentes. As we reached lower elevations we found a different set of nice birds that came in fast and furious - we discovered a flock of all sorts of tanagers and allies that moved back and forth in between fruiting trees allowing memorable views of specialities such as Vermilion Tanager (a hefty family group!), White winged, Orange eared, Golden eared, Golden, Saffron crowned, Spotted, Bay headed, Golden naped, Blue necked and Paradise Tanagers in the company of Bronze green Euphonia, Black faced Dacnis and Green Honeycreeper.

The day had been a success and part of the group decided to try their luck at the new Owllet trail and although it responded very close they only managed to hear it this time - however a Grey Potoo was found and was enjoyed as it stood in its hunting perch.

Day 10

Saturday 15th October

Today we started early and had a totally different set of birds beginning with Undulated Antpitta, being fed at 4 metres range for almost 5 minutes! We then birded the trails behind and around the lodge, and found Sharpes' Wren, White winged Black Tyrant, Pearl Treerunner, Large footed Tapaculo, Grass green Tanager and many others. Later we ventured down the road to find a single, but very responsive White capped Tanager and a single Hooded Mountain-Tanager as it floated over the road. Lower down yet we entered the trail at the Royal Sunangel bend and found the forest to be very quiet as it was very sunny - however we found our only pair of the Uniform Antshrike and just before leaving enjoyed a Greenish Puffleg.

Afterwards we continued onwards to have a nice picnic lunch with refreshing views of Pomacochas Lake, and as we headed out to the nearby Marvelous Spatuletail Center, we did a little birding and picked up Grassland Yellow Finch, Andean Lapwing, and our first Peruvian Meadowlark. This afternoon we had a very important date, the task was to find and appreciate the beauty of one of the most astonishing hummingbirds of the Americas, the aptly named Marvelous Spatuletail. A few minutes after arriving we were admiring a couple of adult males that were showing around a patch of hummingbird feeders by a dry quebrada. What a wonderful bird! ...and we even managed to witness two males fighting for a little while!. Along came pleasant views of Andean Emerald, Sparkling and Green Violetear, and a pair of the precious Violet fronted Brilliant.

We then descended to the town of Pedro Ruiz and while parked at the petrol station managed good scope views of the Peruvian (Marañon) Pigeon! Later we drove along the Utcubamba River and given that the valley is parallel to the Marañon River, a fairly good number of other middle Marañon endemics were on our scope for the afternoon. With a well appointed stop we found a several "Marañon" Streak Saltator, a couple family groups of Buff bellied Tanager, a skulking and showy pair of finely pattern Marañon Wren (for some part of Speckled breasted), and a few Marañon Thrushes. Those, combined with the impressive scenery, made the afternoon a memorable one. At the end of the day we reached the new hotel in close proximity to Kuelap where we were warmly greeted and enjoyed dinner in the nearby gardens with Koepcke's Screech Owl serenading us.

Day 11

Sunday 16th October

Today was dedicated to the cultural experience of learning about the Chachapoyas but we couldn't pass on the early pre-breakfast birding that luckily yielded the endemic Black necked Woodpecker at a fruiting orange tree! On the way we stopped for a nice flock of Scarlet fronted Parakeets that was perched nearby, the taxonomy of the Aratinga in the Utcubamba remains obscure. After a thrilling drive uphill, once in the fortress we were greeted by a beautiful pair of Mountain Caracara that glided at close range and at eye level.

The pre-Incan Chachapoyans lived in the surroundings of this valley and worked intensively in building Kuelap Fortress, this archaeological site had all of us very impressed. Once inside the site we had the fortune to find more new good birds and while admiring the designs and the unique type of architecture we also happily found Tufted Tit Tyrant, Black throated Flowerpiercer, Red crested Cotinga, Rufous breasted Chat Tyrant, White banded Tyrannulet, the bromeliad-loving Streaked Tufted-cheek, and the distinct grey-morph of Superciliated Hemispingus (often refer as White bellied or Silvery). Once back at the parking area we enjoyed lunch while appreciating the scenic views.

In the afternoon we did the downhill from Kuelap to the famous El Chillo. After having dropped bags and before leaving to check on the Leymebamba feeders, we were all amazed by the scope views of a pair of endemic Koepcke's Screech Owls that have made the lodge its roost! Late afternoon found us enjoying the hummingbirds, including Sparkling Violetear, and managed special new ones in the form of Rainbow Starfrontlet, Purple throated Sunangel, Green tailed Trainbearer, and gaudy passerines like Black crested Warbler, an obliging male Rusty Flowerpiercer and a fast and rebel Rufous winged Tyrannulet. After a day packed with culture, scenery, and birds, we went back to the hotel and had a tasty meal and a well earned night's sleep.

Day 12

Monday 17th October

We were out early in the nice gardens of the hotel, and bordering the Utcubamba River we were delighted with some nice birds such as White tipped Dove, a translucent Chestnut crowned Antpitta, another look at the endemic Black necked Woodpecker, and other regional endemics such as Spot throated Hummingbird (building its nest!), Buff bellied Tanager, Marañon Thrush and Gnatcatcher, and some widespread gaudy ones like Vermilion Flycatcher, Blue and Yellow Tanager, and the yet unresolved Line cheeked/Barons'Spinetail. Soon before getting ready to go packing a small bird appeared and suddenly we were enthralled with good views of the endemic Speckled chested Piculet! Everything had gone well this morning and to add to this we spotted two individuals of Koepcke's Screech Owl.

After having left the Utcubamba behind, we did a couple of stops trying fruitlessly for Marañon Spinetail. Later we went across the Marañon River and stopped under the air conditioned shade of a tree where we enjoyed lunch. We then continued our transfer to Jaén, had a relaxed check-in, and after a refreshing dip in the pool resumed birding. The afternoon was hot and we planned to bird in the outskirts of town. We birded around Seminario and found some good birds such as Brown crested Flycatcher (very localized bird in Perú), Inca Jay, Rufous browed Peppershrike (taxonomy still pending on this taxon, there are many subspecies!), Purple throated Euphonia, Red crested Finch and a showy target in the form of Marañon Slaty Antshrike. To top the afternoon we decided to bird some rice paddies but we couldn't flush much. We had an Asian-Peruvian style supper and then rested early ready for the next day.

Day 13

Tuesday 18th October

Today we started early with some night birding producing Anthonys (Scrub) Nightjar and later we were having breakfast before heading to the hide to try for Tataupa Tinamou. We all had good looks at this beautiful tinamou species, some even granting scope views of a bird preening! We then headed to the trails where we happily picked up Marañon Crescentchest, and located other regional endemics like Ecuadorian Ground Dove, Pacific Parrotlet (in good numbers here), Inca Jay (Green, *C. i. longirostris* subspecies), Spot throated Hummingbird, the localized subspecies of Black capped (Marañon) Sparrow, an unexpected Alder Flycatcher, Marañon (*maior* subspecies of Tropical) Gnatcatcher and Scarlet backed Woodpecker. Later along another trail we found the Little Inca Finch to be a bit shy but in the end showed in two instances. We moved to the hotel to refresh in the pool in the heat of the day and had an early lunch before beginning the journey across the western Andes.

With our bags in the van we set off and made good time in order to do a strategic birding stop at the western versant of Porculla Pass, the lowest in the whole Andean mountain range which happens to be a dispersal barrier for species both to the north and south.

Although the landscape has been highly modified here, the stop provided good results of tumbesian birds like the local endemic Bay-crowned Brush Finch, Chapman's Antshrike, Three banded Warbler, Tumbes Pewee, Black-cowled Saltator and others more widely distributed such as Chiguango Thrush and Slate throated Whitestar. Later we continued our drive and arrived at our hotel in time for a welcoming dinner cooked in a nice ambience, before a well deserved good night of sleep.

Day 14

Wednesday 19th October

We started our birding right in the grounds of the hotel, a pre-breakfast stroll provided nice looks of some nice Tumbesian endemics such as West Peruvian Dove, Pacific Hornero, White-faced Gnatcatcher (split from Tropical), Grey and White Tyrannulet, Tumbesian Tyrannulet (split from Mouse colored), Croaking Ground Dove, Pacific Parrotlet as well as Golden Olive Woodpecker and the ever joyful Collared Antshrike.

After a hefty breakfast we then headed to the Lord of Sipán Museum. In this astonishing museum we were pleased to learn about the Moche culture, another one of the many little known pre-Incan civilizations that inhabited South America in pre Columbian times. We were impressed by the high level of metallurgic works and the knowledge reflected in the superb work in their ornaments and organization of their society.

Later we dove to Chaparrí, where we had a very pleasant lunch consistently interrupted by the odd White winged Guans, the astonishing White tailed Jays, the aptly name Elegant Crescentchest and the curious Sechuran Fox. By the time we were finished we were assigned to our cabins and later met for some afternoon birding. Chaparrí is always an enchanting peaceful place to come back to, its remoteness, rustic and comfortable arrangements together with its dry forest and “quality” tumbesian specialities list makes it a must for any birder visiting northwest Peru. The afternoon birding worked well and soon we were watching large numbers of the critically endangered White winged Guans up close. On the way we found Tumbes Sparrow, White headed Brush Finch, White edge Oriole, Peruvian Meadowlark and the cryptic Superciliated Wren. We also encountered White tailed Deer and a White collared Peccary on the way!

Day 15

Thursday 20th October

The beginning of the day was announced by the characteristic sound the White winged Guans produce in dawn hours. The weather is very nice this time of the year, we had a clear morning and after having secured our first cup of coffee we went down by the creek side to enjoy the usual hectic activity of hummingbirds, where we watched the ritualized baths of Purple-collared and Short tailed Woodstars, Tumbes and Amazilia Hummingbird and a brief visit by Peruvian Sheartail.

After breakfast we then decided to bird the lower premises of the lodge and found Grey and white Tyrannulet, Vermillion and Baird's Flycatchers, Collared Warbling Finch, and Tumbes Sparrow. Lower down we were happy when we finally found compact flocks of some 10-30 individuals of the local Sulphur-throated Finch and the Parrot-billed Seedeaters, two of the usual targets at this reserve. On the way back we had a cooperative pair the monotypic Cinereous Finch collecting insects from the sap of trees, and were delighted by the views of singing White-edge Oriole. We then headed uphill to scan the skies and found Black chested Buzzard Eagle, Variable Hawk and a King Vulture.

Soon after our local guide found us a Spectacled Bear female and cub that were walking downhill in a nearby rocky slope, what a thrill, not only a great finding but mother and offspring together made the “Paddington Expedition” a magnificent success!!

After a tasty coastal lunch we went out again, this time uphill, where we found nice tumbesian birds such as Tumbes Sparrow, Collared Warbling Finch, White headed Brush Finch, the highly welcomed Pacific Elaenia and the fine Peruvian (Pacific) Pygmy Owl. Upon reaching the area of our previous bear sighting we moved slowly, and after looking in vain for Andean Tinamou found again the female Spectacled Bear with her young, walking up the slope and stopping to feed at a rock where we watched them for a while before continuing, finding bonus birds such as Red masked Parakeet and Aplomado Falcon.

Day 16

Friday 21st October

With our previous day's good results, we decided to have an early departure from Chaparri to a place en route to the Tinajones reservoir to look for rallids. Luckily for us and not having to wait too long, we were soon enjoying scope views of a pair of fine looking Spotted Rails, and before we knew it they decided to put on a reproductive show for us! As we had a busy birding itinerary for the day we moved to the reservoir to have breakfast while spotting Savannah Hawk chasing a busy pair of the attractive Necklaced Spinetail, and also enjoyed a cooperative and aptly named Short tailed Field Tyrant. Among the water birds we could find hundreds of Pied billed, a single Great Grebe, plenty of egrets and Cocoi Herons, Grey hooded Gull, Cinnamon Teal, White-cheeked Pintails, a single Andean (Slate colored) Coot and a pair of the unexpected Yellow billed Pintail. At the water edges were Black necked Stilts and soaring above were Crested Caracara and Osprey. On the way out we found a very close and large group of the beautiful and oddly ornamented Comb Duck, with at least three males showing off while loftily preening.

Our next stop was Pomac Forest and after registering in the entrance we headed to the classical stop where we admired an old Prosopis tree. After seeing the grandfather of the forest we were directed to the dry forest across the road and after patiently looking we were greeted by superb views of a male Peruvian Plantcutter. Back on the road we headed further and stopped next to the dry river bed where after a little bit of persistence we were greeted with nice views of another tumbesian endemic, the most distinctive of the *myiarchus* flycatchers: Rufous Flycatcher. To top up the morning as we headed to our lunch stop we managed the incredible Coastal Miner, withstanding conditions of the desert, like few other birds.

We stopped in Chiclayo for lunch which turned out to be a feast and we tasted a diverse array of typical dishes. We then had the afternoon to search for new birds along the coast, and drove to Etén where we found quite a good variety of the typical birds found in the Humboldt current including Peruvian Pelican, Peruvian Booby, American Oystercatcher, Wandering Tattler, Surfbird, Grey hooded and Kelp Gulls.

Later at a marshland we admired hundreds of Common Gallinules, Lesser Yellowlegs, Pectoral and Least Sandpipers and an alerted Killdeer. At the reeds edge we had a family group of the ever impressive Many coloured Rush Tyrant and the ubiquitous Wren like Rush Bird. We then returned to the van and drove towards Chiclayo making one last stop that provided two flocks of one of South America's most wanted waders, the elegant Tawny throated Dotterel.

As the skies turned into a palette of colour we continued onward to do our check-in at the Hotel Grand Chiclayo. After refreshing, we had a farewell dinner to celebrate the success of our birding journey with some nice local drinks.

Day 17

Saturday 22nd October

On the last day we had an impressive buffet breakfast in Chiclayo hotel and then headed to the airport for our short flight to Lima. Once in Lima we went to a conveniently located hotel to drop bags and set off north of the capital to Lomas de Lachay. This interesting reserve receives a seasonal rolling cloud of humidity that drastically changes the desert into a carpet of green and multicoloured prairie-like fields. This year the humidity has been plentiful and the vegetation was covering everything. We enjoyed a packed lunch while watching raptors: Variable Hawk, Black chested Buzzard Eagle and a Peregrine Falcon. The day was very sunny and there were plenty of buses from visiting schools so it was rather noisy, but down by the interpretative centre we had a couple fly-overs of Raimondi's Yellow Finch, plenty of "Ruffies" (Rufous collared Sparrows), and Masked Yellowthroat (*G. a. auricularis* often named Black lored Yellowthroat). A single Thick billed Miner responded but unfortunately was out of sight. On the way out we picked up Band tailed Sierra Finch and Yellowish Pipit, and enjoyed our lasts looks at a lethargic Burrowing Owl.

We then headed to the hotel to collect bags to take with us to the airport and check in and waited for the departure flight back to the UK.

Day 18

Sunday 23rd October

Return to London

Summary: All in all, the group agreed on the excellent results of this trip, over 600 species of birds recorded! Congratulations to all participants! A good number of Peruvian endemics, and a plentiful list of regional endemics and specialties were seen, as well as a good list of mammals and an impressive snap shot of culture at Chachapoyas and Moche archaeological sites that added to the diversity of the experience.

This was indeed a successful trip, with great camaraderie, and we had difficulty choosing a favourite bird, day or experience, from our experiences!

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans. Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

Species Lists

Birds (✓ = recorded but the group; L = Leader only; H = Heard only)

	Common name	Scientific name	TL		Common name	Scientific name	TL
1	Hooded Tinamou	<i>Nothocercus nigrocapillus</i>	✓	296	Black-and-white Antbird	<i>Myrmochanes hemileucus</i>	✓
2	Undulated Tinamou	<i>Crypturellus undulatus</i>	✓	297	Allpahuayo Antbird	<i>Percnostola arenarum</i>	H
3	Tataupa Tinamou	<i>Crypturellus tataupa</i>	✓	298	Northern Chestnut-tailed Antbird	<i>Myrmeciza castanea</i>	✓
4	Pied-billed Grebe	<i>Podilymbus podiceps</i>	✓	299	Plumbeous Antbird	<i>Myrmeciza hyperythra</i>	✓
5	Great Grebe	<i>Podiceps major</i>	✓	300	White-shouldered Antbird	<i>Myrmeciza melanoceps</i>	H
6	Peruvian Pelican	<i>Pelecanus thagus</i>	✓	301	Barred Anthrush	<i>Chamaeza mollissima</i>	✓
7	Blue-footed Booby	<i>Sula nebouxii</i>	L	302	Undulated Antpitta	<i>Grallaria squamigera</i>	✓
8	Peruvian Booby	<i>Sula variegata</i>	✓	303	Chestnut-crowned Antpitta	<i>Grallaria ruficapilla</i>	H
9	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	✓	304	Rusty-tinged Antpitta	<i>Grallaria przewalskii</i>	H
10	Capped Heron	<i>Pilherodius pileatus</i>	✓	305	Chestnut Antpitta	<i>Grallaria blakei</i>	H
11	Cocoi Heron	<i>Ardea cocoi</i>	✓	306	Ochre-fronted Antpitta	<i>Grallaricula ochraceifrons</i>	H
12	Great Egret	<i>Ardea alba</i>	✓	307	Elegant Crescentchest	<i>Melanopareia elegans</i>	✓
13	Little Blue Heron	<i>Egretta caerulea</i>	✓	308	Marañón Crescentchest	<i>Melanopareia maranonica</i>	✓
14	Snowy Egret	<i>Egretta thula</i>	✓	309	Large-footed Tapaculo	<i>Scytalopus macropus</i>	✓
15	Cattle Egret	<i>Bubulcus ibis</i>	✓	310	Trilling Tapaculo	<i>Scytalopus parvirostris</i>	H
16	Striated Heron	<i>Butorides striatus</i>	✓	311	Peruvian Plantcutter	<i>Phytotoma raimondii</i>	✓
17	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	✓	312	Red-crested Cotinga	<i>Ampelion rubrocristata</i>	✓
18	Boat-billed Heron	<i>Cochlearius cochlearius</i>	✓	313	Green-and-black Fruiteater	<i>Pipreola riefferii</i>	✓
19	Fasciated Tiger-Heron	<i>Tigrisoma fasciatum</i>	✓	314	Barred Fruiteater	<i>Pipreola arcuata</i>	H
20	Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>	✓	315	Plum-throated Cotinga	<i>Cotinga maynana</i>	✓
21	Green Ibis	<i>Mesembrinibis cayennensis</i>	✓	316	Pompadour Cotinga	<i>Xipholena punicea</i>	✓
22	Horned Screamer	<i>Anhima cornuta</i>	✓	317	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>	✓
23	Muscovy Duck	<i>Cairina moschata</i>	✓	318	Purple-throated Fruitcrow	<i>Querula purpurata</i>	✓
24	Comb Duck	<i>Sarkidiornis melanotos</i>	✓	319	Andean Cock-of-the-rock	<i>Rupicola peruviana</i>	✓
25	Torrent Duck	<i>Merganetta armata</i>	✓	320	Green Manakin	<i>Chloropipo holochlora</i>	✓
26	Yellow-billed Pintail	<i>Anas georgica</i>	✓	321	White-bearded Manakin	<i>Manacus manacus</i>	✓
27	White-cheeked Pintail	<i>Anas bahamensis</i>	✓	322	Wire-tailed Manakin	<i>Pipra filicauda</i>	✓
28	Cinnamon Teal	<i>Anas cyanoptera</i>	✓	323	White-crowned Manakin	<i>Dixiphia pipra</i>	✓
29	Black Vulture	<i>Coragyps atratus</i>	✓	324	Golden-headed Manakin	<i>Pipra erythrocephala</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
30	Turkey Vulture	<i>Cathartes aura</i>	✓	325	Band-tailed Manakin	<i>Pipra fasciicauda</i>	✓
31	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	✓	326	Fiery-capped Manakin	<i>Machaeropterus pyrocephalus</i>	✓
32	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	✓	327	Orange-crowned Manakin	<i>Heterocercus aurantiivertex</i>	✓
33	King Vulture	<i>Sarcoramphus papa</i>	✓	328	Saffron-crested Tyrant-Manakin	<i>Neopelma chrysocephalum</i>	✓
34	Osprey	<i>Pandion haliaetus</i>	✓	329	Sulphur-bellied Tyrant-Manakin	<i>Neopelma sulphureiventer</i>	✓
35	Hook-billed Kite	<i>Chondrohierax uncinatus</i>	L	330	Mouse-colored Tyrannulet	<i>Phaeomyias murina</i>	✓
36	Swallow-tailed Kite	<i>Elanoides forficatus</i>	✓	331	Tumbesian Tyrannulet	<i>Phaeomyias tumbesana</i>	✓
37	Pearl Kite	<i>Gampsonyx swainsonii</i>	✓	332	Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	✓
38	Double-toothed Kite	<i>Harpagus bidentatus</i>	✓	333	Pacific Elaenia	<i>Myiopagis subplacens</i>	✓
39	Plumbeous Kite	<i>Ictinia plumbea</i>	✓	334	Gray-and-white Tyrannulet	<i>Pseudelaenia leucospodia</i>	✓
40	Plain-breasted Hawk	<i>Accipiter ventralis</i>	✓	335	Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>	✓
41	Crane Hawk	<i>Geranoospiza caerulescens</i>	✓	336	Small-billed Elaenia	<i>Elaenia parvirostris</i>	✓
42	Slate-colored Hawk	<i>Leucopternis schistaceus</i>	✓	337	Sierran Elaenia	<i>Elaenia pallatangae</i>	✓
43	Great Black-Hawk	<i>Buteogallus urubitinga</i>	✓	338	Tumbes Beardless-Tyrannulet	<i>Camptostoma obsoletum sclateri</i>	✓
44	Savanna Hawk	<i>Buteogallus meridionalis</i>	✓	339	West Amazonian Beardless-Tyrannulet	<i>Camptostoma obsoletum olivaceum</i>	✓
45	Harris' Hawk	<i>Parabuteo unicinctus</i>	✓	340	Torrent Tyrannulet	<i>Serpophaga cinerea</i>	✓
46	Black-collared Hawk	<i>Busarellus nigricollis</i>	✓	341	Streak-necked Flycatcher	<i>Mionectes striaticollis</i>	✓
47	Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>	✓	342	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	✓
48	Roadside Hawk	<i>Buteo magnirostris</i>	✓	343	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>	✓
49	Short-tailed Hawk	<i>Buteo brachyurus</i>	✓	344	Slaty-capped Flycatcher	<i>Leptopogon superciliaris</i>	✓
50	Variable Hawk	<i>Buteo polyosoma</i>	✓	345	Rufous-headed Pygmy-Tyrant	<i>Pseudotriccus ruficeps</i>	H
51	Black Caracara	<i>Daptrius ater</i>	✓	346	Mishana Tyrannulet	<i>Zimmerius villarejoi</i>	H
52	Red-throated Caracara	<i>Ibycter americanus</i>	✓	347	"San Martin" Tyrannulet	<i>Zimmerius (chlorops/viridaflavus) (s)sp nov</i>	✓
53	Mountain Caracara	<i>Phalcoboenus megalopterus</i>	✓	348	Olive Flycatcher	<i>Mitrephanes olivaceus</i>	✓
54	Crested Caracara	<i>Caracara cheriway</i>	✓	349	Rufous-winged Tyrannulet	<i>Mecocercalus calopterus</i>	D
55	Yellow-headed Caracara	<i>Milvago chimachima</i>	✓	350	White-banded Tyrannulet	<i>Mecocercalus stictopterus</i>	✓
56	Laughing Falcon	<i>Herpetotheres cachinnans</i>	✓	351	Tufted Tit-Tyrant	<i>Anairetes parulus</i>	✓
57	American Kestrel	<i>Falco sparverius</i>	✓	352	Many-colored Rush-Tyrant	<i>Tachuris rubrigastra</i>	✓
58	Aplomado Falcon	<i>Falco femoralis</i>	✓	353	Tawny-crowned Pygmy-Tyrant	<i>Euscarthmus meloryphus</i>	✓
59	Peregrine Falcon	<i>Falco peregrinus</i>	✓	354	White-bellied Pygmy-Tyrant	<i>Myiornis albiventris</i>	✓
60	Speckled Chachalaca	<i>Ortalis guttata</i>	✓	355	Lulu's Tody-Tyrant	<i>Poecilotriccus luluae</i>	✓
61	White-winged Guan	<i>Penelope albipennis</i>	✓	356	Black-throated Tody-Tyrant	<i>Hemitriccus granadensis</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
62	Wattled Curassow	<i>Crax globulosa</i>	✓	357	Rusty-fronted Tody-Flycatcher	<i>Poecilatriccus latirostris</i>	✓
63	Hoatzin	<i>Opisthocomus hoazin</i>	✓	358	Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>	✓
64	Gray-breasted Crake	<i>Laterallus exilis</i>	✓	359	Common Tody-Flycatcher	<i>Todirostrum cinereum</i>	✓
65	Spotted Rail	<i>Pardirallus maculatus</i>	✓	360	Ringed Antpipit	<i>Corythopsis torquata</i>	✓
66	Purple Gallinule	<i>Porphyryla martinica</i>	✓	361	Yellow-olive Flycatcher	<i>Tolmomyias sulphurescens</i>	✓
67	Common Gallinule	<i>Gallinula galleata</i>	✓	362	Gray-crowned Flycatcher	<i>Tolmomyias poliocephalus</i>	✓
68	Andean (Slate-colored) Coot	<i>Fulica ardesiaca</i>	✓	363	Yellow-breasted Flycatcher	<i>Tolmomyias flaviventris</i>	✓
69	Wattled Jaçana	<i>Jacana jacana</i>	✓	364	Amazonian Royal-Flycatcher	<i>Onychorhynchus coronatus</i>	✓
70	American Oystercatcher	<i>Haematopus palliatus</i>	✓	365	Bran-colored Flycatcher	<i>Myiophobus fasciatus</i>	✓
71	Black-necked Stilt	<i>Himantopus mexicanus</i>	✓	366	Olive-chested Flycatcher	<i>Myiophobus cryptoxanthus</i>	✓
72	Peruvian Thick-knee	<i>Burhinus superciliaris</i>	✓	367	Black-tailed Flycatcher	<i>Myiobius atricaudus</i>	✓
73	Andean Lapwing	<i>Vanellus resplendens</i>	✓	368	Cinnamon Flycatcher	<i>Pyrrhomyias cinnamomea</i>	✓
74	Killdeer	<i>Charadrius vociferus</i>	✓	369	Cliff Flycatcher	<i>Hirundinea ferruginea</i>	✓
75	Tawny-throated Dotterel	<i>Oreopholus ruficollis</i>	✓	370	Fuscous Flycatcher	<i>Cnemotriccus fuscatus</i>	✓
76	Whimbrel	<i>Numenius phaeopus</i>	✓	371	Euler's Flycatcher	<i>Lathrotriccus eulerei</i>	✓
77	Lesser Yellowlegs	<i>Tringa flavipes</i>	✓	372	Smoke-colored Pewee	<i>Contopus fumigatus</i>	✓
78	Spotted Sandpiper	<i>Actitis macularia</i>	✓	373	Eastern Wood-Pewee	<i>Contopus virens</i>	✓
79	Surfbird	<i>Aphriza virgata</i>	✓	374	Tumbes Pewee	<i>Contopus punensis</i>	✓
80	Sanderling	<i>Calidris alba</i>	✓	375	Alder Flycatcher	<i>Empidonax alnorum</i>	✓
81	Least Sandpiper	<i>Calidris minutilla</i>	✓	376	Black Phoebe	<i>Sayornis nigricans</i>	✓
82	Pectoral Sandpiper	<i>Calidris melanotos</i>	✓	377	Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>	✓
83	Wilson's Phalarope	<i>Phalaropus wilsoni</i>	✓	378	Rufous-breasted Chat-Tyrant	<i>Ochthoeca rufipectoralis</i>	✓
84	Kelp Gull	<i>Larus dominicanus</i>	✓	379	Tumbes Tyrant	<i>Tumbezia salvini</i>	✓
85	Gray-headed Gull	<i>Larus cirrocephalus</i>	✓	380	Drab Water-Tyrant	<i>Ochthornis littoralis</i>	✓
86	Laughing Gull	<i>Larus atricilla</i>	L	381	Short-tailed Field-Tyrant	<i>Muscigralla brevicauda</i>	✓
87	Yellow-billed Tern	<i>Sterna superciliaris</i>	✓	382	Rufous-tailed Tyrant	<i>Knipolegus poecilurus</i>	✓
88	Large-billed Tern	<i>Phaetusa simplex</i>	✓	383	White-winged Black-Tyrant	<i>Knipolegus aterrimus</i>	✓
89	Rock Pigeon	<i>Columba livia</i>	✓	384	White-headed Marsh-Tyrant	<i>Arundinicola leucocephala</i>	✓
90	Band-tailed Pigeon	<i>Columba fasciata</i>	✓	385	Long-tailed Tyrant	<i>Colonia colonus</i>	✓
91	Pale-vented Pigeon	<i>Columba cayennensis</i>	✓	386	Cinnamon Attila	<i>Attila cinnamomeus</i>	✓
92	Peruvian (Marañon) Pigeon	<i>Columba oenops</i>	✓	387	Citron-bellied Attila	<i>Attila citriniventris</i>	H
93	Plumbeous Pigeon	<i>Columba plumbea</i>	✓	388	Bright-rumped Attila	<i>Attila spadiceus</i>	H
94	Eared Dove	<i>Zenaida auriculata</i>	✓	389	Rufous Flycatcher	<i>Myiarchus semirufus</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
95	West Peruvian Dove	<i>Zenaida meloda</i>	✓	390	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	✓
96	Plain-breasted Ground-Dove	<i>Columbina minuta</i>	✓	391	Swainson's Flycatcher	<i>Myiarchus swainsoni</i>	✓
97	Ruddy Ground-Dove	<i>Columbina talpacoti</i>	✓	392	Short-crested Flycatcher	<i>Myiarchus ferox</i>	✓
98	Croaking Ground-Dove	<i>Columbina cruziana</i>	✓	393	Pale-edged Flycatcher	<i>Myiarchus cephalotes</i>	✓
99	Blue Ground-Dove	<i>Claravis pretiosa</i>	✓	394	Sooty-crowned Flycatcher	<i>Myiarchus phaeocephalus</i>	✓
100	Bare-faced Ground-Dove	<i>Metriopelia ceciliae</i>	✓	395	Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>	✓
101	White-tipped Dove	<i>Leptotila verreauxi</i>	✓	396	Lesser Kiskadee	<i>Philohydor lictor</i>	✓
102	Gray-fronted Dove	<i>Leptotila rufaxilla</i>	✓	397	Great Kiskadee	<i>Pitangus sulphuratus</i>	✓
103	White-throated Quail-Dove	<i>Geotrygon frenata</i>	✓	398	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	✓
104	Ruddy Quail-Dove	<i>Geotrygon montana</i>	✓	399	Social Flycatcher	<i>Myiozetetes similis</i>	✓
105	Red-bellied Macaw	<i>Orthopsittica manilata</i>	✓	400	Baird's Flycatcher	<i>Myiodynastes bairdii</i>	✓
106	Mitred Parakeet	<i>Aratinga mitrata</i>	✓	401	Streaked Flycatcher	<i>Myiodynastes maculatus</i>	✓
107	Red-masked Parakeet	<i>Aratinga erythrogenys</i>	✓	402	Piratic Flycatcher	<i>Legatus leucophaeus</i>	✓
108	Scarlet-fronted Parakeet	<i>Aratinga wagleri</i>	✓	403	Variegated Flycatcher	<i>Empidonomus varius</i>	✓
109	White-eyed Parakeet	<i>Aratinga leucophthalmus</i>	✓	404	Crowned Slaty-Flycatcher	<i>Griseotyrannus aurantioatrocristatus</i>	✓
110	Dusky-headed Parakeet	<i>Aratinga weddellii</i>	✓	405	White-throated Kingbird	<i>Tyrannopsis albobularis</i>	✓
111	Rose-fronted Parakeet	<i>Pyrrhura roseifrons</i>	L	406	Tropical Kingbird	<i>Tyrannus melancholicus</i>	✓
112	Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>	✓	407	Greater (Várzea) Schiffornis	<i>Schiffornis major</i>	✓
113	Pacific Parrotlet	<i>Forpus coelestis</i>	✓	408	White-winged Becard	<i>Pachyramphus polychopterus</i>	✓
114	Canary-winged Parakeet	<i>Brotogeris versicolurus</i>	✓	409	Cinereous Becard	<i>Pachyramphus rufus</i>	✓
115	Cobalt-winged Parakeet	<i>Brotogeris cyanoptera</i>	✓	410	Black-tailed Tityra	<i>Tityra cayana</i>	✓
116	Tui Parakeet	<i>Brotogeris sanctithomae</i>	✓	411	Masked Tityra	<i>Tityra semifasciata</i>	✓
117	Short-tailed Parrot	<i>Graydidascalus brachyurus</i>	✓	412	Gray-breasted Martin	<i>Progne chalybea</i>	✓
118	Blue-headed Parrot	<i>Pionus menstruus</i>	✓	413	Tumbes Swallow	<i>Tachycineta stolzmanni</i>	✓
119	Red-billed Parrot	<i>Pionus sordidus</i>	✓	414	White-winged Swallow	<i>Tachycineta albiventer</i>	✓
120	Festive Parrot	<i>Amazona festiva</i>	✓	415	Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>	✓
121	Yellow-crowned Parrot	<i>Amazona ochrocephala</i>	✓	416	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	✓
122	Scaly-naped Parrot	<i>Amazona mercenaria</i>	✓	417	Bank Swallow	<i>Riparia riparia</i>	✓
123	Mealy Parrot	<i>Amazona farinosa</i>	✓	418	Chestnut-collared Swallow	<i>Petrochelidon rufocollaris</i>	✓
124	Squirrel Cuckoo	<i>Piaya cayana</i>	✓	419	Barn Swallow	<i>Hirundo rustica</i>	✓
125	Little Cuckoo	<i>Piaya minuta</i>	✓	420	Yellowish Pipit	<i>Anthus lutescens</i>	✓
126	Greater Ani	<i>Crotophaga major</i>	✓	421	White-capped Dipper	<i>Cinclus leucocephalus</i>	✓
127	Smooth-billed Ani	<i>Crotophaga ani</i>	✓	422	Black-capped Donacobius	<i>Donacobius atricapillus</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
128	Groove-billed Ani	<i>Crotophaga sulcirostris</i>	✓	423	Thrush-like Wren	<i>Campylorhynchus turdinus</i>	✓
129	Striped Cuckoo	<i>Tapera naevia</i>	✓	424	Fasciated Wren	<i>Campylorhynchus fasciatus</i>	✓
130	Tropical Screech-Owl	<i>Megascops choliba</i>	✓	425	Sharpe's Wren	<i>Cinnycerthia olivascens</i>	✓
131	Peruvian Screech-Owl	<i>Megascops roboratus</i>	H	426	Moustached Wren	<i>Thryothorus genibarbis</i>	✓
132	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	✓	427	Marañon Wren	<i>Thryothorus sclateri sclateri</i>	✓
133	Pacific Pygmy-Owl	<i>Glaucidium peruanum</i>	✓	428	Buff-breasted Wren	<i>Thryothorus leucotis</i>	✓
134	Long-whiskered Owlet	<i>Xenoglaux loweryi</i>	H	429	Superciliated Wren	<i>Thryothorus superciliariS</i>	✓
135	Burrowing Owl	<i>Athene cunicularia</i>	✓	430	Southern House Wren	<i>Troglodytes musculus</i>	✓
136	Oilbird	<i>Steatornis caripensis</i>	✓	431	Mountain Wren	<i>Troglodytes solstitialis</i>	✓
137	Great Potoo	<i>Nyctibius grandis</i>	✓	432	Gray-breasted Wood-Wren	<i>Henicorhina leucophrys</i>	✓
138	Grey (Common) Potoo	<i>Nyctibius griseus</i>	✓	433	Southern Nightengale-Wren	<i>Microcerculus marginatus</i>	H
139	Rufous-bellied Nighthawk	<i>Lurocalis rufiventris</i>	H	434	Long-tailed Mockingbird	<i>Mimus longicaudatus</i>	✓
140	Lesser Nighthawk	<i>Chordeiles acutipennis</i>	✓	435	Andean Solitaire	<i>Myadestes ralloides</i>	H
141	Common Nighthawk	<i>Chordeiles minor</i>	✓	436	White-eared Solitaire	<i>Entomodestes leucotis</i>	D
142	Pauraque	<i>Nyctidromus albicollis</i>	✓	437	Swainson's Thrush	<i>Catharus ustulatus</i>	✓
143	Scrub (Anthony's) Nightjar	<i>Caprimulgus anthonyi</i>	✓	438	Pale-eyed Thrush	<i>Platycichla leucops</i>	D
144	Chestnut-collared Swift	<i>Streptoprocne rutila</i>	✓	439	Chiguanco Thrush	<i>Turdus chiguanco</i>	✓
145	White-collared Swift	<i>Streptoprocne zonaris</i>	✓	440	Great Thrush	<i>Turdus fuscater</i>	✓
146	Short-tailed Swift	<i>Chaetura brachyura</i>	✓	441	Marañón Thrush	<i>Turdus maranonicus</i>	✓
147	White-tipped Swift	<i>Aeronautes montivagus</i>	✓	442	Pale-breasted Thrush	<i>Turdus leucomelas</i>	✓
148	Fork-tailed Palm-Swift	<i>Tachornis squamata</i>	✓	443	Black-billed Thrush	<i>Turdus ignobilis</i>	✓
149	Lesser Swallow-tailed Swift	<i>Panyptila cayennensis</i>	✓	444	Hauxwell's Thrush	<i>Turdus hauxwelli</i>	✓
150	Rufous-breasted Hermit	<i>Glaucis hirsuta</i>	✓	445	White-necked Thrush	<i>Turdus albicollis</i>	H
151	Green Hermit	<i>Phaethornis guy</i>	✓	446	Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>	L
152	Eastern Long-tailed Hermit	<i>Phaethornis superciliosus</i>	✓	447	White-faced Gnatcatcher	<i>Polioptila plumbea bilineata</i>	✓
153	Reddish Hermit	<i>Phaethornis ruber</i>	✓	448	Marañon Gnatcatcher	<i>Polioptila (plumbea) maior</i>	✓
154	Black-throated Hermit	<i>Phaethornis atrimentalis</i>	✓	449	Inca (Green) Jay	<i>Cyanocorax yncas</i>	✓
155	Gray-chinned Hermit	<i>Phaethornis griseogularis</i>	✓	450	Violaceous Jay	<i>Cyanocorax violaceus</i>	✓
156	Green-fronted Lancebill	<i>Doryfera ludovicae</i>	✓	451	White-tailed Jay	<i>Cyanocorax mystacalis</i>	✓
157	Gray-breasted Sabrewing	<i>Campylopterus largipennis</i>	✓	452	White-collared Jay	<i>Cyanocorax viridicyana</i>	✓
158	White-necked Jacobin	<i>Florisuga mellivora</i>	✓	453	House Sparrow	<i>Passer domesticus</i>	✓
159	Green Violetear	<i>Colibri thalassinus</i>	✓	454	Red-eyed Vireo	<i>Vireo olivaceus</i>	✓
160	Sparkling Violetear	<i>Colibri coruscans</i>	✓	455	Ashy-headed Greenlet	<i>Hylophilus pectoralis</i>	H

	Common name	Scientific name	TL		Common name	Scientific name	TL
161	Black-throated Mango	<i>Anthracothonax nigricollis</i>	✓	456	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>	✓
162	Rufous-crested Coquette	<i>Lophornis delattrei</i>	✓	457	Hooded Siskin	<i>Carduelis magellanica</i>	✓
163	Wire-crested Thorntail	<i>Popelairia popelairii</i>	✓	458	Lesser Goldfinch	<i>Carduelis psaltria</i>	L
164	Blue-tailed Emerald	<i>Chlorostilbon mellisugus</i>	✓	459	Tropical Parula	<i>Parula pitiayumi</i>	✓
165	Fork-tailed Woodnymph	<i>Thalurania furcata</i>	✓	460	Blackburnian Warbler	<i>Dendroica fusca</i>	✓
166	White-chinned Sapphire	<i>Hylocharis cyanus</i>	✓	461	Cerulean Warbler	<i>Dendroica caerulea</i>	✓
167	Golden-tailed Sapphire	<i>Chrysuronia oenone</i>	✓	462	Black-lored (Masked) Yellowthroat	<i>Geothlypis aequinoctialis</i>	✓
168	Tumbes Hummingbird	<i>Leucippus baeri</i>	✓	463	Canada Warbler	<i>Wilsonia canadensis</i>	✓
169	Spot-throated Hummingbird	<i>Leucippus taczanowskii</i>	✓	464	Slate-throated Whitestart	<i>Myioborus miniatus</i>	✓
170	Olive-spotted Hummingbird	<i>Leucippus chlorocercus</i>	✓	465	Spectacled Whitestart	<i>Myioborus melanocephalus</i>	✓
171	White-bellied Hummingbird	<i>Leucippus chionogaster</i>	✓	466	Black-crested Warbler	<i>Basileuterus nigrocristatus</i>	✓
172	Many-spotted Hummingbird	<i>Leucippus hypostictus</i>	✓	467	Citrine Warbler	<i>Basileuterus luteoviridis</i>	✓
173	Amazilia Hummingbird	<i>Amazilia amazilia</i>	✓	468	Russet-crowned Warbler	<i>Basileuterus coronatus</i>	H
174	Andean Emerald	<i>Amazilia franciae</i>	✓	469	Three-banded Warbler	<i>Basileuterus trifasciatus</i>	✓
175	Sapphire-spangled Emerald	<i>Polyerata lactea</i>	✓	470	Buff-rumped Warbler	<i>Basileuterus fulvicauda</i>	H
176	Glittering-throated Emerald	<i>Polyerata fimbriata</i>	✓	471	Bananaquit	<i>Coereba flaveola</i>	✓
177	Speckled Hummingbird	<i>Adelomyia melanogenys</i>	✓	472	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>	✓
178	Violet-fronted Brilliant	<i>Heliodoxa leadbeateri</i>	✓	473	Cinereous Conebill	<i>Conirostrum cinereum</i>	✓
179	Fawn-breasted Brilliant	<i>Heliodoxa rubinoides</i>	✓	474	Black-faced Tanager	<i>Schistochlamys melanopis</i>	✓
180	Chestnut-breasted Coronet	<i>Boissonneaua matthewsii</i>	✓	475	Magpie Tanager	<i>Cissopis leveriana</i>	✓
181	Bronzy Inca	<i>Coeligena coeligena</i>	✓	476	Grass-green Tanager	<i>Chlorornis riefferii</i>	✓
182	Collared Inca	<i>Coeligena torquata</i>	✓	477	White-capped Tanager	<i>Sericossypha albocristata</i>	✓
183	Rainbow Starfrontlet	<i>Coeligena iris</i>	✓	478	Common Bush-Tanager	<i>Chlorospingus ophthalmicus</i>	✓
184	Purple-throated Sunangel	<i>Helianthus viola</i>	✓	479	Ashy-throated Bush-Tanager	<i>Chlorospingus canigularis</i>	✓
185	Royal Sunangel	<i>Helianthus regalis</i>	✓	480	Gray-hooded Bush-Tanager	<i>Cnemoscopus rubrirostris</i>	✓
186	Emerald-bellied Puffleg	<i>Eriocnemis alinae</i>	✓	481	White-bellied Hemispingus	<i>Hemispingus (superciliaris) leucogaster</i>	✓
187	Greenish Puffleg	<i>Haplophaedia aureliae</i>	✓	482	Rufous-chested Tanager	<i>Thlypsopsis ornata</i>	✓
188	Booted Racket-Tail	<i>Ocreatus underwoodii</i>	✓	483	Orange-headed Tanager	<i>Thlypsopsis sordida</i>	✓
189	Black-tailed Trainbearer	<i>Lesbia victoriae</i>	✓	484	Buff-bellied Tanager	<i>Thlypsopsis inornata</i>	✓
190	Green-tailed Trainbearer	<i>Lesbia nuna</i>	✓	485	Hooded Tanager	<i>Nemosia pileata</i>	✓
191	Long-tailed Sylph	<i>Agelaiocercus kingi</i>	✓	486	Gray-headed Tanager	<i>Eucometis penicillata</i>	✓
192	Marvellous Spatuletail	<i>Loddigesia mirabilis</i>	✓	487	White-winged Shrike-Tanager	<i>Lanio versicolor</i>	✓
193	Long-billed Starthroat	<i>Heliomaster longirostris</i>	✓	488	Yellow-crested Tanager	<i>Tachyphonus rufiventer</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
194	Peruvian Sheartail	<i>Thaumastura cora</i>	L	489	White-shouldered Tanager	<i>Tachyphonus luctuosus</i>	✓
195	Purple-collared Woodstar	<i>Myrtis fanny</i>	✓	490	White-lined Tanager	<i>Tachyphonus rufus</i>	✓
196	Short-tailed Woodstar	<i>Myrmia micrura</i>	✓	491	Highland Hepatic Tanager	<i>Piranga lutea</i>	✓
197	White-bellied Woodstar	<i>Chaetocercus mulsant</i>	✓	492	Scarlet Tanager	<i>Piranga olivacea</i>	✓
198	Amazonian White-tailed Trogon	<i>Trogon viridis</i>	✓	493	Summer Tanager	<i>Piranga rubra</i>	✓
199	Black-tailed Trogon	<i>Trogon melanurus</i>	✓	494	White-winged Tanager	<i>Piranga leucoptera</i>	✓
200	Golden-headed Quetzal	<i>Pharomachrus auriceps</i>	H	495	Red-hooded Tanager	<i>Piranga rubriceps</i>	✓
201	Ringed Kingfisher	<i>Ceryle torquatus</i>	✓	496	Vermilion Tanager	<i>Calochaetes coccineus</i>	✓
202	Amazon Kingfisher	<i>Chloroceryle amazona</i>	✓	497	Masked Crimson Tanager	<i>Ramphocelus nigrogularis</i>	✓
203	Green Kingfisher	<i>Chloroceryle americana</i>	✓	498	Huallaga Tanager	<i>Ramphocelus melanogaster</i>	✓
204	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	✓	499	Silver-beaked Tanager	<i>Ramphocelus carbo</i>	✓
205	White-eared Jacamar	<i>Galbalcyrhynchus leucotis</i>	✓	500	Blue-gray Tanager	<i>Thraupis episcopus</i>	✓
206	Blue-cheeked Jacamar	<i>Galbula cyanicollis</i>	✓	501	Blue-capped Tanager	<i>Thraupis cyanocephala</i>	✓
207	Bluish-fronted Jacamar	<i>Galbula cyanescens</i>	✓	502	Palm Tanager	<i>Thraupis palmarum</i>	✓
208	Paradise Jacamar	<i>Galbula dea</i>	✓	503	Blue and Yellow Tanager	<i>Thraupis bonariensis</i>	✓
209	Brown-banded Puffbird	<i>Notharchus ordii</i>	✓	504	Hooded Mountain-Tanager	<i>Buthraupis montana</i>	✓
210	Rufous-capped Nunlet	<i>Nonnula ruficapilla</i>	✓	505	Blue-winged Mountain-Tanager	<i>Anisognathus somptuosus</i>	✓
211	Black-fronted Nunbird	<i>Monasa nigrifrons</i>	✓	506	Purple-throated Euphonia	<i>Euphonia chlorotica</i>	✓
212	Swallow-wing	<i>Chelidoptera tenebrosa</i>	✓	507	Thick-billed Euphonia	<i>Euphonia laniirostris</i>	✓
213	Scarlet-crowned Barbet	<i>Capito aurovirens</i>	✓	508	Bronze-green Euphonia	<i>Euphonia mesochrysa</i>	✓
214	Gilded Barbet	<i>Capito auratus</i>	✓	509	White-lored Euphonia	<i>Euphonia chrysopasta</i>	✓
215	Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>	✓	510	White-vented Euphonia	<i>Euphonia minuta</i>	✓
216	White-throated (Cuvier's) Toucan	<i>Ramphastus cuvieri</i>	✓	511	Orange-bellied Euphonia	<i>Euphonia xanthogaster</i>	✓
217	Bar-breasted Piculet	<i>Picumnus aurifrons</i>	✓	512	Golden rumped Euphonia	<i>Euphonia cyanocephala</i>	✓
218	Lafresnaye's Piculet	<i>Picumnus lafresnayi</i>	✓	513	Orange-eared Tanager	<i>Chlorochrysa calliparaea</i>	✓
219	Speckle-chested Piculet	<i>Picumnus steindachneri</i>	✓	514	Turquoise Tanager	<i>Tangara mexicana</i>	✓
220	Plain-breasted Piculet	<i>Picumnus castelnaui</i>	✓	515	Paradise Tanager	<i>Tangara chilensis</i>	✓
221	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	✓	516	Green-and-gold Tanager	<i>Tangara schrankii</i>	✓
222	Scarlet-backed Woodpecker	<i>Veniliornis callonotus</i>	✓	517	Golden Tanager	<i>Tangara arthus</i>	✓
223	Little Woodpecker	<i>Veniliornis passerinus</i>	✓	518	Golden-eared Tanager	<i>Tangara chrysotis</i>	✓
224	Golden-olive Woodpecker	<i>Piculus rubiginosus</i>	✓	519	Saffron-crowned Tanager	<i>Tangara xanthocephala</i>	✓
225	Crimson-mantled Woodpecker	<i>Piculus rivolii</i>	✓	520	Flame-faced Tanager	<i>Tangara parzudakii</i>	✓
226	Black-necked Woodpecker	<i>Colaptes atricollis</i>	✓	521	Spotted Tanager	<i>Tangara punctata</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
227	Spot-breasted Woodpecker	<i>Colaptes punctigula</i>	✓	522	Bay-headed Tanager	<i>Tangara gyrola</i>	✓
228	Scaly-breasted Woodpecker	<i>Celeus grammicus</i>	✓	523	Burnished-buff Tanager	<i>Tangara cayana</i>	✓
229	Chestnut Woodpecker	<i>Celeus elegans</i>	✓	524	Golden-naped Tanager	<i>Tangara ruficervix</i>	✓
230	Cream-colored Woodpecker	<i>Celeus flavus</i>	✓	525	Blue-necked Tanager	<i>Tangara cyanicollis</i>	✓
231	Lineated Woodpecker	<i>Dryocopus lineatus</i>	✓	526	Masked Tanager	<i>Tangara nigrocincta</i>	✓
232	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>	✓	527	Beryl-spangled Tanager	<i>Tangara nigroviridis</i>	✓
233	Coastal Miner	<i>Geositta peruviana</i>	✓	528	Blue-and-black Tanager	<i>Tangara vassorii</i>	✓
234	Lesser Hornero	<i>Furnarius minor</i>	✓	529	Silver-backed Tanager	<i>Tangara viridicollis</i>	✓
235	Pale-legged Hornero	<i>Furnarius leucopus</i>	✓	530	Black-faced Dacnis	<i>Dacnis lineata</i>	✓
236	Pacific Hornero	<i>Furnarius cinnamomeus</i>	✓	531	Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>	✓
237	Wren like Rushbird	<i>Phleocryptes melanops</i>	✓	532	Blue Dacnis	<i>Dacnis cayana</i>	✓
238	Rufous Spinetail	<i>Synallaxis unirufa</i>	✓	533	Green Honeycreeper	<i>Chlorophanes spiza</i>	✓
239	Azara's Spinetail	<i>Synallaxis azarae</i>	✓	534	Short-billed Honeycreeper	<i>Cyanerpes nitidus</i>	✓
240	Dark-breasted Spinetail	<i>Synallaxis albigularis</i>	✓	535	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	✓
241	Plain-crowned Spinetail	<i>Synallaxis gujanensis</i>	✓	536	Swallow-Tanager	<i>Tersina viridis</i>	✓
242	Necklaced Spinetail	<i>Synallaxis stictothorax</i>	✓	537	Red-crested Finch	<i>Coryphospingus cucullatus</i>	✓
243	Chinchipe Spinetail	<i>Synallaxis chinchipensis</i>	L	538	Band-tailed Sierra-Finch	<i>Phrygilus alaudinus</i>	✓
244	Baron's Spinetail	<i>Cranioleuca baroni</i>	✓	539	Ash-breasted Sierra-Finch	<i>Phrygilus plebejus</i>	D
245	Parker's Spinetail	<i>Cranioleuca vulpecula</i>	✓	540	Cinereous Finch	<i>Piezorhina cinerea</i>	✓
246	Red-and-white Spinetail	<i>Certhiaxis mustelina</i>	✓	541	Little Inca-Finch	<i>Incaeziza watkinsi</i>	✓
247	Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>	✓	542	Collared Warbling-Finch	<i>Poospiza hispaniolensis</i>	✓
248	Orange-fronted Plushcrown	<i>Metopothrix aurantiacus</i>	✓	543	Blue-black Grassquit	<i>Volatinia jacarina</i>	✓
249	Rusty-winged Barbtail	<i>Premnornis guttuligera</i>	✓	544	Caqueta Seed-eater	<i>Sporophila murallae</i>	✓
250	Pearled Treerunner	<i>Margarornis squamiger</i>	✓	545	Variable Seed-eater	<i>Sporophila corvina</i>	✓
251	Streaked Xenops	<i>Xenops rutilans</i>	✓	546	Lesson's Seed-eater	<i>Sporophila bouvronides</i>	✓
252	Montane Foliage-gleaner	<i>Anabacerthia striaticollis</i>	✓	547	Yellow-bellied Seed-eater	<i>Sporophila nigricollis</i>	✓
253	Streaked Tuftedcheek	<i>Pseudocolaptes boissonneautii</i>	✓	548	Drab Seed-eater	<i>Sporophila simplex</i>	✓
254	Striped Woodhaunter	<i>Hyloctistes subulatus</i>	✓	549	Parrot-billed Seed-eater	<i>Sporophila peruviana</i>	✓
255	Buff-fronted Foliage-gleaner	<i>Philydor rufus</i>	✓	550	Chestnut-bellied Seed-eater	<i>Sporophila castaneiventris</i>	✓
256	Buff-throated Foliage-gleaner	<i>Automolus ochrolaemus</i>	H	551	Chestnut-throated Seed-eater	<i>Sporophila telasco</i>	✓
257	Chestnut-crowned Foliage-gleaner	<i>Automolus rufipileatus</i>	H	552	Chestnut-bellied Seed-Finch	<i>Oryzoborus angolensis</i>	✓
258	Henna-hooded Foliage-gleaner	<i>Hylocryptus erythrocephalus</i>	H	553	Plain-colored Seed-eater	<i>Catamenia inornata</i>	✓
259	Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>	✓	554	Dull-colored Grassquit	<i>Tiaris obscura</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
260	White-chinned Woodcreeper	<i>Dendrocincla merula</i>	✓	555	Rusty Flowerpiercer	<i>Diglossa sittoides</i>	✓
261	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	✓	556	White-sided Flowerpiercer	<i>Diglossa albilatera</i>	✓
262	Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	✓	557	Black-throated Flowerpiercer	<i>Diglossa brunneiventris</i>	✓
263	Long-billed Woodcreeper	<i>Nasica longirostris</i>	✓	558	Bluish Flowerpiercer	<i>Diglossa caerulescens</i>	✓
264	Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>	✓	559	Saffron Finch	<i>Sicalis flaveola</i>	✓
265	(Great-billed) Strong-billed Woodcreeper	<i>Xiphocolaptes promeropirhynchus - orenocensis group</i>	✓	560	Grassland Yellow-Finch	<i>Sicalis luteola</i>	✓
266	Straight-billed Woodcreeper	<i>Xiphorhynchus picus</i>	✓	561	Sulphur-throated Finch	<i>Sicalis taczanowskii</i>	✓
267	Elegant Woodcreeper	<i>Xiphorhynchus elegans</i>	✓	562	Red-capped Cardinal	<i>Paroaria gularis</i>	✓
268	Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>	✓	563	Cloud-forest Brush-Finch	<i>Atlapetes latinuchus</i>	✓
269	Olive-backed Woodcreeper	<i>Xiphorhynchus triangularis</i>	✓	564	Bay crowned Brush-Finch	<i>Atlapetes seebohmi</i>	✓
270	Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>	✓	565	White-headed Brush-Finch	<i>Atlapetes albiceps</i>	✓
271	Great Antshrike	<i>Taraba major</i>	✓	566	Black-capped (Maranon) Sparrow	<i>Arremon abeillei</i>	✓
272	Collared Antshrike	<i>Sakesphorus bernardi</i>	✓	567	Tumbes Sparrow	<i>Aimophila stolzmanni</i>	✓
273	Barred Antshrike	<i>Thamnophilus doliatus</i>	✓	568	Yellow-browed Sparrow	<i>Ammodramus aurifrons</i>	✓
274	Castelnau's Antshrike	<i>Thamnophilus cryptoleucus</i>	✓	569	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	✓
275	Uniform Antshrike	<i>Thamnophilus unicolor</i>	✓	570	Tumbes (Streaked) Saltator	<i>Saltator striatipectus flavidicollis</i>	✓
276	Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>	✓	571	Grayish Saltator	<i>Saltator coerulescens</i>	✓
277	Mouse-colored Antshrike	<i>Thamnophilus murinus</i>	✓	572	Buff-throated Saltator	<i>Saltator maximus</i>	✓
278	Marañon Slaty-Antshrike	<i>Thamnophilus punctatus leucogaster</i>	✓	573	Slate-colored Grosbeak	<i>Saltator grossus</i>	✓
279	Huallaga Slaty-Antshrike	<i>Thamnophilus punctatus huallagae</i>	✓	574	Black-cowled Saltator	<i>Saltator nigriceps</i>	✓
280	Variable Antshrike	<i>Thamnophilus caerulescens</i>	✓	575	Golden-bellied Grosbeak	<i>Pheucticus chrysogaster</i>	✓
281	Chapman's Antshrike	<i>Thamnophilus zarumae</i>	✓	576	Yellow-hooded Blackbird	<i>Chrysomus icterocephalus</i>	✓
282	Spot-winged Antshrike	<i>Pygiptila stellaris</i>	✓	577	Red-breasted Blackbird	<i>Sturnella militaris</i>	✓
283	Stripe-chested Antwren	<i>Myrmotherula longicauda</i>	✓	578	Peruvian Meadowlark	<i>Sturnella bellicosa</i>	✓
284	Plain-throated Antwren	<i>Myrmotherula huxwelli</i>	✓	579	Scrub Blackbird	<i>Dives warszewiczi</i>	✓
285	Long-winged Antwren	<i>Myrmotherula longipennis</i>	✓	580	Shiny Cowbird	<i>Molothrus bonariensis</i>	✓
286	Gray Antwren	<i>Myrmotherula menetriesii</i>	✓	581	Giant Cowbird	<i>Molothrus oryzivora</i>	✓
287	Ancient Antwren	<i>Herpsilochmus gentryi</i>	H	582	White-edged Oriole	<i>Icterus graceanae</i>	✓
288	Long-tailed Antbird	<i>Drymophila caudata</i>	✓	583	Orange-backed Troupial	<i>Icterus croconotus</i>	✓
289	Gray Antbird	<i>Cercomacra cinerascens</i>	✓	584	Yellow-rumped Cacique	<i>Cacicus cela</i>	✓
290	Blackish Antbird	<i>Cercomacra nigrescens</i>	✓	585	Subtropical Cacique	<i>Cacicus uropygialis</i>	H
291	White-browed Antbird	<i>Myrmoborus leucophrys</i>	✓	586	Solitary Cacique	<i>Cacicus solitarius</i>	✓
292	Ash-breasted Antbird	<i>Myrmoborus lugubris</i>	✓	587	Crested Oropendola	<i>Psarocolius decumanus</i>	✓

	Common name	Scientific name	TL		Common name	Scientific name	TL
293	Black-tailed Antbird	<i>Myrmoborus melanurus</i>	✓	588	Russet-backed Oropendola	<i>Psarocolius angustifrons</i>	✓
294	Warbling Antbird	<i>Hypocnemis cantator peruviana</i>	✓	589	Oriole Blackbird	<i>Gymnomystax mexicanus</i>	✓
295	Yellow-browed Antbird	<i>Hypocnemis hypoxantha</i>	✓	590	Velvet-fronted Grackle	<i>Lamprosar tanagrinus</i>	✓

Other Taxa

- | | | |
|-------------------------------------|---|------------------------|
| 1, Grey Dolphin | 2, Pink River Dolphin | 3, White-tailed Deer |
| 4, Fishing Bat | 5, Bolivian Squirrel Monkey | 6, Dusky Titi Monkey |
| 7, Red Howler Monkey | 8, Yellow-crowned Brush-tailed Tree Rat | 9, Long-nosed Bat |
| 10, Brown-throated Three-toed Sloth | 11, Pygmy Marmoset | 12, Brown Capuchin |
| 13, Black Caiman | 14, Saddle-backed Tamarin | 15, Terrapin |
| 16, Sechuran Fox | 17, Spectacled Bear | 18, Bamboo Rat |
| 19, Pacarana | 20, White collared Peccary | 21, Guayaquil Squirrel |